



Status Report

550 - CITATION II

S/N 550-0048 C-FYRQ

OWNER: TRUE NORTH AIRWAYS  
ADDRESS: 2379 WAHAMAA STREET  
AZILDA ON POM 1B0  
OFFICE: 705-983-4255  
FAX:

OPERATOR: TRUE NORTH AIRWAYS  
ADDRESS: 2379 WAHAMAA STREET  
AZILDA ON POM 1B0  
OFFICE: 705-983-4255  
FAX:

ANALYST: CLAYTON WAYMAN  
EMAIL: CWAYMAN@CAMPSYSTEMS.COM

+1-316-462-2439 (DIRECT)  
+1-631-588-3200 (MAIN)  
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)  
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO  
RECORD CHANGES TO ADDRESS, LAST ACTUALS  
(IF ANY).

AIRCRAFT SERIAL/REGNO: 550-0048/C-FYRQ MODEL: 550 - CITATION II MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 17-JAN-1979

LAST ACTUALS:  
10268.1 A/C HRS as of 03-MAY-2024  
9647 AFL as of 03-MAY-2024  
6000 ACH as of 03-MAY-2024

ENGINE NO. 1 SERIAL/PART: PCE-70212/3021000 MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 07-JUL-2008  
0 ENG. HRS 8788 A/C HRS  
ENC

LAST ACTUALS:  
8258.4 ENG. HRS as of 03-MAY-2024  
7630 ENC as of 03-MAY-2024

ENGINE NO. 2 SERIAL/PART: PCE-70415/3021000 MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 07-JUL-2008  
0 ENG. HRS 8788 A/C HRS  
ENC

LAST ACTUALS:  
8418 ENG. HRS as of 03-MAY-2024  
7626 ENC as of 03-MAY-2024



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 00 - INFORMATION											
000001 <sup>U</sup>		NEW FLIGHT G/W INST								Component	ATA:00
PN:STC#SA4954N M	MOS/MSC	07-Mar-97	O/C								
SN:UNKNOWN	HRS	5826									
	AFL	5383		TSN 0							
000003 <sup>U</sup>		CERTIFY LIFE VEST 60 MONTHS CERTIF								Service	ATA:00
	MOS	20-Apr-20	60		30-Apr-25		295 d				
	HRS										
	AFL										
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS											
057110		NO. 1 ENGINE - MINOR INSPECTION								Service	ATA:05
	MOS	01-Apr-24	24 (+2m)		30-Apr-26	30-Jun-26	660 d (+61)				
	HRS	8250.7	300 (+30)		(8550.7) 10560.4	8580.7	292.3 (+30)				
	ENC	7627									
PROC. REF: EMM 72-00-00											
057110		NO. 2 ENGINE - MINOR INSPECTION								Service	ATA:05
	MOS	01-Apr-24	24 (+2m)		30-Apr-26	30-Jun-26	660 d (+61)				
	HRS	8410.3	300 (+30)		(8710.3) 10560.4	8740.3	292.3 (+30)				
	ENC	7623									
PROC. REF: EMM 72-00-00											
5-12-01		INSPECTION PHASE 1								Package	ATA:05
	MOS	09-Feb-24	24 (+2m)		28-Feb-26	30-Apr-26	599 d (+61)				
	HRS	10230.5	300 (+30)		10530.5	10560.5	262.4 (+30)				
WC#: 05.001	AFL	9624									
PROC. REF: TLMC 5-12-01											
5-12-02		INSPECTION PHASE 2								Package	ATA:05
	MOS	09-Feb-24	24 (+2m)		28-Feb-26	30-Apr-26	599 d (+61)				
	HRS	10230.5	300 (+30)		10530.5	10560.5	262.4 (+30)				
WC#: 05.002	AFL	9624									
PROC. REF: TLMC 5-12-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
5-12-03	INSPECTION PHASE 3									Package ATA:05
	MOS	09-Feb-24	24 (+2m)		28-Feb-26	30-Apr-26	599 d (+61)			
	HRS	10230.5	300 (+30)		10530.5	10560.5	262.4 (+30)			
WC#: 05.003	AFL	9624								
					PROC. REF: TLMC 5-12-03					PKG:3
5-12-04	INSPECTION PHASE 4									Package ATA:05
	MOS	09-Feb-24	24 (+2m)		28-Feb-26	30-Apr-26	599 d (+61)			
	HRS	10230.5	300 (+30)		10530.5	10560.5	262.4 (+30)			
WC#: 05.004	AFL	9624								
					PROC. REF: TLMC 5-12-04					PKG:4
5-12-05	INSPECTION PHASE 5									Package ATA:05
	MOS	13-Feb-23	36 (+2m)		28-Feb-26	30-Apr-26	599 d (+61)			
	HRS	10152.3	1200 (+100)		11352.3	11452.3	1084.2 (+100)			
WC#: 05.005	AFL	9569								
					PROC. REF: TLMC 5-12-05					PKG:7
5-12-0B	INSPECTION PHASE B									Package ATA:05
	MOS	30-Nov-23								
	HRS	10208.4	150 (+30)		10358.4	10388.4	90.3 (+30)			
	AFL	9611								
					PROC. REF: TLMC 5-12-0B					PKG:12
5-12-12	INSPECTION PHASE 12									Package ATA:05
	MOS/MS	22-Apr-20	N/A							
	HRS	9845.2	600 (+30)		10445.2	10475.2	177.1 (+30)			
WC#: 05.012	AFL	9387								
					PROC. REF: TLMC 5-12-12					PKG:15
5-12-14	INSPECTION PHASE 14									Package ATA:05
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+100)		12833.8	12933.8	2565.7 (+100)			
WC#: 05.014	AFL	9373								
					PROC. REF: TLMC 5-12-14					PKG:17

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
5-12-15 INSPECTION PHASE 15 Package ATA:05										
	MOS	01-Nov-19								
	HRS	9833.8	T:5000 (+100)		14833.8	14933.8	4565.7 (+100)			
WC#: 05.015	AFL	9373								
PROC. REF: TLMC 5-12-15										PKG:18
5-12-16 INSPECTION PHASE 16 Package ATA:05										
	MOS	01-Nov-19								
	HRS	9833.8	T:5000 (+100)		14833.8	14933.8	4565.7 (+100)			
WC#: 05.016	AFL	9373								
PROC. REF: TLMC 5-12-16										PKG:19
5-12-17 INSPECTION PHASE 17 Package ATA:05										
	MOS	01-Nov-19								
	HRS	9833.8	10000 (+10)		19833.8	19843.8	9565.7 (+10)			
WC#: 05.017	AFL	9373								
PROC. REF: TLMC 5-12-17										PKG:20
5-12-18 INSPECTION PHASE 18 Package ATA:05										
PN:-	MOS	18-Aug-23	12		31-Aug-24		53 d			
SN:-	HRS	10170.5								
WC#: 05.018	AFL	9580								
PROC. REF: TLMC 5-12-18										PKG:21
5-12-19 INSPECTION PHASE 19 Package ATA:05										
	MOS	01-Nov-19								
	HRS	9833.8	2500 (+10)		12333.8	12343.8	2065.7 (+10)			
	AFL	9373								
PROC. REF: TLMC 5-12-19										PKG:22
5-12-20 <sup>S</sup> INSPECTION PHASE 20 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES) Package ATA:05										
	MOS	03-May-24	24							
	HRS	10268.1								
	AFL	9647								
PROC. REF: TLMC 5-12-20										PKG:24
5-12-21 <sup>S</sup> INSPECTION PHASE 21 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES) Package ATA:05										
	MOS	03-May-24	24 (+1m)							
	HRS	10268.1								
	AFL	9647								
PROC. REF: TLMC 5-12-21										PKG:26

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
5-12-22 <sup>S</sup>	INSPECTION PHASE 22 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)									Package ATA:05
	MOS	10-Feb-12	36 (+2m)							
	HRS	8788								
	AFL	8659								
PROC. REF: TLMC 5-12-22										PKG:28
5-12-23 <sup>S</sup>	INSPECTION PHASE 23 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)									Package ATA:05
	MOS	04-Feb-17	60 (+2m)							
	HRS	0								
	AFL	0								
PROC. REF: TLMC 5-12-23										PKG:29
5-12-26	INSPECTION PHASE 26									Package ATA:05
	MOS/MSC	17-Jan-79	N/A							
	HRS	0								
	AFL	0								
PROC. REF: TLMC 5-12-26										PKG:30
5-12-27	INSPECTION PHASE 27									Package ATA:05
	MOS/MSC	17-Jan-79	N/A							
	HRS	0								
	AFL	0								
PROC. REF: TLMC 5-12-27										PKG:31
5-12-35 <sup>S</sup>	INSPECTION PHASE 35 LEAD ACID STDBY PWR (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)									Package ATA:05
	MOS	30-Nov-23	6 (+1m)							
	HRS	10208.4								
WC#: 05.035	AFL	9611								
PROC. REF: TLMC 5-12-35										PKG:47
5-12-37	INSPECTION PHASE 37									Package ATA:05
	MOS	18-Dec-20								
	HRS	9943.4	5000 (+10)		14943.4	14953.4	4675.3 (+10)			
WC#: 05.037	AFL	9448								
PROC. REF: TLMC 5-12-37										PKG:48
5-12-40	INSPECTION PHASE 40 (NOT USED)									Package ATA:05
	MOS/MSC	17-Jan-79	A/R							
	HRS	0								
WC#: 05.040	AFL	0								
PROC. REF: AMM GENERIC 2										PKG:50

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS										
5-12-47 <sup>S</sup> INSPECTION PHASE 47 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES) Package ATA:05										
	MOS	17-Jan-79	144 (+2m)							
	HRS	0								
	AFL	0								
PROC. REF: TLMC 5-12-47										PKG:53
5-12-48 <sup>S</sup> INSPECTION PHASE 48 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES) Package ATA:05										
	MOS	16-Oct-18	72 (+2m)							
	HRS	9813.3								
	AFL	9361								
PROC. REF: TLMC 5-12-48										PKG:55
5-12-49 INSPECTION PHASE 49 Package ATA:05										
	MOS	12-Jan-22	36 (+2m)		31-Jan-25	31-Mar-25	206 d (+59)			
	HRS	10063.3	1200 (+100)		11263.3	11363.3	995.2 (+100)			
WC#: 05.049	AFL	9521								
PROC. REF: TLMC 5-12-49										PKG:60
5-12-53 INSPECTION PHASE 53 Package ATA:05										
PN:-	MOS/MS	12-Jan-22	N/A							
SN:-	HRS	10063.3								
WC#: 05.053	AFL	9521								
PROC. REF: TLMC 5-12-53										PKG:62
5-12-55 INSPECTION PHASE 55 Package ATA:05										
PN:-	MOS	30-Nov-23	12 (+1m)		30-Nov-24	31-Dec-24	144 d (+31)			
SN:-	HRS	10208.4								
WC#: 05.055	AFL	9611								
PROC. REF: TLMC 5-12-55										PKG:64
5-12-56 INSPECTION PHASE 56 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES) Package ATA:05										
PN:-	MOS	09-Feb-24	3 (+9d)		31-May-24	09-Jun-24	OVD			
SN:-	HRS	10230.5	200 (+20)		10430.5	10450.5	162.4 (+20)			
	AFL	9624								
PROC. REF: TLMC 5-12-56										PKG:66
5-12-57 COPILOT WINDOW INSPECTION (ONLY FIRST 150HRS AFTER INSTALLATION) Package ATA:05										
	MOS/MS	23-Sep-22	A/R							
	HRS	10126.4	150		10276.4		8.3			
	AFL	9546								
PROC. REF: TLMC 5-12-57										PKG:67

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>										
<b>5-12-58 INSPECTION PHASE 58</b> Package ATA:05										
PN:-	MOS	23-Sep-22								
SN:-	HRS	10126.4	300 (+30)		10426.4	10456.4	158.3 (+30)			
	AFL	9546								
PROC. REF: TLMC 5-12-58										PKG:502
<b>5-12-59 INSPECTION PHASE 59</b> Package ATA:05										
PN:-	MOS	04-May-20								
SN:-	HRS	9845.2								
	AFL	9387								
	ACH	5534.8	500 (+50)		6034.8	6084.8	34.8 (+50)			
PROC. REF: TLMC 5-12-59, AMM 21-51-03										PKG:504
<b>5-12-60 INSPECTION PHASE 60</b> Package ATA:05										
	MOS	12-Mar-21								
	HRS	9838.5	1200 (+100)		11038.5	11138.5	770.4 (+100)			
	AFL	9381								
PROC. REF: TLMC 5-12-60										PKG:503
<b>5-12-61 INSPECTION PHASE 61</b> Package ATA:05										
PN:-	MOS	03-May-24	6 (+18d)		30-Nov-24	18-Dec-24	144 d (+18)			
SN:-	HRS	10268.1								
	AFL	9647								
PROC. REF: TLMC 5-12-61										PKG:501
<b>5-12-MA<sup>S</sup> INSPECTION PHASE MA (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)</b> Package ATA:05										
	MOS	14-Apr-14								
	HRS	9283.4								
	AFL	8997	200							
PROC. REF: TLMC 5-12-MA										PKG:69
<b>5-12-MB<sup>S</sup> INSPECTION PHASE MB (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)</b> Package ATA:05										
	MOS	17-Jan-79						LIFE LIMIT		
	HRS	0								
	AFL	0	T:425							
PROC. REF: TLMC 5-12-MB										PKG:71

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>										
5-12-MD <sup>S</sup>	INSPECTION PHASE MD (AIRPLANES 0002 THRU 0626 EXCEPT 491,492) (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)									Package ATA:05
	MOS	07-Apr-20						LIFE LIMIT		
	HRS	9845.2								
	AFL	9387	1000							
PROC. REF: TLMC 5-12-MD										PKG:73
5-12-MF	INSPECTION PHASE MF									Package ATA:05
PN:-	MOS/MSC	04-May-20	N/A					N/A BY PART NUMBER		
SN:-	HRS	9845.2								
	AFL	9387								
PROC. REF: TLMC 5-12-MF										PKG:421
<b>ATA 08 - LEVELING AND WEIGHING</b>										
000004 <sup>U</sup>	WEIGHT CHECK W&B EACH 60 MONTHS									Service ATA:08
	MOS	13-Sep-22	60		30-Sep-27		1178 d			
	HRS									
	AFL									
<b>ATA 11 - PLACARDS AND MARKINGS</b>										
A110001 <sup>S</sup>	INSPECT INTERIOR AND EXTERIOR PLACARDS AND DECALS, AND THE AIRPLANE ID PLATE: INSPECTION PHASE 5									Service ATA:11
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 11.055	AFL	9569								
PROC. REF: AMM 11-00-00										PKG:7,79

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 12 - SERVICING</b>										
12-22-01-601	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH									
	MOS/MSC	EFF	A/R					DISCRETIONARY		Service ATA:12
	HRS									
	AFL									
	PROC. REF: AMM 12-22-01									
12-22-01-602	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH									
	MOS/MSC	EFF	A/R					DISCRETIONARY		Service ATA:12
	HRS									
	AFL									
	PROC. REF: AMM 12-22-01									
12-22-01-603	90 DAY LOW EXPOSURE AREAS - AIRPLANE ZONE 3 WASH									
	MOS/MSC	EFF	A/R					DISCRETIONARY		Service ATA:12
	HRS									
	AFL									
	PROC. REF: AMM 12-22-01									
129999 <sup>U</sup>	INSPECT AIRCRAFT SURVEY									
	MOS/MSC	03-Dec-96	O/C							Service ATA:12
	HRS	5797		TAC 0						
	AFL									
<b>ATA 21 - AIR CONDITIONING</b>										
211002	EMERGENCY PRESSURIZATION VALVE									
PN:228455	MOS/MSC	17-Jan-79	O/C							Component ATA:21
SN:134	HRS	0		TSN 0						
WC#: 21.010	AFL	0		TSN 0						
	PROC. REF: AMM 21-11-00									
211003	LEFT SHUTOFF VALVE									
PN:228455-1	MOS/MSC	17-Jan-79	O/C							Component ATA:21
SN:138	HRS	0		TSN 0						
WC#: 21.190	AFL	0		TSN 0						
	PROC. REF: AMM 21-11-00									
211003	RIGHT SHUTOFF VALVE									
PN:228455-1	MOS/MSC	17-Jan-79	O/C							Component ATA:21
SN:117	HRS	0		TSN 0						
WC#: 21.190	AFL	0		TSN 0						
	PROC. REF: AMM 21-11-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>211005 LEFT PRECOOLER</b> <span style="float:right">Component ATA:21</span>										
PN:10623C	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 21.170	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 4										
<b>211005 RIGHT PRECOOLER</b> <span style="float:right">Component ATA:21</span>										
PN:10623C	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 21.170	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 4										
<b>212004 OVERHEAD CABIN FAN</b> <span style="float:right">Component ATA:21</span>										
PN:BC61A901-2	MOS	04-May-20						REPLACE		
SN:2900A	HRS	9845.2	1000	TSO 0	10845.2		577.1			
WC#: 21.120	AFL	9387								
PROC. REF: AMM GENERIC 4										
<b>212006 DEFOG FAN</b> <span style="float:right">Component ATA:21</span>										
PN:5703-4	MOS	17-Oct-13						OVERHAUL		
SN:0103	HRS	9196.6	3500	TSO 0	12696.6		2428.5			
WC#: 21.260	AFL	8930								
PROC. REF: AMM 21-21-01										
<b>212007 DME BLOWER FAN</b> <span style="float:right">Component ATA:21</span>										
PN:19A608	MOS/MSC	02-May-96	O/C							
SN:H8218	HRS	5742		TSO 0						
WC#: 21.450	AFL									
PROC. REF: AMM GENERIC 4										
<b>212007 FORWARD INSTRUMENT PANEL FAN</b> <span style="float:right">Component ATA:21</span>										
PN:4124	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSO 4966						
WC#: 21.130	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 4										
<b>212009 AIR FLOW ACTUATOR</b> <span style="float:right">Component ATA:21</span>										
PN:NYLC50466	MOS/MSC	17-Jan-79	O/C							
SN:41	HRS	0		TSN 0						
WC#: 21.140	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 4										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>212010 MOTOR DOOR ACTUATOR Component ATA:21</b>										
PN:5A3032	MOS/MSC	26-Aug-79	O/C							
SN:UNKNOWN	HRS	351		TSN 0						
WC#: 21.250	AFL									
PROC. REF: AMM GENERIC 4										
<b>213001 CABIN PRESSURE INDICATOR Component ATA:21</b>										
PN:C668511-0102	MOS/MSC	17-Jan-79	O/C							
SN:14153	HRS	0		TSN 0						
WC#: 21.240	AFL	0		TSN 0						
PROC. REF: AMM 21-31-03										
<b>213002 CABIN RATE CONTROLLER Component ATA:21</b>										
PN:130356-16	MOS/MSC	10-Jul-08	O/C							
SN:51594	HRS	8788		TSO 0						
WC#: 21.040	AFL									
PROC. REF: AMM 21-31-01										
<b>213003 CABIN RATE OF CLIMB INDICATOR Component ATA:21</b>										
PN:C668513-0101	MOS/MSC	24-Jun-84	O/C							
SN:W13475	HRS	3369		TSO 3369						
WC#: 21.240	AFL									
PROC. REF: AMM 21-31-03										
<b>213007 LEFT SECONDARY OUTFLOW VALVE Component ATA:21</b>										
PN:103576-26	MOS/MSC	07-Oct-05	O/C							
SN:621322	HRS	8430		TSO 0						
WC#: 21.070	AFL									
PROC. REF: AMM 21-31-01										
<b>213007 RIGHT PRIMARY OUTFLOW VALVE Component ATA:21</b>										
PN:103576-26	MOS/MSC	07-Oct-05	O/C	TSN 0						
SN:81-1079	HRS	8430		TSN 0						
WC#: 21.070	AFL			TSN 0						
PROC. REF: AMM 21-31-01										
<b>213009 LEFT BLEED AIR FLOW CONTROL VALVE Component ATA:21</b>										
PN:228465	MOS/MSC	12-Sep-00	O/C							
SN:547	HRS	7208		TSO 0						
WC#: 21.060	AFL									
PROC. REF: AMM GENERIC 4										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>213009 RIGHT BLEED AIR FLOW CONTROL VALVE Component ATA:21</b>										
PN:228465	MOS/MSC	14-Dec-79	O/C							
SN:338	HRS	560		TSN 0						
WC#: 21.060	AFL									
PROC. REF: AMM GENERIC 4										
<b>213013 PNEUMATIC RELAY Component ATA:21</b>										
PN:130358-1	MOS/MSC	17-Jan-79	O/C							
SN:78-565	HRS	0		TSN 0						
WC#: 21.050	AFL	0		TSN 0						
PROC. REF: AMM 21-31-02										
<b>215001 REFRIGERATION ASSEMBLY Component ATA:21</b>										
PN:2201820-1	MOS/MSC	17-Jan-79	O/C							
SN:78167	HRS	0		TSN 0						
WC#: 21.100	AFL	0		TSN 0						
PROC. REF: AMM 21-51-00										
<b>215007 B/A PRESSURE VALVE Component ATA:21</b>										
PN:225655	MOS/MSC	17-Jan-79	O/C							
SN:452	HRS	0		TSN 0						
WC#: 21.290	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 4										
<b>215008 COOLING ACM TURBINE Component ATA:21</b>										
PN:586110-3	MOS/MSC	17-Dec-96	O/C							
SN:811003	HRS	5797		TSO 0						
WC#: 21.310	AFL									
PROC. REF: AMM 21-51-00										
<b>215009 BYPASS MODULATING VALVE Component ATA:21</b>										
PN:979558-1	MOS/MSC	17-Jan-79	O/C							
SN:P-166	HRS	0		TSN 0						
WC#: 21.340	AFL	0		TSN 0						
PROC. REF: AMM 21-51-00										
<b>215012 REPLACE AIR CONDITIONER MOTOR BRUSHES (COMPRESSOR MOTORS 1134104-1,-5 OR FWA1134104-1, -5) Service ATA:21</b>										
	MOS/MSC	EFF	N/A	TAC 0						
	HRS			TAC 0						
	AFL			TAC 0						
PROC. REF: AMM GENERIC 4										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
<b>215016 COMPRESSOR</b> <span style="float: right;">Component ATA:21</span>										
PN:JBS-98-4	MOS/MSC		01-Nov-19	O/C						
SN:UNKNOWN	HRS		9838.5							
WC#: 21.035	AFL		9381							
PROC. REF: AMM GENERIC 4										
<b>216003 DUCT TEMPERATURE SENSOR</b> <span style="float: right;">Component ATA:21</span>										
PN:129576-1	MOS/MSC		17-Jan-79	O/C						
SN:UNKNOWN	HRS		0		TSN 0					
WC#: 21.150	AFL		0		TSN 0					
PROC. REF: AMM 21-61-00										
<b>216004 CABIN TEMP SENSOR</b> <span style="float: right;">Component ATA:21</span>										
PN:129574-1	MOS/MSC		17-Jan-79	O/C						
SN:UNKNOWN	HRS		0		TSN 0					
WC#: 21.135	AFL		0		TSN 0					
PROC. REF: AMM 21-61-00										
<b>216005 CABIN AIR SENSOR BLOWER</b> <span style="float: right;">Component ATA:21</span>										
PN:3A1003-10	MOS/MSC		29-Sep-93	O/C						
SN:R4471	HRS		5221		TSO 0					
WC#: 21.105	AFL									
PROC. REF: AMM GENERIC 4										
<b>216007 AUTO TEMP SELECTOR</b> <span style="float: right;">Component ATA:21</span>										
PN:3214056-7	MOS/MSC		04-Dec-98	O/C						
SN:3595	HRS		6347		TSN 0					
WC#: 21.115	AFL									
PROC. REF: AMM 21-61-00										
<b>216008 MANUAL TEMP SELECTOR</b> <span style="float: right;">Component ATA:21</span>										
PN:3214056-10	MOS/MSC		04-Dec-98	O/C						
SN:3607	HRS		6347		TSN 0					
WC#: 21.125	AFL									
PROC. REF: AMM 21-61-00										
<b>216010 LOW LIMIT SENSOR</b> <span style="float: right;">Component ATA:21</span>										
PN:129636-1	MOS/MSC		03-Oct-86	O/C						
SN:UNKNOWN	HRS		4153		TSN 0					
WC#: 21.150	AFL									
PROC. REF: AMM 21-61-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 21 - AIR CONDITIONING</b>											
216011		<b>ACM OVERHEAT SWITCH</b>								Component	ATA:21
PN:1173T42-1	MOS/MSC	17-Jan-79	O/C								
SN:UNKNOWN	HRS	0			TSO 4966						
WC#: 21.280	AFL	0			TSN 0						
PROC. REF: AMM 21-61-01											
216011		<b>LEFT OVERHEAT SWITCH</b>								Component	ATA:21
PN:1173T135	MOS/MSC	17-Jan-79	O/C								
SN:UNKNOWN	HRS	0			TSN 0						
WC#: 21.085	AFL	0			TSN 0						
PROC. REF: AMM 21-61-01											
A215001 <sup>S</sup>		<b>CHECK AIR CYCLE MACHINE (HAMILTON STANDARD) OIL LEVEL: INSPECTION PHASE 2</b>								Service	ATA:21
	MOS	09-Feb-24									
	HRS	10230.5	150 (+30)								
WC#: 21.015	AFL	9624									
PROC. REF: AMM 21-51-00											
PKG:2,4,12											
A215004 <sup>S</sup>		<b>INSPECT AIRPLANE REFRIGERATION UNIT PLENUM (AIRESEARCH): INSPECTION PHASE 1</b>								Service	ATA:21
	MOS	09-Feb-24									
	HRS	10230.5	150 (+30)								
WC#: 21.095	AFL	9624									
PROC. REF: AMM 21-51-00											
PKG:1,3,12											
A215005 <sup>S</sup>		<b>INSPECT HEAT EXCHANGERS (AIRESEARCH ACM'S ONLY): INSPECTION PHASE 37</b>								Service	ATA:21
	MOS	18-Dec-20									
	HRS	9943.4	5000 (+10)								
WC#: 21.345	AFL	9448									
PROC. REF: AMM 21-51-00											
PKG:48											
A216003 <sup>S</sup>		<b>CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER (COMPRESSOR MOTORS 1134104-1,-5 OR FWA1134104-1, -5): INSPECTION PHASE MF</b>								Service	ATA:21
	MOS	04-May-20									
	HRS	9845.2	300								
	AFL	9387									
PROC. REF: AMM 21-51-03											
PKG:421											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 21 - AIR CONDITIONING</b>											
A216004 <sup>S</sup>			INSPECT VAPOR CYCLE COOLING SYSTEM HOUR METER CHECK (EXCEPT COMPRESSOR MOTORS 1134104-1, -5 OR FWA1134104-1, -5): INSPECTION PHASE 58						Service	ATA:21	
	MOS		23-Sep-22								
	HRS		10126.4		300 (+30)						
	AFL		9546								
										PROC. REF: AMM 21-51-03	
										PKG:502	
A216005 <sup>S</sup>			INSPECT VAPOR CYCLE COOLING SYSTEM 500 COMPRESSOR HOUR MAINTENANCE: INSPECTION PHASE 59						Service	ATA:21	
	MOS		04-May-20								
	HRS		9845.2								
	AFL		9387								
	ACH		5534.8		500 (+50)						
										PROC. REF: AMM 21-51-03	
										PKG:504	
A216006 <sup>S</sup>			PERFORM 12 MONTH MAINTENANCE CHECK ON VAPOR CYCLE COOLING SYSTEM: PHASE 18						Service	ATA:21	
	MOS		18-Aug-23		12 (+1m)						
	HRS		10170.5								
WC#: 25.120	AFL		9580								
										PROC. REF: AMM 21-51-03	
										PKG:21	
A217001 <sup>S</sup>			INSPECT HUMIDITY REGULATOR (WATER SEPARATOR): INSPECTION PHASE 2						Service	ATA:21	
	MOS		09-Feb-24		24 (+2m)						
	HRS		10230.5		300 (+30)						
WC#: 21.360	AFL		9624								
										PROC. REF: AMM 21-71-00	
										PKG:2	
B210000 <sup>S</sup>			OPERATIONAL CHECK ENVIRONMENTAL SYSTEM: INSPECTION PHASE 5						Service	ATA:21	
	MOS		13-Feb-23		36 (+2m)						
	HRS		10152.3		1200 (+100)						
WC#: 21.365	AFL		9569								
										PROC. REF: AMM 21-00-00	
										PKG:7,79	
B211001 <sup>S</sup>			OPERATIONAL TEST EMERGENCY PRESSURIZATION VALVE: INSPECTION PHASE 4						Service	ATA:21	
	MOS		09-Feb-24		24 (+2m)						
	HRS		10230.5		300 (+30)						
WC#: 21.370	AFL		9624								
										PROC. REF: AMM 21-11-00	
										PKG:4	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 21 - AIR CONDITIONING											
B211002 <sup>S</sup>			OPERATIONAL CHECK FLOW CONTROL SHUTOFF AND CHECK VALVES: INSPECTION PHASE 5						Service	ATA:21	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 21.375	AFL	9569									
					PROC. REF: AMM 21-11-00					PKG:7,81	
B211003 <sup>S</sup>			OPERATIONAL TEST FLOW CONTROL SHUTOFF AND CHECK VALVES: INSPECTION PHASE 2						Service	ATA:21	
	MOS	09-Feb-24									
	HRS	10230.5	150 (+30)								
WC#: 21.380	AFL	9624									
					PROC. REF: AMM 21-11-00					PKG:2,4,12	
B212001 <sup>S</sup>			LEAK CHECK TAILCONE BLEED AIR LINES: INSPECTION PHASE 5						Service	ATA:21	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 21.385	AFL	9569									
					PROC. REF: AMM 21-11-00					PKG:7,83	
B212002 <sup>S</sup>			OPERATIONAL CHECK INSTRUMENT PANEL COOLING FAN: INSPECTION PHASE 5						Service	ATA:21	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 21.390	AFL	9569									
					PROC. REF: AMM 21-24-00					PKG:7,85	
B212003 <sup>S</sup>			OPERATIONAL CHECK AVIONICS BAY COOLING FANS: INSPECTION PHASE 5						Service	ATA:21	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 21.395	AFL	9569									
					PROC. REF: AMM 21-25-00					PKG:7,79	
B213000 <sup>S</sup>			OPERATIONAL CHECK PRESSURIZATION: INSPECTION PHASE 5						Service	ATA:21	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 21.400	AFL	9569									
					PROC. REF: AMM 21-31-00					PKG:7,79	
B213001 <sup>S</sup>			FUNCTIONAL TEST BAROMETRIC CABIN ALTITUDE PRESSURE SWITCH: INSPECTION PHASE 5						Service	ATA:21	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 21.405	AFL	9569									
					PROC. REF: AMM 21-31-05					PKG:7,79	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 21 - AIR CONDITIONING</b>										
D213001 <sup>S</sup>	CLEAN PRESSURIZATION CONTROLLER: INSPECTION PHASE 5									Service ATA:21
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 21.415	AFL	9569								
	PROC. REF: AMM 21-31-00									PKG:7,79
D213003 <sup>S</sup>	REPLACE PNEUMATIC RELAY CARTRIDGE FILTER: INSPECTION PHASE 5									Service ATA:21
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 21.420	AFL	9569								
	PROC. REF: AMM 21-31-00									PKG:7,87
D213004 <sup>S</sup>	CLEAN DISABLE SOLENOID VALVE BREATHER PLUG: INSPECTION PHASE 5									Service ATA:21
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 21.425	AFL	9569								
	PROC. REF: AMM 21-31-00									PKG:7,87
<b>ATA 22 - AUTO FLIGHT</b>										
221008	AUTOPILOT COMPUTER									Component ATA:22
PN:4008519-920	MOS/MSC	11-Mar-81	O/C	TSN 0						
SN:7906129	HRS	1309		TSN 0						
WC#: 22.030	AFL			TSN 0						
	PROC. REF: AMM 22-11-02									
221009	AUTOPILOT CONTROLLER									Component ATA:22
PN:4018639-901	MOS/MSC	08-Jan-07	O/C							
SN:6120340	HRS	8675		TSO 0						
WC#: 22.030	AFL									
	PROC. REF: AMM 22-11-03									
221010	AILERON SERVO ACTUATOR									Component ATA:22
PN:4006719-906	MOS/MSC	17-Jan-79	O/C							
SN:082482	HRS	0		TSN 0						
WC#: 22.020	AFL	0		TSN 0						
	PROC. REF: AMM 22-11-01									
221010	ELEVATOR SERVO ACTUATOR									Component ATA:22
PN:4006719-904	MOS/MSC	22-Jan-84	O/C							
SN:089282	HRS	3018		TSO 0						
WC#: 22.020	AFL									
	PROC. REF: AMM 22-11-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 22 - AUTO FLIGHT</b>										
<b>221010 RUDDER SERVO ACTUATOR Component ATA:22</b>										
PN:4006719-906	MOS/MSC	17-Jan-79	O/C							
SN:082487	HRS	0		TSN 0						
WC#: 22.020	AFL	0		TSN 0						
PROC. REF: AMM 22-11-01										
<b>A221001<sup>S</sup> INSPECT AILERON SERVO ACTUATOR AND MOUNT: INSPECTION PHASE 5 Service ATA:22</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 22.035	AFL	9569								
PROC. REF: AMM 22-11-01										
<b>A222001<sup>S</sup> INSPECT RUDDER SERVO ACTUATOR AND MOUNT: INSPECTION PHASE 5 Service ATA:22</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 22.040	AFL	9569								
PROC. REF: AMM 22-11-01										
<b>A223001<sup>S</sup> INSPECT ELEVATOR SERVO ACTUATOR AND MOUNT: INSPECTION PHASE 5 Service ATA:22</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 22.050	AFL	9569								
PROC. REF: AMM 22-11-01										
<b>B221002<sup>S</sup> PERFORM AUTOPILOT DISENGAGEMENT AND WARNING TEST: INSPECTION PHASE 5 Service ATA:22</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 22.055	AFL	9569								
PROC. REF: AMM 22-11-03										
<b>ATA 23 - COMMUNICATIONS</b>										
<b>000006<sup>U</sup> CVR INTELLIGIBILITY TEST AND FONCTIONNAL CHECK COCKPIT VOICE RECORDER Component ATA:23</b>										
PN:GA100-0000	MOS	16-Feb-24	12	TSO 0	28-Feb-25		234 d			
SN:02040	HRS	10233								
	AFL	9627								
<b>232002 NO. 2 VHF COMM ANTENNA Component ATA:23</b>										
PN:VF10-108-1	MOS/MSC	17-Jan-79	O/C							
SN:495	HRS	0		TSN 0						
WC#: 23.050	AFL	0		TSN 0						
PROC. REF: AMM 23-23-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>232003 NO. 1 VHF COMM ANTENNA Component ATA:23</b>										
PN:VFS10-90-5	MOS/MSC		16-May-81	O/C						
SN:1109	HRS		1458		TSN 0					
WC#: 23.050	AFL									
PROC. REF: AMM 23-23-01										
<b>232010 BOTTOM NO. 2 VHF COMM TRANSCEIVER Component ATA:23</b>										
PN:622-1879-002	MOS/MSC		17-Jan-79	O/C	TSN 0					
SN:3623	HRS		0		TSN 0					
WC#: 23.100	AFL		0		TSN 0					
PROC. REF: AMM 23-21-00, AMM 23-22-00										
<b>232010 TOP NO. 1 VHF COMM TRANSCEIVER Component ATA:23</b>										
PN:622-1879-002	MOS/MSC		14-Oct-93	O/C	TSN 0					
SN:10235	HRS		5221		TSN 0					
WC#: 23.100	AFL				TSN 0					
PROC. REF: AMM 23-21-00, AMM 23-22-00										
<b>232011 PNL-AVIONIC CONTROL Component ATA:23</b>										
PN:G4606A	MOS/MSC		07-Mar-86	O/C						
SN:301	HRS		4045		TSO 0					
WC#: 23.180	AFL									
PROC. REF: AMM 34-31-00, AMM 34-32-00, AMM 34-23-00, AMM 23-21-01, AMM 23-22-01, AMM 23-22-02										
<b>235001 NO. 1 AUDIO AMPLIFIER Component ATA:23</b>										
PN:1630-1	MOS/MSC		27-Sep-22	O/C	TSO 2					
SN:508	HRS		10126.4		TSO 0					
WC#: 23.110	AFL		9546							
PROC. REF: AMM GENERIC 5										
<b>235001 NO. 2 AUDIO AMPLIFIER Component ATA:23</b>										
PN:1630-1	MOS/MSC		12-May-12	O/C						
SN:511	HRS		8791.9		TSO 4930.9					
WC#: 23.110	AFL		8662							
PROC. REF: AMM GENERIC 5										
<b>237001 COCKPIT VOICE RECORDER Component ATA:23</b>										
PN:GA100-0000	MOS/MSC		16-Feb-24	O/C	TSO 0					
SN:02040	HRS		10233		TSO 0					
WC#: 23.120	AFL		9627							
PROC. REF: AMM 23-71-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 23 - COMMUNICATIONS											
237002		CVR CONTROLLER								Component	ATA:23
PN:GA150-0000	MOS/MSC	28-Jul-94	O/C								
SN:UNKNOWN	HRS	5397		TSO 0							
WC#: 23.015	AFL										
PROC. REF: AMM 23-71-01											
237004		CVR UNDERWATER LOCATOR BEACON								Component	ATA:23
PN:DK120/90	MOS	16-Feb-24	72	TSO 0	28-Feb-30		2060 d				
SN:AT110102	HRS	10233									
WC#: 23.7014	AFL	9627									
PROC. REF: AMM GENERIC 5											
23FO-06A		FLITEFONE 3 WULFBERG FACTORY OPTION								Component	ATA:23
PN:674A	MOS/MSC	17-Jan-79	-								
SN:FO	HRS	0									
	AFL	0									
PROC. REF: AMM GENERIC 5											
A231001 <sup>S</sup>		INSPECT HIGH FREQUENCY ANTENNA AND TENSION UNIT: INSPECTION PHASE 5								Service	ATA:23
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 23.005	AFL	9569									
PROC. REF: AMM 23-10-00											
A236002 <sup>S</sup>		INSPECT CONTROL SURFACE BOND JUMPERS: INSPECTION PHASE 5								Service	ATA:23
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 23.125	AFL	9569									
PROC. REF: AMM 27-00-00											
A237001 <sup>S</sup>		INSPECT COCKPIT VOICE RECORDER: INSPECTION PHASE 5								Service	ATA:23
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 23.130	AFL	9569									
PROC. REF: AMM 23-70-00											
A237003		INSPECT CVR UNDERWATER LOCATOR BEACON : INSPECTION PHASE 21								Service	ATA:23
PN:DK120/90	MOS	03-May-24	24		31-May-26		691 d				
SN:AT110102	HRS	10268.1									
WC#: 23.135	AFL	9647									
PROC. REF: AMM 23-70-00											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 23 - COMMUNICATIONS</b>										
<b>B231002<sup>S</sup> OPERATIONAL TEST HONEYWELL STANDBY CONTROL HEAD: INSPECTION PHASE 3</b>										
	MOS	09-Feb-24								Service ATA:23
	HRS	10230.5	150 (+30)							
WC#: 23.140	AFL	9624								
PROC. REF: AMM 23-24-00										PKG:1,3,12
<b>B236001<sup>S</sup> INSPECT STATIC DISCHARGE WICKS: INSPECTION PHASE 5</b>										
	MOS	13-Feb-23	36 (+2m)							Service ATA:23
	HRS	10152.3	1200 (+100)							
WC#: 23.145	AFL	9569								
PROC. REF: AMM 23-61-00										PKG:7,85
<b>B237001<sup>U</sup> CVR INTELLIGIBILITY TEST AND FONCTIONNAL CHECK COCKPIT VOICE RECORDER</b>										
PN:GA100-0000	MOS	23-Sep-22	24	TSN 0	30-Sep-24		83 d			Component ATA:23
SN:02040	HRS									
	AFL									
<b>B237002<sup>S</sup> OPERATIONAL TEST COCKPIT VOICE RECORDER: INSPECTION PHASE 1</b>										
	MOS	09-Feb-24	24 (+2m)							Service ATA:23
	HRS	10230.5	300 (+30)							
WC#: 23.150	AFL	9624								
PROC. REF: AMM 23-70-00										PKG:1
<b>B237004 OPERATIONAL TEST CVR UNDERWATER LOCATOR BEACON : INSPECTION PHASE 21</b>										
PN:DK120/90	MOS	03-May-24	24		31-May-26		691 d			Service ATA:23
SN:AT110102	HRS	10268.1								
WC#: 23.155	AFL	9647								
PROC. REF: AMM 23-70-00										PKG:26
<b>ATA 24 - ELECTRICAL POWER</b>										
<b>242001 NO. 1 AC INVERTER</b>										
PN:PC15H	MOS/MSC	12-May-12	O/C	TSO 0						Component ATA:24
SN:357	HRS	8791.9		TSO 0						
WC#: 24.010	AFL	8662		TSO 0						
PROC. REF: AMM GENERIC 5										
<b>242001 NO. 2 AC INVERTER</b>										
PN:PC15H	MOS/MSC	17-Jan-79	O/C							Component ATA:24
SN:736	HRS	0		TSN 0						
WC#: 24.010	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 5										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 24 - ELECTRICAL POWER</b>											
242002		AC FAIL MONITOR-								Component	ATA:24
PN:1371-1	MOS/MSC	17-Jan-79	O/C								
SN:389	HRS	0		TSN 0							
WC#: 24.015	AFL	0		TSN 0							
PROC. REF: AMM GENERIC 5											
243001		NO. 1 ENGINE STARTER/GENERATOR								Component	ATA:24
PN:23076-001-1	MOS	25-Nov-19						OVERHAUL			
SN:2070.	HRS	9838.5	1000	TSO 0	10838.5		570.4				
WC#: 24.070	AFL	9381									
PROC. REF: AMM 80-11-01											
243001		NO. 2 ENGINE STARTER/GENERATOR								Component	ATA:24
PN:23076-001-1	MOS	16-Oct-18						OVERHAUL			
SN:1891	HRS	9813.3	1000	TSO 0	10813.3		545.2				
WC#: 24.070	AFL	9361									
PROC. REF: AMM 80-11-01											
243003		NO. 1 GENERATOR CONTROL UNIT								Component	ATA:24
PN:51509-006BR	MOS/MSC	01-Feb-05	O/C								
SN:9330A	HRS	8277		TSO 0							
WC#: 24.100	AFL										
PROC. REF: AMM 24-31-00											
243003		NO. 2 GENERATOR CONTROL UNIT								Component	ATA:24
PN:51509-006BR	MOS/MSC	01-Feb-05	O/C								
SN:8762A	HRS	8277		TSO 0							
WC#: 24.100	AFL										
PROC. REF: AMM 24-31-00											
243004		LEFT AMMETER								Component	ATA:24
PN:C662501-0102	MOS/MSC	17-Jan-79	O/C								
SN:2779	HRS	0		TSN 0							
WC#: 24.080	AFL	0		TSN 0							
PROC. REF: AMM GENERIC 5											
243004		RIGHT AMMETER								Component	ATA:24
PN:C662501-0102	MOS/MSC	17-Jan-79	O/C								
SN:2217	HRS	0		TSN 0							
WC#: 24.080	AFL	0		TSN 0							
PROC. REF: AMM GENERIC 5											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 24 - ELECTRICAL POWER</b>										
<b>243005 VOLTMETER</b> <span style="float:right">Component ATA:24</span>										
PN:C662502-0101	MOS/MSC	07-Oct-05	O/C							
SN:830	HRS	8430		TSO 0						
WC#: 24.120	AFL									
PROC. REF: AMM GENERIC 5										
<b>243007 BATTERY</b> <span style="float:right">Component ATA:24</span>										
PN:RG-380E/44	MOS/MSC	07-Apr-20	O/C							
SN:70008293	HRS	9845.2								
WC#: 24.030	AFL	9387								
PROC. REF: AMM 24-32-00										
<b>243008 BATTERY TEMPERATURE MODULE</b> <span style="float:right">Component ATA:24</span>										
PN:1529-1	MOS/MSC	17-Jan-79	O/C							
SN:250	HRS	0		TSN 0						
WC#: 24.060	AFL	0		TSN 0						
PROC. REF: AMM 24-32-02										
<b>243009 BATTERY TEMPERATURE GAUGE</b> <span style="float:right">Component ATA:24</span>										
PN:1229-1	MOS/MSC	27-Mar-87	O/C							
SN:692	HRS	4282		TSN 0						
WC#: 24.050	AFL									
PROC. REF: AMM 24-32-03										
<b>243011 CURRENT/VOLT CONTROLLER</b> <span style="float:right">Component ATA:24</span>										
PN:1301-1	MOS/MSC	23-Jan-85	O/C							
SN:642	HRS	3694		TSO 1577						
WC#: 24.090	AFL									
PROC. REF: AMM GENERIC 5										
<b>243012 CURRENT SENSOR</b> <span style="float:right">Component ATA:24</span>										
PN:1302-1	MOS/MSC	25-Jun-79	O/C							
SN:480	HRS	223		TSN 0						
WC#: 24.110	AFL									
PROC. REF: AMM 24-41-01										
<b>24FO-01B BATTERY &amp; MONITOR FOR 20 CELL FACTORY OPTION</b> <span style="float:right">Component ATA:24</span>										
PN:12B	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 5										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 24 - ELECTRICAL POWER										
A242001 <sup>S</sup>	INSPECT NOSE AREA GENERAL ELECTRICAL COMPONENTS: INSPECTION PHASE 5									Service ATA:24
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 24.155	AFL	9569								
					PROC. REF: AMM 24-00-00					PKG:7,77
A245001 <sup>S</sup>	INSPECT CIRCUIT BREAKER PANELS: INSPECTION PHASE 5									Service ATA:24
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 24.160	AFL	9569								
					PROC. REF: AMM 24-50-01					PKG:7
A245002 <sup>S</sup>	INSPECT COCKPIT SIDE CONSOLE: INSPECTION PHASE 5									Service ATA:24
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 24.165	AFL	9569								
					PROC. REF: AMM 24-50-01					PKG:7,79
A245003 <sup>S</sup>	INSPECT AVIONICS RELAY JUNCTION BOX: INSPECTION PHASE 5									Service ATA:24
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 24.170	AFL	9569								
					PROC. REF: AMM 39-32-01					PKG:7,77
A245004 <sup>S</sup>	INSPECT AFT POWER JUNCTION BOX: INSPECTION PHASE 5									Service ATA:24
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 24.175	AFL	9569								
					PROC. REF: AMM 24-50-01					PKG:7,82
A245005 <sup>S</sup>	INSPECT LEFT AND RIGHT WING ANTI-ICE JUNCTION BOX: INSPECTION PHASE 5									Service ATA:24
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 24.180	AFL	9569								
					PROC. REF: AMM 30-11-01					PKG:7,82
B243001 <sup>S</sup>	OPERATIONAL TEST DC GENERATOR SYSTEM: INSPECTION PHASE 4									Service ATA:24
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 24.185	AFL	9624								
					PROC. REF: AMM 24-31-00					PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 24 - ELECTRICAL POWER</b>										
<b>B244001<sup>S</sup> FUNCTIONAL TEST OVERVOLTAGE SYSTEM: INSPECTION PHASE 1</b>										
	MOS	09-Feb-24	24 (+2m)							Service ATA:24
	HRS	10230.5	300 (+30)							
WC#: 24.190	AFL	9624								
PROC. REF: AMM 24-41-01										PKG:1
<b>D243003 INSPECT BATTERY LEAD ACID BATTERY: INSPECTION PHASE 56</b>										
PN:RG-380E/44	MOS	09-Feb-24	3 (+9d)		31-May-24	09-Jun-24	OVD			Service ATA:24
SN:70008293	HRS	10230.5	200 (+20)		10430.5	10450.5	162.4 (+20)			
WC#: 24.200	AFL	9624								
PROC. REF: AMM 24-35-00										PKG:66
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>										
<b>25FO-04 MAP CASE FACTORY OPTION</b>										
PN:103	MOS/MSC	17-Jan-79	-							Component ATA:25
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 5										
<b>25FO-05H STRGE DRAWER #3 FWD FCG SEAT LATERL TRAK FACTORY OPTION</b>										
PN:104H	MOS/MSC	17-Jan-79	-							Component ATA:25
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 25-52-01										
<b>25FO-05K STRGE DRAWER #4 FWD FCG SEAT LATERL TRAK FACTORY OPTION</b>										
PN:104K	MOS/MSC	17-Jan-79	-							Component ATA:25
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 25-52-01										
<b>25FO-05Q STRGE DRAWER #5 AFT FCG SEAT LATERL TRAK FACTORY OPTION</b>										
PN:104Q	MOS/MSC	17-Jan-79	-							Component ATA:25
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 25-52-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 25 - EQUIPMENT/FURNISHINGS										
<b>25FO-08 SEATING OPTION 1 DOUBLE CLUB FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:110	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										
<b>25FO-21N REFRESH CENTER DLX LEFT HAND FORWARD FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:128N	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										
<b>25FO-22B FLUSH TOILET AFT RELIEF TUBE ONLY FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:131B	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										
<b>25FO-24B MAGAZINE RACK RH W/AFT CABIN DIVIDER FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:134B	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 25-24-01, AMM 25-25-05										
<b>25FO-25A CARPET RUNNER CABIN AISLE FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:136A	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										
<b>25FO-37 CHIMES UNIT FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:166	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										
<b>25FO-38 AFT FOLDING DOOR FACTORY OPTION</b> <span style="float:right">Component ATA:25</span>										
PN:184	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 25 - EQUIPMENT/FURNISHINGS											
A251001 <sup>S</sup>			INSPECT PILOT AND COPILOT CREW SEATS: INSPECTION PHASE 5						Service	ATA:25	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 25.145	AFL	9569									
					PROC. REF: AMM 25-11-01					PKG:7,87	
A251002 <sup>S</sup>			INSPECT PILOT AND COPILOT SEAT TRACK STOPS: INSPECTION PHASE 5						Service	ATA:25	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 25.145	AFL	9569									
					PROC. REF: AMM 25-11-01					PKG:7,87	
A251004 <sup>S</sup>			INSPECT COCKPIT INSTRUMENT PANELS AND COMPONENTS: INSPECTION PHASE 5						Service	ATA:25	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 25.110	AFL	9569									
					PROC. REF: AMM 25-10-00					PKG:7,85	
A252001 <sup>S</sup>			INSPECT PASSENGER SEATS: INSPECTION PHASE 5						Service	ATA:25	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 25.115	AFL	9569									
					PROC. REF: AMM 25-20-00					PKG:7	
A252002 <sup>S</sup>			INSPECT PASSENGER SEAT TRACK STOPS: INSPECTION PHASE 5						Service	ATA:25	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 25.115	AFL	9569									
					PROC. REF: AMM 25-20-00					PKG:7,87	
A256001 <sup>S</sup>			INSPECT EMERGENCY EQUIPMENT: INSPECTION PHASE 18						Service	ATA:25	
	MOS	18-Aug-23	12 (+1m)								
	HRS	10170.5									
WC#: 25.120	AFL	9580									
					PROC. REF: AMM 25-62-00					PKG:21	
A256003 <sup>S</sup>			INSPECT LIFE VEST: INSPECTION PHASE 18						Service	ATA:25	
	MOS	18-Aug-23	12								
	HRS	10170.5									
WC#: 25.125	AFL	9580									
					PROC. REF: AMM 25-62-00					PKG:21	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>										
A256004 <sup>S</sup>	INSPECT OPTIONAL STRETCHER: INSPECTION PHASE 1									Service ATA:25
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 25.130	AFL	9624								
PROC. REF: AMM 25-25-02										PKG:1
A256005 <sup>S</sup>	INSPECT DRAG CHUTE CANISTER AND LATCH ASSEMBLY: INSPECTION PHASE 5									Service ATA:25
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 25.135	AFL	9569								
PROC. REF: AMM 25-61-00										PKG:7,83
A256006 <sup>S</sup>	INSPECT DRAG CHUTE HANDLE ASSEMBLY: INSPECTION PHASE 5									Service ATA:25
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 25.140	AFL	9569								
PROC. REF: AMM 25-61-00										PKG:7,83
A256008 <sup>S</sup>	INSPECTION EMERGENCY LOCATOR TRANSMITTER(ELT)(ARTEX C406-2): INSPECTION PHASE 55									Service ATA:25
	MOS	30-Nov-23	12 (+1m)							
	HRS	10208.4								
WC#: 25.155	AFL	9611								
PROC. REF: AMM 34-46-05										PKG:64
B256001 <sup>S</sup>	VISUAL INSPECT/OPERATIONAL CHECK : INSPECTION PHASE 55									Service ATA:25
	MOS	30-Nov-23	12							
	HRS	10208.4								
WC#: 25.150	AFL	9611								
PROC. REF: AMM 34-46-00										PKG:64
B256002 <sup>S</sup>	OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER(ARTEX C406-2): INSPECTION PHASE 55									Service ATA:25
	MOS	30-Nov-23	12 (+1m)							
	HRS	10208.4								
WC#: 25.160	AFL	9611								
PROC. REF: AMM 34-46-05										PKG:64
<b>ATA 26 - FIRE PROTECTION</b>										
261001	LEFT FIRE DETECTION SENSOR									Component ATA:26
PN:244-18882	MOS/MS	27-Oct-81	O/C							
SN:UNKNOWN	HRS	1729		TSN 0						
WC#: 26.060	AFL									
PROC. REF: AMM 26-11-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 26 - FIRE PROTECTION</b>											
<b>261001</b>		<b>RIGHT FIRE DETECTION SENSOR</b>							Component	ATA:26	
PN:244-18882	MOS/MSC	30-Mar-94	O/C								
SN:UNKNOWN	HRS	5338		TSN 0							
WC#: 26.060	AFL										
PROC. REF: AMM 26-11-01											
<b>261002</b>		<b>LEFT FIRE DETECTION CONTROL</b>							Component	ATA:26	
PN:377-02808	MOS/MSC	17-Jan-79	O/C								
SN:838011	HRS	0		TSN 0							
WC#: 26.050	AFL	0		TSN 0							
PROC. REF: AMM 26-11-02											
<b>261002</b>		<b>RIGHT FIRE DETECTION CONTROL</b>							Component	ATA:26	
PN:377-02808	MOS/MSC	17-Jan-79	O/C								
SN:838009	HRS	0		TSN 0							
WC#: 26.050	AFL	0		TSN 0							
PROC. REF: AMM 26-11-02											
<b>262001</b>		<b>AFT ENGINE FIRE EXTINGUISHER</b>							Component	ATA:26	
PN:898066-1	MOS/MSC	26-Apr-22	O/C								
SN:52122EH	HRS	10080.8									
WC#: 26.020	AFL	9526									
PROC. REF: AMM GENERIC 3											
<b>262001</b>		<b>FORWARD ENGINE FIRE EXTINGUISHER</b>							Component	ATA:26	
PN:898066-1	MOS/MSC	26-Apr-22	O/C								
SN:52099EH	HRS	10080.8									
WC#: 26.021	AFL	9526									
PROC. REF: AMM GENERIC 3											
<b>262002</b>		<b>CABIN PORTABLE FIRE EXTINGUISHER</b>							Component	ATA:26	
PN:C352	MOS/MSC	25-Apr-23	O/C	TSN 0							
SN:93772973	HRS	10165.2		TSN 0							
WC#: 26.030	AFL	9577		TSN 0							
PROC. REF: AMM 26-21-01											
<b>262002</b>		<b>COCKPIT PORTABLE FIRE EXTINGUISHER</b>							Component	ATA:26	
PN:C352	MOS/MSC	25-Apr-23	O/C	TSN 0							
SN:93772968	HRS	10165.2		TSN 0							
WC#: 26.030	AFL	9577		TSN 0							
PROC. REF: AMM 26-21-01											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 26 - FIRE PROTECTION</b>										
<b>262003 AFT LEFT FIRE EXTINGUISHER CARTRIDGE Component ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120	TSN 39	28-Feb-27		964 d	MANDATORY		
SN:03058	HRS	9845.2								
WC#: 26.020	AFL	9387								
Manufacture Date:: 08-Feb-17 PROC. REF: AMM GENERIC 3										
<b>262003 AFT RIGHT FIRE EXTINGUISHER CARTRIDGE Component ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120	TSN 39	28-Feb-27		964 d	MANDATORY		
SN:03067	HRS	9845.2								
WC#: 26.020	AFL	9387								
Manufacture Date:: 08-Feb-17 PROC. REF: AMM GENERIC 3										
<b>262003 FORWARD LEFT FIRE EXTINGUISHER CARTRIDGE Component ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120	TSN 39	28-Feb-27		964 d	MANDATORY		
SN:03053	HRS	9845.2								
WC#: 26.021	AFL	9387								
Manufacture Date:: 08-Feb-17 PROC. REF: AMM GENERIC 3										
<b>262003 FORWARD RIGHT FIRE EXTINGUISHER CARTRIDGE Component ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120	TSN 39	28-Feb-27		964 d	MANDATORY		
SN:03055	HRS	9845.2								
WC#: 26.021	AFL	9387								
Manufacture Date:: 08-Feb-17 PROC. REF: AMM GENERIC 3										
<b>262041 REPLACE AFT RIGHT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120		31-May-30		2152 d	MANDATORY		
SN:03067	HRS									
WC#: 26.020	AFL									
PROC. REF: AMM 26-21-01										
<b>262042 REPLACE AFT LEFT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120		31-May-30		2152 d	MANDATORY		
SN:03058	HRS									
WC#: 26.020	AFL									
PROC. REF: AMM 26-21-01										
<b>262043 REPLACE FORWARD RIGHT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120		31-May-30		2152 d	MANDATORY		
SN:03055	HRS									
WC#: 26.021	AFL									
PROC. REF: AMM 26-21-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 26 - FIRE PROTECTION</b>										
<b>262044 REPLACE FORWARD LEFT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26</b>										
PN:M873364-1	MOS	04-May-20	120		31-May-30		2152 d	MANDATORY		
SN:03053	HRS									
WC#: 26.021	AFL									
PROC. REF: AMM 26-21-01										
<b>A262003 WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 34 Service ATA:26</b>										
PN:C352	MOS	18-Aug-23	12 (+1m)		31-Aug-24	30-Sep-24	53 d (+30)			
SN:93772973	HRS									
WC#: 26.105	AFL									
PROC. REF: AMM 26-22-00										
<b>A262003 WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 34 Service ATA:26</b>										
PN:C352	MOS	18-Aug-23	12 (+1m)		31-Aug-24	30-Sep-24	53 d (+30)			
SN:93772968	HRS									
WC#: 26.105	AFL									
PROC. REF: AMM 26-22-00										
<b>B262002 HYDROSTATIC TEST AFT ENGINE FIRE EXTINGUISHER : INSPECTION PHASE 23 Service ATA:26</b>										
PN:898066-1	MOS	22-Apr-22	60 (+2m)		30-Apr-27	30-Jun-27	1025 d (+61)			
SN:52122EH	HRS									
WC#: 26.090	AFL									
PROC. REF: AMM 26-21-00										
<b>B262002 HYDROSTATIC TEST FORWARD ENGINE FIRE EXTINGUISHER : INSPECTION PHASE 23 Service ATA:26</b>										
PN:898066-1	MOS	22-Apr-22	60 (+2m)		30-Apr-27	30-Jun-27	1025 d (+61)			
SN:52099EH	HRS									
WC#: 26.090	AFL									
PROC. REF: AMM 26-21-00										
<b>B262003 HYDROSTATIC TEST CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 47 Service ATA:26</b>										
PN:C352	MOS	25-Apr-18	144 (+2m)		30-Apr-30	30-Jun-30	2121 d (+61)			
SN:93772973	HRS									
WC#: 26.095	AFL									
PROC. REF: AMM 26-22-00										
<b>B262003 HYDROSTATIC TEST COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 47 Service ATA:26</b>										
PN:C352	MOS	25-Apr-18	144 (+2m)		30-Apr-30	30-Jun-30	2121 d (+61)			
SN:93772968	HRS									
WC#: 26.095	AFL									
PROC. REF: AMM 26-22-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 26 - FIRE PROTECTION</b>										
<b>B262004 DETAILED INSPECTION CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 48</b>										Service ATA:26
PN:C352	MOS	25-Apr-23	72 (+2m)	Adj -2	28-Feb-29	30-Apr-29	1695 d (+61)			
SN:93772973	HRS									
WC#: 26.100	AFL									
PROC. REF: AMM 26-22-00										PKG:55
<b>B262004 DETAILED INSPECTION COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION PHASE 48</b>										Service ATA:26
PN:C352	MOS	25-Apr-23	72 (+2m)	Adj -2	28-Feb-29	30-Apr-29	1695 d (+61)			
SN:93772968	HRS									
WC#: 26.100	AFL									
PROC. REF: AMM 26-22-00										PKG:55
<b>B262005<sup>S</sup> FUNCTIONAL TEST FIRE EXTINGUISHING SYSTEM: INSPECTION PHASE 5</b>										Service ATA:26
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 26.085	AFL	9569								
PROC. REF: AMM 26-21-00										PKG:7,79
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>271001 AILERON TRIM TAB ACTUATOR</b>										Component ATA:27
PN:5565450-51	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 27.100	AFL	0			TSN 0					
PROC. REF: AMM 27-11-07										
<b>272001 RUDDER TRIM TAB ACTUATOR</b>										Component ATA:27
PN:5565450-53	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 27.100	AFL	0			TSN 0					
PROC. REF: AMM 27-21-05										
<b>273002 ELEVATOR TRIM ELECTRIC ACTUATOR</b>										Component ATA:27
PN:5115231-28	MOS/MSC	10-Sep-13	O/C							
SN:290-23X	HRS	9150.4			TSO 0					
WC#: 27.110	AFL	8902								
PROC. REF: AMM 27-31-07										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 27 - FLIGHT CONTROLS</b>										
<b>273003 LEFT ELEVATOR TRIM TAB ACTUATOR Component ATA:27</b>										
PN:5565450-54	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 27.110	AFL	0		TSN 0						
PROC. REF: AMM 27-31-07, AMM 27-31-05										
<b>275001 LEFT FLAP MOTOR Component ATA:27</b>										
PN:FS30-5	MOS/MSC	10-Sep-13	O/C							
SN:1286	HRS	9150.4		TSO 0						
WC#: 27.050	AFL	8902								
PROC. REF: AMM 27-51-03										
<b>275001 RIGHT FLAP MOTOR Component ATA:27</b>										
PN:FS30-5	MOS/MSC	10-Sep-13	O/C							
SN:2495	HRS	9150.4		TSO 0						
WC#: 27.050	AFL	8902								
PROC. REF: AMM 27-51-03										
<b>275002 LEFT FLAP GEARBOX Component ATA:27</b>										
PN:5565175-38	MOS	10-Sep-13						OVERHAUL		
SN:112990X	HRS	9150.4	3000	TSO 0	12150.4		1882.3			
WC#: 27.120	AFL	8902								
PROC. REF: AMM 27-51-03										
<b>275002 RIGHT FLAP GEARBOX Component ATA:27</b>										
PN:5565175-38	MOS	10-Sep-13						OVERHAUL		
SN:102990X	HRS	9150.4	3000	TSO 0	12150.4		1882.3			
WC#: 27.120	AFL	8902								
PROC. REF: AMM 27-51-03										
<b>276001 LEFT SPEED BRAKE ACTUATOR Component ATA:27</b>										
PN:5527230-1	MOS/MSC	14-Oct-93	O/C							
SN:S110173	HRS	5221		TSO 5221						
WC#: 27.130	AFL									
PROC. REF: AMM 27-61-04										
<b>276001 RIGHT SPEED BRAKE ACTUATOR Component ATA:27</b>										
PN:5527230-1	MOS/MSC	14-Oct-93	O/C							
SN:S110702	HRS	5221		TSO 5221						
WC#: 27.130	AFL									
PROC. REF: AMM 27-61-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 27 - FLIGHT CONTROLS											
A271003 <sup>S</sup>			INSPECT AILERON AND AILERON TRIM TAB: INSPECTION PHASE 2						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.015	AFL	9624									
					PROC. REF: AMM 27-11-00					PKG:2	
A271004 <sup>S</sup>			INSPECT CONTROL WHEEL: INSPECTION PHASE 1						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.055	AFL	9624									
					PROC. REF: AMM 27-11-00					PKG:1	
A271005 <sup>S</sup>			INSPECT AILERON, RUDDER AND ELEVATOR TRIM TAB CONTROLS AND INDICATORS: INSPECTION PHASE 1						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.060	AFL	9624									
					PROC. REF: AMM 27-11-00					PKG:1	
A271006 <sup>S</sup>			INSPECT AILERON CONTROL CABLES: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.065	AFL	9569									
					PROC. REF: AMM 27-11-00					PKG:7,88	
A271007 <sup>S</sup>			INSPECT AILERON TRIM CABLES: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.070	AFL	9569									
					PROC. REF: AMM 27-11-00					PKG:7,88	
A272002 <sup>S</sup>			INSPECT RUDDER AND RUDDER TRIM TAB: INSPECTION PHASE 2						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.075	AFL	9624									
					PROC. REF: AMM 27-21-00					PKG:2	
A272003 <sup>S</sup>			INSPECT RUDDER PEDALS: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.080	AFL	9569									
					PROC. REF: AMM 27-21-00					PKG:7,88	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
A272005 <sup>S</sup>			INSPECT RUDDER CABLES: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.085	AFL	9569									
					PROC. REF: AMM 27-21-00					PKG:7,88	
A272006 <sup>S</sup>			INSPECT RUDDER TRIM CABLES: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.090	AFL	9569									
					PROC. REF: AMM 27-21-00					PKG:7,88	
A273002 <sup>S</sup>			EXTERNAL INSPECTION ELEVATOR: INSPECTION PHASE 2						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.095	AFL	9624									
					PROC. REF: AMM 27-31-00					PKG:2	
A273005 <sup>S</sup>			INSPECT CONTROL COLUMN: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.135	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,88	
A273006 <sup>S</sup>			INSPECT ELEVATOR LINKAGE: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.140	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,84	
A273007 <sup>S</sup>			INSPECT ELECTRIC ELEVATOR TRIM ACTUATOR AND SECTOR: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.145	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,82	
A273008 <sup>S</sup>			INSPECT ELEVATOR CABLES: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.150	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,88	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 27 - FLIGHT CONTROLS											
A273009 <sup>S</sup>			INSPECT ELEVATOR TRIM CABLES: INSPECTION PHASE 5							Service	ATA:27
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.155	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,88	
A275001 <sup>S</sup>			INSPECT FLAP DRIVE ASSEMBLY: INSPECTION PHASE 5							Service	ATA:27
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.160	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,88	
A275003 <sup>S</sup>			INSPECT FLAP PRESELECT CABLE: INSPECTION PHASE 5							Service	ATA:27
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.165	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,88	
A275008 <sup>S</sup>			INSPECT FLAP CABLES: INSPECTION PHASE 5							Service	ATA:27
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.170	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,88	
A276001 <sup>S</sup>			INSPECT SPEEDBRAKE SYSTEM: INSPECTION PHASE 5							Service	ATA:27
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.175	AFL	9569									
					PROC. REF: AMM 27-61-00					PKG:7,86	
A361001 <sup>S</sup>			DETAILED INSPECTION BLEED AIR FLEXIBLE CONNECTOR: INSPECTION PHASE 4							Service	ATA:27
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 36.090	AFL	9624									
					PROC. REF: AMM 36-10-01					PKG:4	
B271001 <sup>S</sup>			CHECK AILERON TRIM TAB: INSPECTION PHASE 2							Service	ATA:27
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.180	AFL	9624									
					PROC. REF: AMM 27-11-00					PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 27 - FLIGHT CONTROLS											
B271002 <sup>S</sup>			CHECK AILERON AND AILERON TRIM TAB: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.185	AFL	9569									
					PROC. REF: AMM 27-11-00					PKG:7,88	
B272001 <sup>S</sup>			CHECK RUDDER TRIM TAB: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.190	AFL	9569									
					PROC. REF: AMM 27-21-00					PKG:7,84	
B272004 <sup>S</sup>			CHECK RUDDER AND RUDDER TRIM TAB: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.195	AFL	9569									
					PROC. REF: AMM 27-21-00					PKG:7,88	
B273003 <sup>S</sup>			CHECK ELEVATOR AND ELEVATOR TRIM TAB: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.200	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,88	
B273004 <sup>S</sup>			CHECK ELEVATOR TRIM TAB: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.205	AFL	9569									
					PROC. REF: AMM 27-31-00					PKG:7,84	
B275001 <sup>S</sup>			OPERATIONAL CHECK FLAP MOTOR: INSPECTION PHASE 1						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.210	AFL	9624									
					PROC. REF: AMM 27-51-00					PKG:1	
B275002 <sup>S</sup>			OPERATIONAL CHECK FLAP UP LIMIT SWITCH: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.215	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,88	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 27 - FLIGHT CONTROLS											
B275004 <sup>S</sup>			OPERATIONAL CHECK FLAP APPROACH WARNING SWITCH: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.220	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,79	
B275005 <sup>S</sup>			OPERATIONAL CHECK FLAP/AUTOPILOT POSITION SWITCH: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.225	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,79	
B275006 <sup>S</sup>			CHECK FLAPS: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.230	AFL	9569									
					PROC. REF: AMM 27-51-00					PKG:7,86	
B277001 <sup>S</sup>			INSPECT CONTROL LOCK SYSTEM: INSPECTION PHASE 5						Service	ATA:27	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 27.235	AFL	9569									
					PROC. REF: AMM 27-71-00					PKG:7,79	
C271001 <sup>S</sup>			LUBRICATE AILERON TRIM TAB ACTUATOR: INSPECTION PHASE 2						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.240	AFL	9624									
					PROC. REF: AMM 27-11-00, AMM 27-11-00					PKG:2	
C272001 <sup>S</sup>			LUBRICATE RUDDER TRIM TAB ACTUATOR: INSPECTION PHASE 2						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.245	AFL	9624									
					PROC. REF: AMM 27-21-00, AMM 27-21-00					PKG:2	
C273001 <sup>S</sup>			LUBRICATE ELEVATOR TRIM TAB ACTUATORS: INSPECTION PHASE 2						Service	ATA:27	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 27.250	AFL	9624									
					PROC. REF: AMM 27-31-00, AMM 27-31-00					PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 27 - FLIGHT CONTROLS</b>											
C275007 <sup>S</sup>			CLEAN/LUBRICATE CENTER FLAP TRACK BEARING AIRPLANES -0002 THRU -0505 EXECPT AIRPLANES INCORPORATING SB550-27-6: INSPECTION PHASE 5						Service	ATA:27	
	MOS		13-Feb-23		36 (+2m)						
	HRS		10152.3		1200 (+100)						
WC#: 27.255	AFL		9569								
PROC. REF: AMM 27-51-00										PKG:7,86	
<b>ATA 28 - FUEL</b>											
28-00-02-220			MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)						Service	ATA:28	
	MOS/MSC	EFF		A/R				DISCRETIONARY			
	HRS										
	AFL										
PROC. REF: AMM 28-00-02											
28-00-02-221			MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)						Service	ATA:28	
	MOS/MSC	EFF		A/R							
	HRS										
	AFL										
PROC. REF: AMM 28-00-02											
282001			LEFT FUEL BOOST PUMP						Component	ATA:28	
PN:1C7-12	MOS/MSC		01-Nov-19	O/C		TSN 0					
SN:9AF 144	HRS		9833.8			TSN 0					
WC#: 28.010	AFL		9373								
PROC. REF: AMM 28-21-01											
282001			RIGHT FUEL BOOST PUMP						Component	ATA:28	
PN:1C7-12	MOS/MSC		07-Jul-08	O/C							
SN:1E74	HRS		8788			TSO 0					
WC#: 28.010	AFL										
PROC. REF: AMM 28-21-01											
282002			LEFT MOTIVE FLOW PRESSURE SWITCH						Component	ATA:28	
PN:1106P56	MOS/MSC		04-Feb-99	O/C							
SN:4625	HRS		6427			TSN 0					
WC#: 28.170	AFL										
PROC. REF: AMM GENERIC 3											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 28 - FUEL										
<b>282002 RIGHT MOTIVE FLOW PRESSURE SWITCH Component ATA:28</b>										
PN:1106P56	MOS/MSC	04-Feb-98	O/C							
SN:4536	HRS	6060		TSN 0						
WC#: 28.170	AFL									
PROC. REF: AMM GENERIC 3										
<b>282010 LEFT MOTIVE FLOW SHUTOFF VALVE Component ATA:28</b>										
PN:2524995	MOS/MSC	07-Jul-08	O/C							
SN:A40734	HRS	8788		TSO 0						
WC#: 28.040	AFL									
PROC. REF: AMM GENERIC 3										
<b>282010 RIGHT MOTIVE FLOW SHUTOFF VALVE Component ATA:28</b>										
PN:2524995	MOS/MSC	07-Jul-08	O/C							
SN:A70083	HRS	8788		TSO 0						
WC#: 28.040	AFL									
PROC. REF: AMM GENERIC 3										
<b>284001 LEFT LOW FUEL LEVEL SWITCH Component ATA:28</b>										
PN:L15H-3	MOS/MSC	23-Apr-82	O/C							
SN:UNKNOWN	HRS	2016		TSN 0						
WC#: 28.070	AFL									
PROC. REF: AMM GENERIC 3										
<b>284001 RIGHT LOW FUEL LEVEL SWITCH Component ATA:28</b>										
PN:GIF-5400-21	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 28.070	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 3										
<b>284002 LEFT FUEL QUANTITY COMPENSATOR Component ATA:28</b>										
PN:300047-13001	MOS/MSC	17-Jan-79	O/C							
SN:12548P	HRS	0		TSN 0						
WC#: 28.190	AFL	0		TSN 0						
PROC. REF: AMM 28-41-02										
<b>284002 RIGHT FUEL QUANTITY COMPENSATOR Component ATA:28</b>										
PN:300047-13001	MOS/MSC	14-Nov-79	O/C							
SN:306054	HRS	504		TSN 0						
WC#: 28.190	AFL									
PROC. REF: AMM 28-41-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 28 - FUEL</b>										
<b>284007 FUEL QUANTITY INDICATOR Component ATA:28</b>										
PN:VSDL-OC403A	MOS/MSC	16-Oct-12	O/C	TSO 0						
SN:247	HRS	8858.3		TSO 0						
WC#: 28.060	AFL	8712		TSO 0						
PROC. REF: AMM 28-41-03										
<b>28FO-01 FUEL CAP LOCKING FACTORY OPTION Component ATA:28</b>										
PN:36	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 3										
<b>A281001<sup>S</sup> INSPECT WING FUEL STORAGE AREA: INSPECTION PHASE 5 Service ATA:28</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 28.245	AFL	9569								
PROC. REF: AMM 28-10-00										
<b>A282002<sup>S</sup> INSPECT WING DRY BAY FUEL SYSTEM COMPONENTS: INSPECTION PHASE 5 Service ATA:28</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 28.250	AFL	9569								
PROC. REF: AMM 28-20-00										
<b>B282003<sup>S</sup> OPERATIONAL CHECK FUEL SYSTEMS: INSPECTION PHASE 5 Service ATA:28</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 28.255	AFL	9569								
PROC. REF: AMM 28-20-00										
<b>B284001<sup>S</sup> OPERATIONAL CHECK LOW FUEL WARNING SYSTEM: INSPECTION PHASE 5 Service ATA:28</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 28.260	AFL	9569								
PROC. REF: AMM 28-42-00										
<b>D282002<sup>S</sup> CHANGE FUEL FILTER ELEMENTS: INSPECTION PHASE 5 Service ATA:28</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 28.165	AFL	9569								
PROC. REF: AMM 28-20-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 29 - HYDRAULIC POWER</b>										
<b>291001 HYDRAULIC RESERVOIR Component ATA:29</b>										
PN:7140-5	MOS/MSC		11-Jun-93	O/C						
SN:463	HRS		5159		TSN 0					
WC#: 29.070	AFL									
PROC. REF: AMM 29-11-01										
<b>291002 NO. 1 ENGINE HYDRAULIC PUMP Component ATA:29</b>										
PN:4120-004000	MOS/MSC		04-Nov-80	O/C						
SN:207	HRS		1089		TSN 0					
WC#: 29.060	AFL									
PROC. REF: AMM 29-11-03										
<b>291002 NO. 2 ENGINE HYDRAULIC PUMP Component ATA:29</b>										
PN:4120-004000	MOS/MSC		04-Nov-80	O/C						
SN:196	HRS		1089		TSN 0					
WC#: 29.060	AFL									
PROC. REF: AMM 29-11-03										
<b>291005<sup>U</sup> FLOW SWITCH-CK VALVE Component ATA:29</b>										
PN:208200-5005	MOS/MSC		17-Jan-79	O/C						
SN:694	HRS		0		TSN 0					
	AFL		0		TSN 0					
<b>291020 TANDEM OPEN CENTER VALVE Component ATA:29</b>										
PN:56550-4	MOS/MSC		07-Jun-88	O/C						
SN:161A	HRS		4528							
WC#: 29.125	AFL		4270		TSO 0					
PROC. REF: AMM GENERIC 3										
<b>A291002<sup>S</sup> INSPECT HYDRAULIC SUB-PANEL: INSPECTION PHASE 1 Service ATA:29</b>										
	MOS		09-Feb-24							
	HRS		10230.5	150 (+30)						
WC#: 29.115	AFL		9624							
PROC. REF: AMM 29-11-06										
<b>D291001<sup>S</sup> INSPECT HYDRAULIC FILTERS AND FILTER ELEMENTS: INSPECTION PHASE 5 Service ATA:29</b>										
	MOS		13-Feb-23	36 (+2m)						
	HRS		10152.3	1200 (+100)						
WC#: 29.120	AFL		9569							
PROC. REF: AMM 29-11-04										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>301001 LEFT WING DE-ICE BOOT</b>										Component ATA:30
PN:SMR5059-09	MOS/MSC	01-Nov-19	O/C	TSN 0						
SN:1284	HRS	9833.8		TSN 0						
WC#: 30.040	AFL	9373								
PROC. REF: AMM 30-12-01										
<b>301002 RIGHT WING DE-ICE BOOT</b>										Component ATA:30
PN:SMR5059-12	MOS/MSC	12-May-12	O/C	TSN 0						
SN:1006	HRS	8791.9								
WC#: 30.300	AFL	8662		TSN 0						
PROC. REF: AMM GENERIC 3										
<b>301003 LEFT HORIZONTAL STABILIZER DE-ICE BOOT</b>										Component ATA:30
PN:SMR5059-03	MOS/MSC	01-Nov-19	O/C	TSN 0						
SN:1342	HRS	9833.8		TSN 0						
WC#: 30.030	AFL	9373								
PROC. REF: AMM GENERIC 3										
<b>301003 RIGHT HORIZONTAL STABILIZER DE-ICE BOOT</b>										Component ATA:30
PN:25S-7D5059-03	MOS/MSC	03-Sep-04	O/C							
SN:MYB2RL0	HRS	8208		TSN 0						
WC#: 30.030	AFL									
PROC. REF: AMM GENERIC 3										
<b>301004 VERTICAL STABILIZER DE-ICE BOOT</b>										Component ATA:30
PN:SMR5059-05	MOS/MSC	12-May-12	O/C	TSN 0						
SN:1065	HRS	8791.9		TSN 0						
WC#: 30.050	AFL	8662		TSN 0						
PROC. REF: AMM GENERIC 3										
<b>301008 LEFT WING DE-ICE VALVE</b>										Component ATA:30
PN:3D2353-06	MOS/MSC	17-Jan-79	O/C							
SN:N962	HRS	0		TSN 0						
WC#: 30.170	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 3										
<b>301008 RIGHT WING DE-ICE VALVE</b>										Component ATA:30
PN:3D2353-06	MOS/MSC	17-Jan-79	O/C							
SN:N978	HRS	0		TSN 0						
WC#: 30.170	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 3										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>301008 STABILIZER AND FIN DE-ICE VALVE Component ATA:30</b>										
PN:3D2353-06	MOS/MSC	12-May-12	O/C		TSO 0					
SN:10938	HRS	8791.9			TSO 0					
WC#: 30.180	AFL	8662			TSO 0					
PROC. REF: AMM GENERIC 3										
<b>301009 AIRFOIL DE-ICE TIMER Component ATA:30</b>										
PN:76-1A	MOS/MSC	17-Jan-79	O/C							
SN:0127	HRS	0			TSN 0					
WC#: 30.020	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 3										
<b>301010 LEFT WING ANTI-ICE ASSEMBLY Component ATA:30</b>										
PN:6528007-3	MOS/MSC	19-Jan-81	O/C							
SN:397	HRS	1211			TSN 0					
WC#: 30.010	AFL									
PROC. REF: AMM GENERIC 3										
<b>301010 RIGHT WING ANTI-ICE ASSEMBLY Component ATA:30</b>										
PN:6528007-4	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 30.010	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 3										
<b>301013 LEFT TEMPERATURE CONTROLLER Component ATA:30</b>										
PN:3E1870-01	MOS/MSC	07-Dec-01	O/C							
SN:U1673	HRS	7526			TSN 0					
WC#: 30.140	AFL									
PROC. REF: AMM 21-61-01										
<b>302003 LEFT ANTI-ICE SOLENOID VALVE Component ATA:30</b>										
PN:229715	MOS/MSC	17-Jan-79	O/C							
SN:110	HRS	0			TSN 0					
WC#: 30.060	AFL	0			TSN 0					
PROC. REF: AMM 30-21-00										
<b>302003 RIGHT ANTI-ICE SOLENOID VALVE Component ATA:30</b>										
PN:229715	MOS/MSC	17-Jul-79	O/C							
SN:157	HRS	254			TSN 0					
WC#: 30.060	AFL									
PROC. REF: AMM 30-21-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
<b>302004 LEFT TEMPERATURE SWITCH Component ATA:30</b>										
PN:21548-2-19-6	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 30.270	AFL	0			TSN 0					
PROC. REF: AMM 30-11-01										
<b>302004 RIGHT TEMPERATURE SWITCH Component ATA:30</b>										
PN:21548-2-19-6	MOS/MSC	03-Apr-95	O/C							
SN:UNKNOWN	HRS	5542			TSN 0					
WC#: 30.270	AFL									
PROC. REF: AMM 30-11-01										
<b>303001 LEFT HEATED PITOT TUBE Component ATA:30</b>										
PN:PH502	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 30.280	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 7										
<b>303001 RIGHT HEATED PITOT TUBE Component ATA:30</b>										
PN:PH502	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 30.280	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 7										
<b>304001 TEMPERATURE WARNING CONTROL UNIT Component ATA:30</b>										
PN:1169-1	MOS/MSC	17-Jan-79	O/C							
SN:632	HRS	0			TSN 0					
WC#: 30.200	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 7										
<b>304005 TEMPERATURE CONTROL VALVE Component ATA:30</b>										
PN:27241287	MOS/MSC	17-Jan-79	O/C							
SN:090397	HRS	0			TSN 0					
WC#: 30.100	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 7										
<b>304006 TEMPERATURE WINDSHIELD ANTI-ICE CONTROLLER Component ATA:30</b>										
PN:27231272	MOS/MSC	17-Jan-79	O/C							
SN:080598	HRS	0			TSN 0					
WC#: 30.200	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 7										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 30 - ICE AND RAIN PROTECTION										
304009	WINDSHIELD REGULATOR VALVE									Component ATA:30
PN:320605-1	MOS/MSC	14-Mar-99	O/C							
SN:4516	HRS	6508		TSO 0						
WC#: 30.290	AFL									
PROC. REF: AMM GENERIC 7										
A301002 <sup>S</sup>	INSPECT WING HEATED LEADING EDGE AND WIRING: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.225	AFL	9569								
PROC. REF: AMM 30-11-01										
A304001 <sup>S</sup>	INSPECT WINDSHIELD BLEED AIR AUGMENTOR DOOR AND SHROUD: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.230	AFL	9569								
PROC. REF: AMM 30-41-00										
A304003 <sup>S</sup>	INSPECT WINDSHIELD BLEED AIR CONTROLS: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.235	AFL	9569								
PROC. REF: AMM 30-41-04										
A304004 <sup>S</sup>	INSPECT WINDSHIELD ALCOHOL RESERVOIR AND VENT LINE: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.240	AFL	9569								
PROC. REF: AMM 30-43-00										
B301001 <sup>S</sup>	OPERATIONAL TEST ENGINE AND WING LEADING EDGE ANTI-ICE: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.245	AFL	9569								
PROC. REF: AMM 30-11-01										
B301003 <sup>S</sup>	OPERATIONAL CHECK PNEUMATIC DEICE SYSTEM: INSPECTION PHASE 4									Service ATA:30
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 30.250	AFL	9624								
PROC. REF: AMM 30-12-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 30 - ICE AND RAIN PROTECTION</b>										
B304001 <sup>S</sup>	OPERATIONAL CHECK WINDSHIELD ANTI-ICE: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.255	AFL	9569								
					PROC. REF: AMM 30-41-00					PKG:7,79
B304004 <sup>S</sup>	OPERATIONAL CHECK WINDSHIELD ALCOHOL PUMP: INSPECTION PHASE 1									Service ATA:30
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 30.260	AFL	9624								
					PROC. REF: AMM 30-43-00					PKG:1
D304004 <sup>S</sup>	INSPECT WINDSHIELD ALCOHOL PUMP FILTER: INSPECTION PHASE 5									Service ATA:30
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 30.265	AFL	9569								
					PROC. REF: AMM 30-43-00					PKG:7
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>										
312001	LEFT CLOCK									Component ATA:31
PN:811B	MOS/MSC	17-Jan-79	O/C							
SN:8196	HRS	0			TSN 0					
WC#: 31.030	AFL	0			TSN 0					
					PROC. REF: AMM GENERIC 7					
312001	RIGHT CLOCK									Component ATA:31
PN:811B	MOS/MSC	17-Jan-79	O/C							
SN:8193	HRS	0			TSN 0					
WC#: 31.030	AFL	0			TSN 0					
					PROC. REF: AMM GENERIC 7					
313001	FLIGHT HOUR RECORDER									Component ATA:31
PN:85094-12	MOS/MSC	07-Mar-97	O/C							
SN:UNKNOWN	HRS	5826			TSN 0					
WC#: 31.070	AFL									
					PROC. REF: AMM GENERIC 7					
A313001 <sup>S</sup>	INSPECT FLIGHT DATA RECORDER: INSPECTION PHASE 5									Service ATA:31
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 31.050	AFL	9569								
					PROC. REF: AMM 31-31-05					PKG:7,83

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>321001 LEFT MAIN GEAR ASSEMBLY Component ATA:32</b>										
PN:6541000-3	MOS	07-Mar-97						LIFE LIMIT		
SN:57	HRS	5826								
WC#: 32.010	AFL	5383	16800	TSN 3536, Adj 2000	20647		11000			
PROC. REF: AMM 32-11-01										
<b>321002 RIGHT MAIN GEAR ASSEMBLY Component ATA:32</b>										
PN:6541000-4	MOS	07-Mar-97						LIFE LIMIT		
SN:58	HRS	5826								
WC#: 32.011	AFL	5383	16800	TSN 3536, Adj 2000	20647		11000			
PROC. REF: AMM 32-11-01										
<b>322001 NOSE LANDING GEAR ASSEMBLY Component ATA:32</b>										
PN:5542000-9	MOS	07-Mar-97						LIFE LIMIT		
SN:519	HRS	5826								
WC#: 32.030	AFL	5383	15500	TSN 3612, Adj -400	16871		7224			
PROC. REF: AMM 32-21-01										
<b>322002 NOSE LANDING GEAR SHIMMY DAMPER Component ATA:32</b>										
PN:5543001-3	MOS/MSC	14-Apr-14	O/C							
SN:1054A	HRS	9283.4								
WC#: 32.140	AFL	8997		TSO 5170						
PROC. REF: AMM 32-21-02										
<b>322003 LOWER NOSE GEAR TORQUE LINK Component ATA:32</b>										
PN:5542302-2	MOS/MSC	07-Mar-97	O/C							
SN:UNKNOWN	HRS	5826								
WC#: 32.0054	AFL	5383		TSN 3466						
PROC. REF: AMM 32-21-01										
<b>322003 UPPER NOSE GEAR TORQUE LINK Component ATA:32</b>										
PN:5542302-1	MOS/MSC	07-Mar-97	O/C							
SN:UNKNOWN	HRS	5826								
WC#: 32.0054	AFL	5383		TSN 3466						
PROC. REF: AMM 32-21-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>322004 NOSE LANDING GEAR FORK Component ATA:32</b>										
PN:5542300-1	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 32.020	AFL	5383	8800	TSN 3789	10394		747			
PROC. REF: AMM GENERIC 7										
<b>322007 NOSE LANDING GEAR TRUNNION ASSEMBLY Component ATA:32</b>										
PN:5542301-5	MOS/MSC	07-Mar-97	O/C							
SN:UNKNOWN	HRS	5826								
WC#: 32.160	AFL	5383		TSN 3547						
PROC. REF: AMM GENERIC 7										
<b>323001 LEFT MAIN GEAR ACTUATOR ASSEMBLY Component ATA:32</b>										
PN:2-7442-1	MOS	07-Mar-97								
SN:DA501	HRS	5826								
WC#: 32.190	AFL	5383	18800	TSN 3536	20647		11000			
PROC. REF: AMM 32-31-04										
<b>323002 RIGHT MAIN GEAR ACTUATOR ASSEMBLY Component ATA:32</b>										
PN:2-7442-2	MOS	07-Mar-97								
SN:DA87	HRS	5826								
WC#: 32.190	AFL	5383	18800	TSN 3536	20647		11000			
PROC. REF: AMM 32-31-04										
<b>323003 NOSE LANDING GEAR ACTUATOR Component ATA:32</b>										
PN:1523200-5	MOS	07-Jul-08								
SN:881B	HRS	8788								
WC#: 32.200	AFL	8659	15900	TSN 0	24559		14912			
PROC. REF: AMM GENERIC 7										
<b>323004 LEFT MAIN GEAR UPLOCK ACTUATOR Component ATA:32</b>										
PN:5527504-2	MOS/MSC	17-Jan-79	O/C							
SN:CE1479	HRS	0		TSN 0						
WC#: 32.170	AFL	0		TSN 0						
PROC. REF: AMM 32-31-04, AMM 32-31-05										
<b>323004 NOSE LANDING GEAR UPLOCK ACTUATOR Component ATA:32</b>										
PN:5527504-2	MOS/MSC	17-Jan-79	O/C							
SN:CE1477	HRS	0		TSN 0						
WC#: 32.180	AFL	0		TSN 0						
PROC. REF: AMM 32-31-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>323004 RIGHT MAIN GEAR UPLOCK ACTUATOR Component ATA:32</b>										
PN:5527504-2	MOS/MSC	03-Jul-83	O/C							
SN:WMP176	HRS	2696								
WC#: 32.170	AFL	2597		TSN 0						
PROC. REF: AMM 32-31-04, AMM 32-31-05										
<b>323006 PNEUMATIC BLOWDOWN/EMERGENCY BRAKE BOTTLE Component ATA:32</b>										
PN:212940-2	MOS	04-May-20	240	TSO 5	30-Nov-39		5622 d	SCRAP		
SN:1110	HRS	9845.2								
WC#: 32.040	AFL	9387								
Manufacture Date:: 01-Nov-19 PROC. REF: AMM GENERIC 7										
<b>323007 LANDING GEAR CONTROL VALVE Component ATA:32</b>										
PN:2710969	MOS/MSC	17-Jan-79	O/C							
SN:0564	HRS	0		TSN 0						
WC#: 32.060	AFL	0		TSN 0						
PROC. REF: AMM 32-31-02										
<b>323008 NOSE LANDING GEAR PISTON WELD ASSEMBLY Component ATA:32</b>										
PN:5542105-2	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 32.280	AFL	5383	8800	TSN 3789	10394		747			
PROC. REF: AMM GENERIC 7										
<b>323009 LEFT MAIN GEAR OUTER CYLINDER Component ATA:32</b>										
PN:5541109-1	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 32.390	AFL	5383	10900	TSN 3644	12639		2992			
PROC. REF: AMM GENERIC 7										
<b>323009 RIGHT MAIN GEAR OUTER CYLINDER Component ATA:32</b>										
PN:5541109-2	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 32.390	AFL	5383	10900	TSN 3644	12639		2992			
PROC. REF: AMM GENERIC 7										
<b>323010 LEFT LOWER TORQUE LINK Component ATA:32</b>										
PN:5541304-11	MOS/MSC	07-Mar-97	N/A							
SN:UNKNOWN	HRS	5826								
WC#: 32.400	AFL	5383		TSN 3466						
PROC. REF: AMM 32-11-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>323010 RIGHT LOWER TORQUE LINK Component ATA:32</b>										
PN:5541304-6	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 32.400	AFL	5383	26800	TSN 3466	28717		19070			
PROC. REF: AMM 32-11-01										
<b>323011 LEFT UPPER TORQUE LINK Component ATA:32</b>										
PN:5541304-9	MOS/MSC	07-Mar-97	O/C							
SN:UNKNOWN	HRS	5826								
WC#: 32.210	AFL	5383		TSN 3466						
PROC. REF: AMM GENERIC 7										
<b>323011 RIGHT UPPER TORQUE LINK Component ATA:32</b>										
PN:5541304-10	MOS/MSC	07-Mar-97	O/C							
SN:UNKNOWN	HRS	5826								
WC#: 32.210	AFL	5383		TSN 3466						
PROC. REF: AMM GENERIC 7										
<b>323019 EMERGENCY AIR BOTTLE GAGE Component ATA:32</b>										
PN:2341128	MOS/MSC	17-Jan-79	O/C	TSN 0						
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 32.040	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 7										
<b>324001 LEFT MAIN GEAR WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1490-1	MOS/MSC	12-Oct-89	O/C	TSN 0						
SN:2684	HRS	4728		TSN 0						
WC#: 32.110	AFL	4443		TSN 0						
PROC. REF: AMM 32-41-01										
<b>324001 RIGHT MAIN GEAR WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1490-1	MOS/MSC	06-May-21	O/C	TSO 0						
SN:1623	HRS	9999.2		TSO 0						
WC#: 32.120	AFL	9475								
PROC. REF: AMM 32-41-01										
<b>324002 NOSE LANDING GEAR WHEEL ASSEMBLY Component ATA:32</b>										
PN:3-1418	MOS/MSC	17-Mar-22	O/C							
SN:2547	HRS	10080.8		TSO 0						
WC#: 32.125	AFL	9526								
PROC. REF: AMM 32-41-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324003 LEFT MAIN GEAR BRAKE ASSEMBLY Component ATA:32</b>										
PN:2-1528-6	MOS/MSC	01-Nov-19	O/C	TSN 0						
SN:0847	HRS	9833.8		TSN 0						
WC#: 32.080	AFL	9373								
PROC. REF: AMM 32-42-01										
<b>324004 RIGHT MAIN GEAR BRAKE ASSEMBLY Component ATA:32</b>										
PN:2-1528-6	MOS/MSC	01-Nov-19	O/C	TSN 0						
SN:1295	HRS	9833.8		TSN 0						
WC#: 32.085	AFL	9373								
PROC. REF: AMM 32-42-01										
<b>324005 LEFT MAIN GEAR TIRE Component ATA:32</b>										
PN:220K28-1	MOS/MSC	28-Aug-13	O/C	TSN 0						
SN:30372925	HRS	9130.6		TSN 0						
WC#: 32.110	AFL	8888		TSN 0						
PROC. REF: AMM 32-41-01										
<b>324005 RIGHT MAIN GEAR TIRE Component ATA:32</b>										
PN:220K28-1	MOS/MSC	17-Oct-13	O/C	TSN 0						
SN:12302969	HRS	9196.6		TSN 0						
WC#: 32.120	AFL	8930								
PROC. REF: AMM 32-41-01										
<b>324006 NOSE LANDING GEAR TIRE Component ATA:32</b>										
PN:031-613-8	MOS/MSC	17-Mar-22	O/C	TSN 0						
SN:0309T00247	HRS	10080.8		TSN 0						
WC#: 32.125	AFL	9526								
PROC. REF: AMM 32-41-02										
<b>324011 LEFT INBOARD BRAKE MASTER CYLINDER Component ATA:32</b>										
PN:12A085-7	MOS/MSC	22-Dec-81	O/C							
SN:1830	HRS	1808								
WC#: 32.240	AFL	1664		TSN 0						
PROC. REF: AMM 32-42-02										
<b>324011 LEFT OUTBOARD BRAKE MASTER CYLINDER Component ATA:32</b>										
PN:12A085-7	MOS/MSC	22-Dec-81	O/C							
SN:1559	HRS	1808								
WC#: 32.250	AFL	1664		TSN 0						
PROC. REF: AMM 32-42-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324012 RIGHT INBOARD BRAKE MASTER CYLINDER Component ATA:32</b>										
PN:12A085-8	MOS/MSC	10-Nov-82	O/C							
SN:2434	HRS	2355								
WC#: 32.240	AFL	2242		TSN 0						
PROC. REF: AMM 32-42-02										
<b>324012 RIGHT OUTBOARD BRAKE MASTER CYLINDER Component ATA:32</b>										
PN:12A085-8	MOS/MSC	22-Dec-81	O/C							
SN:2210	HRS	1808								
WC#: 32.250	AFL	1664		TSN 0						
PROC. REF: AMM 32-42-02										
<b>324014 EMERGENCY BRAKE VALVE Component ATA:32</b>										
PN:895232-0875	MOS/MSC	08-Jan-84	O/C							
SN:865	HRS	2984		TSN 0						
WC#: 32.090	AFL									
PROC. REF: AMM 32-42-09										
<b>324019 POWER BRAKE PUMP ASSEMBLY Component ATA:32</b>										
PN:630545	MOS/MSC	27-Sep-80	O/C							
SN:UNKNOWN	HRS	1003		TSN 0						
WC#: 32.260	AFL									
PROC. REF: AMM GENERIC 7										
<b>324020 ANTI SKID CONTROL BOX Component ATA:32</b>										
PN:42-547-2	MOS/MSC	10-Nov-82	O/C							
SN:UNKNOWN	HRS			TSN 0						
WC#: 32.230	AFL									
PROC. REF: AMM GENERIC 7										
<b>324021 POWER BRAKE RELAY VALVE Component ATA:32</b>										
PN:38-581-3	MOS/MSC	10-Nov-82	O/C							
SN:UNKNOWN	HRS			TSN 0						
WC#: 32.310	AFL									
PROC. REF: AMM GENERIC 7										
<b>324023 ACCUMULATOR Component ATA:32</b>										
PN:57C57640	MOS/MSC	14-Nov-79	O/C							
SN:0106	HRS	504								
WC#: 32.220	AFL	350		TSN 0						
PROC. REF: AMM 32-42-06										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>324024 LEFT MAIN GEAR WHEEL TRANSDUCER Component ATA:32</b>										
PN:40-955	MOS/MSC	01-Jul-80	O/C							
SN:634	HRS	829		TSN 0						
WC#: 32.300	AFL									
PROC. REF: AMM 32-42-07										
<b>324024 RIGHT MAIN GEAR WHEEL TRANSDUCER Component ATA:32</b>										
PN:40-955	MOS/MSC	10-Dec-12	O/C							
SN:300	HRS	8923.9		TSN 8923.9						
WC#: 32.300	AFL	8767		TSN 8767						
PROC. REF: AMM 32-42-07										
<b>324025 LOW PRESSURE SWITCH Component ATA:32</b>										
PN:1206P25	MOS/MSC	14-Jun-02	O/C							
SN:UNKNOWN	HRS	7696								
WC#: 32.650	AFL	7445		TSO 0						
PROC. REF: AMM GENERIC 7										
<b>324026 POWER BRAKE MOTOR ASSY Component ATA:32</b>										
PN:MP50B1	MOS/MSC	14-Jun-02	O/C							
SN:2291	HRS	7696		TSO 0						
WC#: 32.660	AFL									
PROC. REF: AMM 32-42-06										
<b>325001 NOSE STEERING BUNGEE Component ATA:32</b>										
PN:5565624-15	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 32.445	AFL	0		TSN 0						
PROC. REF: AMM 32-51-00										
<b>326002 LEFT MAIN GEAR UP &amp; LOCKED SWITCH Component ATA:32</b>										
PN:65-430087	MOS/MSC	14-Feb-06	O/C							
SN:UNKNOWN	HRS	8538								
WC#: 32.350	AFL	8482		TSN 0						
PROC. REF: AMM GENERIC 7										
<b>326002 RIGHT MAIN GEAR UP &amp; LOCKED SWITCH Component ATA:32</b>										
PN:65-430087	MOS/MSC	04-Mar-80	O/C							
SN:UNKNOWN	HRS	660								
WC#: 32.350	AFL	466		TSN 466						
PROC. REF: AMM GENERIC 7										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>326003 LEFT MAIN GEAR DOWN &amp; LOCKED SWITCH Component ATA:32</b>										
PN:602EN16-6B	MOS/MSC	04-Mar-80	O/C							
SN:UNKNOWN	HRS	660								
WC#: 32.330	AFL	466		TSN 466						
PROC. REF: AMM GENERIC 7										
<b>326003 RIGHT MAIN GEAR DOWN &amp; LOCKED SWITCH Component ATA:32</b>										
PN:602EN16-6B	MOS/MSC	04-Mar-80	O/C							
SN:UNKNOWN	HRS	660								
WC#: 32.330	AFL	466		TSN 466						
PROC. REF: AMM GENERIC 7										
<b>326004 NOSE LANDING GEAR DOWN &amp; LOCKED SWITCH Component ATA:32</b>										
PN:602EN16-6B	MOS/MSC	04-Mar-80	O/C							
SN:UNKNOWN	HRS	660								
WC#: 32.340	AFL	466		TSN 466						
PROC. REF: AMM GENERIC 7										
<b>326005 NOSE LANDING GEAR UP &amp; LOCKED SWITCH Component ATA:32</b>										
PN:65-430087	MOS/MSC	04-Mar-80	O/C							
SN:UNKNOWN	HRS	660								
WC#: 32.340	AFL	466		TSN 466						
PROC. REF: AMM GENERIC 7										
<b>A320001<sup>S</sup> INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSION INSPECTION): INSPECTION PHASE 61 Service ATA:32</b>										
	MOS	03-May-24	6 (+1m)							
	HRS	10268.1								
	AFL	9647								
PROC. REF: AMM 32-00-00										
<b>A320002<sup>S</sup> GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF LANDING GEAR: PHASE 18 Service ATA:32</b>										
	MOS	18-Aug-23	12 (+1m)							
	HRS	10170.5								
	AFL	9580								
PROC. REF: AMM 32-00-00										
<b>A321001<sup>S</sup> INSPECT MAIN LANDING GEAR: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.450	AFL	9624								
PROC. REF: AMM 32-11-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 32 - LANDING GEAR											
A321002 <sup>S</sup>			CHECK MAIN GEAR STRUT: INSPECTION PHASE 2							Service	ATA:32
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.455	AFL	9624									
					PROC. REF: AMM 32-11-01					PKG:2	
A322001 <sup>S</sup>			INSPECT SHIMMY DAMPER: INSPECTION PHASE 2							Service	ATA:32
	MOS	09-Feb-24									
	HRS	10230.5	150 (+30)								
WC#: 32.460	AFL	9624									
					PROC. REF: AMM 32-21-02					PKG:2,4,12	
A322002 <sup>S</sup>			INSPECT NOSE GEAR ASSEMBLY: INSPECTION PHASE 2							Service	ATA:32
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.465	AFL	9624									
					PROC. REF: AMM 32-21-01					PKG:2	
A323002 <sup>S</sup>			INSPECT NOSE GEAR UPLOCK: INSPECTION PHASE 2							Service	ATA:32
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.470	AFL	9624									
					PROC. REF: AMM 32-31-05					PKG:2	
A323003 <sup>S</sup>			INSPECT EMERGENCY GEAR EXTENSION SYSTEM CABLE: INSPECTION PHASE 5							Service	ATA:32
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 32.475	AFL	9569									
					PROC. REF: AMM 32-31-05					PKG:7,88	
A323004 <sup>S</sup>			INSPECT MAIN GEAR UPLOCK: INSPECTION PHASE 2							Service	ATA:32
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.480	AFL	9624									
					PROC. REF: AMM 32-31-05					PKG:2	
A324001 <sup>S</sup>			INSPECT/SERVICE MAIN WHEEL, TIRE AND BEARINGS: INSPECTION PHASE 2							Service	ATA:32
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.485	AFL	9624									
					PROC. REF: AMM 32-41-01					PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>A324002<sup>S</sup> INSPECT NOSE WHEEL, TIRE AND BEARINGS: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.490	AFL	9624								
					PROC. REF: AMM 32-41-02					PKG:2
<b>A324003<sup>S</sup> INSPECT NOSE WHEEL, TIRE AND BEARINGS (GRAVEL RUNWAY): INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.495	AFL	9624								
					PROC. REF: AMM 32-41-02					PKG:2
<b>A324004<sup>S</sup> INSPECT BRAKE MASTER CYLINDERS: INSPECTION PHASE 1 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.500	AFL	9624								
					PROC. REF: AMM 32-42-02					PKG:1
<b>A324005<sup>S</sup> INSPECT EMERGENCY BRAKE CONTROL VALVE: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.505	AFL	9569								
					PROC. REF: AMM 32-42-09					PKG:7,78
<b>A324007<sup>S</sup> INSPECT BRAKE RESERVOIR AND ANTISKID COMPONENTS: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.510	AFL	9569								
					PROC. REF: AMM 32-42-00					PKG:7,77
<b>A324012<sup>S</sup> INSPECT MAIN LANDING GEAR BRAKE: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.515	AFL	9624								
					PROC. REF: AMM 32-42-01					PKG:2
<b>A324213 INSPECT/REPLACE LEFT MAIN GEAR BRAKE ASSEMBLY MAIN LANDING GEAR BRAKE: INSPECTION PHASE MA Service ATA:32</b>										
PN:2-1528-6	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED		
SN:0847	HRS									
WC#: 32.550	AFL									
					PROC. REF: AMM 32-42-01					PKG:69

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>A324213 INSPECT/REPLACE RIGHT MAIN GEAR BRAKE ASSEMBLY MAIN LANDING GEAR BRAKE: INSPECTION PHASE MA Service ATA:32</b>										
PN:2-1528-6	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED		
SN:1295	HRS									
WC#: 32.550	AFL									
PROC. REF: AMM 32-42-01										PKG:69
<b>A324214 INSPECT/REPLACE LEFT MAIN GEAR BRAKE ASSEMBLY MAIN LANDING GEAR BRAKE: INSPECTION PHASE MB Service ATA:32</b>										
PN:2-1528-6	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED		
SN:0847	HRS									
WC#: 32.550	AFL			Adj 8659						
PROC. REF: AMM 32-42-01										PKG:71
<b>A324214 INSPECT/REPLACE RIGHT MAIN GEAR BRAKE ASSEMBLY MAIN LANDING GEAR BRAKE: INSPECTION PHASE MB Service ATA:32</b>										
PN:2-1528-6	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED		
SN:1295	HRS									
WC#: 32.550	AFL			Adj 8659						
PROC. REF: AMM 32-42-01										PKG:71
<b>A325001<sup>S</sup> INSPECT NOSE STEERING ARM SUPPORT BRACKET, BUNGEE AND BELLCRANK: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.520	AFL	9569								
PROC. REF: AMM 32-51-00										PKG:7,80
<b>A325002<sup>S</sup> INSPECT NOSE STEERING SYSTEM CABLES: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.525	AFL	9569								
PROC. REF: AMM 32-51-00										PKG:7,88
<b>A325003<sup>S</sup> INSPECT GRAVEL RUNWAY/NOSE WHEEL SPIN-UP COMPONENTS: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24								
	HRS	10230.5	150 (+30)							
WC#: 32.530	AFL	9624								
PROC. REF: AMM 32-43-00										PKG:2,4,12

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 32 - LANDING GEAR</b>											
A325004 <sup>S</sup>			INSPECT NOSE WHEEL SPIN-UP CONTROL: INSPECTION PHASE 2						Service	ATA:32	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.535	AFL	9624									
					PROC. REF: AMM 32-43-00					PKG:2	
A325008			INSPECT NOSE LANDING GEAR FORK NOSE LANDING GEAR FORK (5542300-1 AND/OR -3): INSPECTION PHASE MD (AIRPLANES 0002 THRU 0626 EXCEPT 491,492)						Service	ATA:32	
PN:5542300-1	MOS	07-Apr-20									
SN:UNKNOWN	HRS	9845.2									
WC#: 32.540	AFL	9387	1000		10387		740				
					PROC. REF: AMM 32-21-01					PKG:73	
A326004 <sup>S</sup>			INSPECT/CHECK LANDING GEAR CONTROL WIRING (AIRPLANES CERTIFIED IN FRANCE): INSPECTION PHASE 10						Service	ATA:32	
	MOS	05-Nov-12									
	HRS	8888	100 (+10)								
WC#: 32.560	AFL	8724									
					PROC. REF: AMM 32-01-00					PKG:13	
B322003 <sup>S</sup>			CHECK NOSE GEAR CYLINDER BEARING: INSPECTION PHASE 5						Service	ATA:32	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 32.565	AFL	9569									
					PROC. REF: AMM 32-21-01					PKG:7,80	
B323001 <sup>S</sup>			CHECK NOSE GEAR ACTUATOR: INSPECTION PHASE 2						Service	ATA:32	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 32.570	AFL	9624									
					PROC. REF: AMM 32-31-03					PKG:2	
B324006 <sup>S</sup>			WEAR INSPECTION MAIN GEAR WHEEL BRAKES: INSPECTION PHASE 2						Service	ATA:32	
	MOS	09-Feb-24									
	HRS	10230.5	150 (+30)								
WC#: 32.575	AFL	9624									
					PROC. REF: AMM 32-42-01					PKG:2,4,12	
B324008 <sup>S</sup>			OPERATIONAL CHECK ANTISKID BRAKE SYSTEM: INSPECTION PHASE 5						Service	ATA:32	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 32.580	AFL	9569									
					PROC. REF: AMM 32-42-00					PKG:7,81	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>B324009<sup>S</sup> OPERATIONAL TEST EMERGENCY BRAKE SYSTEM: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.585	AFL	9569								
					PROC. REF: AMM 32-42-09					PKG:7,81
<b>B325001<sup>S</sup> FUNCTIONAL TEST NOSE WHEEL SPIN-UP SYSTEM: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.590	AFL	9569								
					PROC. REF: AMM 32-43-00					PKG:7,81
<b>B326001<sup>S</sup> ADJUSTMENT/TEST LANDING GEAR HYDRAULIC SYSTEMS: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.595	AFL	9624								
					PROC. REF: AMM 32-01-00					PKG:2
<b>B326002<sup>S</sup> PERFORM TIMED CYCLE TEST LANDING GEAR: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.600	AFL	9624								
					PROC. REF: AMM 32-01-00					PKG:2
<b>B326003 HYDROSTATIC TEST : INSPECTION PHASE 22 Service ATA:32</b>										
PN:212940-2	MOS	23-Jan-23	36 (+2m)		31-Jan-26	31-Mar-26	571 d (+59)			
SN:1110	HRS									
WC#: 32.605	AFL									
					PROC. REF: AMM 32-31-09					PKG:28
<b>C122002<sup>S</sup> LUBRICATION NOSE AND MAIN LANDING GEAR: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
	AFL	9624								
					PROC. REF: AMM 12-21-02					PKG:2
<b>C321003<sup>S</sup> LUBRICATE MAIN GEAR TORQUE LINKS AIRPLANES -0002 THRU -0626: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.610	AFL	9624								
					PROC. REF: AMM 32-11-01					PKG:2

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 32 - LANDING GEAR</b>										
<b>C322001<sup>S</sup> LUBRICATE NOSE GEAR TORQUE LINKS: INSPECTION PHASE 2 Service ATA:32</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 32.615	AFL	9624								
PROC. REF: AMM 12-21-02, AMM 32-21-01										PKG:2
<b>D324007<sup>S</sup> REPLACE ANTISKID SYSTEM MOTOR/PUMP FILTER: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.130	AFL	9569								
PROC. REF: AMM 32-42-00										PKG:7,77
<b>D324010<sup>S</sup> REPLACE BRAKE RESERVOIR AIR FILTER: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.630	AFL	9569								
PROC. REF: AMM 32-42-00										PKG:7,77
<b>D324011<sup>S</sup> CLEAN BRAKE RESERVOIR SUPPLY LINE FILTER: INSPECTION PHASE 5 Service ATA:32</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 32.620	AFL	9569								
PROC. REF: AMM 32-42-00										PKG:7,77
<b>ATA 33 - LIGHTS</b>										
<b>331001 ANNUNCIATOR PANEL Component ATA:33</b>										
PN:D3474-10	MOS/MSC	10-Dec-12	O/C							
SN:29	HRS	8923.9								
WC#: 33.080	AFL	8767								
PROC. REF: AMM 33-13-01										
<b>331004 CENTER 5 VOLT DIMMER Component ATA:33</b>										
PN:1505-1	MOS/MSC	17-Jan-79	O/C							
SN:903	HRS	0			TSN 0					
WC#: 33.105	AFL	0			TSN 0					
PROC. REF: AMM GENERIC 7										
<b>331004 LEFT 5 VOLT DIMMER Component ATA:33</b>										
PN:273-1	MOS/MSC	04-Dec-98	O/C							
SN:3488	HRS	6347			TSO 0					
WC#: 33.110	AFL									
PROC. REF: AMM GENERIC 7										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 33 - LIGHTS										
331004	RIGHT 5 VOLT DIMMER									Component ATA:33
PN:273-1	MOS/MSC	14-Aug-97	O/C							
SN:4237	HRS	5945		TSN 0						
WC#: 33.110	AFL									
PROC. REF: AMM GENERIC 7										
331011	FLIGHT COMPARTMENT PANEL LIGHT INVERTER									Component ATA:33
PN:EM2044	MOS/MSC	30-Oct-92	O/C							
SN:1387	HRS	5056		TSO 0						
WC#: 33.090	AFL									
PROC. REF: AMM 33-10-05										
332002	AFT LIGHTING INVERTER									Component ATA:33
PN:18.996	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 33.155	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 7										
332002	FWD SEAT LIGHTING INVERTER									Component ATA:33
PN:18.994	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 33.155	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 7										
332003	CAN/AC/12R LIGHTED EXIT SIGN									Component ATA:33
PN:PN	MOS	EFF	72	TSN 0	31-May-29 *		1787 d			
SN:UNKNOWN	HRS									
	AFL									
PROC. REF: AMM GENERIC 7										
332004	CAN/AC/12RGA LIGHTED EXIT SIGN									Component ATA:33
PN:PN	MOS	EFF	72	TSN 0	31-May-29 *		1787 d			
SN:UNKNOWN	HRS									
	AFL									
PROC. REF: AMM GENERIC 7										
334002	ROTATING TAIL BEACON									Component ATA:33
PN:01-0790044-33	MOS/MSC	14-Feb-00	O/C							
SN:283	HRS	7029		TSN 0						
WC#: 33.060	AFL									
PROC. REF: AMM GENERIC 7										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 33 - LIGHTS</b>										
<b>334003 LEFT STROBE POWER SUPPLY Component ATA:33</b>										
PN:60-1755-5	MOS/MSC		17-Jan-79	O/C						
SN:1898	HRS		0		TSN 0					
WC#: 33.070	AFL		0		TSN 0					
PROC. REF: AMM GENERIC 7										
<b>334003 RIGHT STROBE POWER SUPPLY Component ATA:33</b>										
PN:60-2799-1	MOS/MSC		26-Apr-01	O/C						
SN:APS5210	HRS		7357		TSO 0					
WC#: 33.070	AFL									
PROC. REF: AMM GENERIC 7										
<b>335001 EMERGENCY LIGHTING BATTERY Component ATA:33</b>										
PN:CBS28-1	MOS/MSC		16-Feb-24	O/C	TSN 0					
SN:4528M	HRS		10233		TSN 0					
WC#: 33.100	AFL		9627							
PROC. REF: AMM GENERIC 7										
<b>33FO-02B LIGHT-RECOGNITION WING-TIP MOUNTED FACTORY OPTION Component ATA:33</b>										
PN:49B	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM GENERIC 7										
<b>33FO-03 LIGHT-ROTATING BEACON RUDDER MOUNTED FACTORY OPTION Component ATA:33</b>										
PN:51	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM GENERIC 7										
<b>33FO-04 LIGHT-TAIL FLOOD FACTORY OPTION Component ATA:33</b>										
PN:54	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM GENERIC 7										
<b>A332001<sup>S</sup> INSPECT INDIRECT CABIN FLUORESCENT LIGHTING: INSPECTION PHASE 5 Service ATA:33</b>										
	MOS		13-Feb-23	36 (+2m)						
	HRS		10152.3	1200 (+100)						
WC#: 33.160	AFL		9569							
PROC. REF: AMM 33-21-01										
PKG:7,80										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 33 - LIGHTS</b>										
<b>A335001<sup>S</sup> INSPECT EMERGENCY LIGHTS BATTERY BOX AND BATTERIES: INSPECTION PHASE 5 Service ATA:33</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 33.165	AFL	9569								
PROC. REF: AMM 33-51-01										PKG:7,78
<b>A335002<sup>S</sup> INSPECT EMERGENCY EXIT LIGHTS: INSPECTION PHASE 1 Service ATA:33</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 33.170	AFL	9624								
PROC. REF: AMM 33-51-01										PKG:1
<b>B335001<sup>S</sup> OPERATIONAL CHECK EMERGENCY LIGHTS: INSPECTION PHASE 1 Service ATA:33</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 33.175	AFL	9624								
PROC. REF: AMM 33-51-01										PKG:1
<b>ATA 34 - NAVIGATION</b>										
<b>000002<sup>U</sup> CALIBRATE/CERTIFY NOSE COMPARTMENT ADS-B STC ST01691WI Service ATA:34</b>										
	MOS	07-Sep-22	24		30-Sep-24		83 d			
	HRS	10126.4								
	AFL	9546								
<b>000007<sup>U</sup> SWING CHECK COMPASS SWING NEW CARD Service ATA:34</b>										
	MOS	12-Jun-23	12		30-Jun-24		OVD			
	HRS	10170.5								
	AFL	9580								
<b>341001 LEFT AIRSPEED INDICATOR Component ATA:34</b>										
PN:C661063-0102	MOS/MSC	26-Apr-22	O/C							
SN:555A	HRS	10080.8								
WC#: 34.040	AFL	9526								
PROC. REF: AMM 34-11-03										
<b>341001 RIGHT AIRSPEED INDICATOR Component ATA:34</b>										
PN:C661063-0102	MOS/MSC	26-Apr-22	O/C							
SN:29	HRS	10080.8								
WC#: 34.040	AFL	9526								
PROC. REF: AMM 34-11-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>341002 COPILOT ALTIMETER Component ATA:34</b>										
PN:4016341-905	MOS/MSC	18-Apr-05	O/C							
SN:012	HRS	8301		TSO 0						
WC#: 34.020	AFL									
PROC. REF: AMM GENERIC 7										
<b>341002 PILOT ALTIMETER Component ATA:34</b>										
PN:4016341-905	MOS/MSC	18-Apr-05	O/C							
SN:011	HRS	8301		TSO 0						
WC#: 34.020	AFL									
PROC. REF: AMM GENERIC 7										
<b>341002 STANDBY ALTIMETER Component ATA:34</b>										
PN:5950	MOS/MSC	26-Apr-22	O/C							
SN:SE024	HRS	10080.8								
WC#: 34.021	AFL	9526								
PROC. REF: AMM GENERIC 7										
<b>341004 OAT INDICATOR Component ATA:34</b>										
PN:C668510-0301	MOS/MSC	13-Dec-00	O/C							
SN:2406	HRS	7259		TSO 0						
WC#: 34.260	AFL									
PROC. REF: AMM 39-14-03										
<b>341005 OVERSPEED WARNING SWITCH Component ATA:34</b>										
PN:D2RA45C-5	MOS/MSC	07-May-14	O/C							
SN:13K641	HRS	9283.4								
WC#: 34.290	AFL	8997								
PROC. REF: AMM GENERIC 1										
<b>341010 ANGLE OF ATTACK INDICATOR Component ATA:34</b>										
PN:SLZ9686-1	MOS/MSC	17-Jan-79	O/C							
SN:PC1272	HRS	0		TSN 0						
WC#: 34.260	AFL	0		TSN 0						
PROC. REF: AMM 34-13-00, AMM 34-13-02										
<b>341013 ANGLE OF ATTACK FLAP POSITION SENSOR Component ATA:34</b>										
PN:SLZ9386	MOS/MSC	01-Dec-89	O/C							
SN:GU0325C	HRS	4764		TSO 0						
WC#: 34.280	AFL									
PROC. REF: AMM GENERIC 1										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>341014 ANGLE OF ATTACK INDEXER Component ATA:34</b>										
PN:SLZ9374	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 34.250	AFL	0		TSN 0						
PROC. REF: AMM 34-13-01										
<b>341020 V-NAV COMPUTER/CONTROLLER Component ATA:34</b>										
PN:4020571-901	MOS/MSC	20-Sep-93	O/C							
SN:77060295	HRS	5218		TSO 52						
WC#: 34.240	AFL									
PROC. REF: AMM 34-11-00										
<b>341021 RADIO ALTIMETER INDICATOR Component ATA:34</b>										
PN:4014267-903	MOS/MSC	11-Mar-81	O/C							
SN:010961	HRS	1309		TSO 688						
WC#: 34.260	AFL									
PROC. REF: AMM 34-12-01, AMM 34-12-02, AMM 34-12-05										
<b>341031 RADBAR ALT CONVERTER Component ATA:34</b>										
PN:995-29400-213	MOS/MSC	13-May-86	O/C							
SN:830	HRS	4075		TSO 4065						
WC#: 34.615	AFL									
PROC. REF: AMM 34-12-03										
<b>342001 MAGNETIC COMPASS Component ATA:34</b>										
PN:C2200-L4B	MOS/MSC	23-Jun-22	O/C							
SN:6112	HRS	10103.6								
WC#: 34.070	AFL									
PROC. REF: AMM 34-21-01										
<b>342002 LEFT TURN &amp; BANK INDICATOR Component ATA:34</b>										
PN:C661004-0101	MOS/MSC	11-Oct-84	O/C							
SN:593	HRS	3518		TSO 55						
WC#: 34.380	AFL									
PROC. REF: AMM 34-21-02										
<b>342003 RIGHT HORIZON INDICATOR Component ATA:34</b>										
PN:C661056-0202	MOS/MSC	14-Apr-14	O/C	TSO 0						
SN:A15556H	HRS	9283.4		TSO 0						
WC#: 34.635	AFL	8997		TSO 0						
PROC. REF: AMM GENERIC 1										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>342021 LEFT VERTICAL SPEED INDICATOR Component ATA:34</b>										
PN:30260-1117	MOS/MSC	07-Jul-08	O/C							
SN:W129156	HRS	8788			TSO 0					
WC#: 34.270	AFL									
PROC. REF: AMM GENERIC 7, AMM 34-14-04										
<b>342021 RIGHT VERTICAL SPEED INDICATOR Component ATA:34</b>										
PN:30260-1117	MOS/MSC	18-Apr-05	O/C							
SN:A30934	HRS	8301			TSO 0					
WC#: 34.270	AFL									
PROC. REF: AMM GENERIC 7, AMM 34-11-01										
<b>342041 LEFT FLIGHT DIRECTOR COMPUTER Component ATA:34</b>										
PN:4018369-901	MOS/MSC	26-Apr-81	O/C							
SN:060709	HRS	1413			TSO 524					
WC#: 34.320	AFL									
PROC. REF: AMM 34-23-00										
<b>342042 LEFT MODE SELECTOR Component ATA:34</b>										
PN:4020570-901	MOS/MSC	17-Jan-79	O/C							
SN:090452	HRS	0			TSN 0					
WC#: 34.640	AFL	0			TSN 0					
PROC. REF: AMM 34-22-00, AMM 34-23-00										
<b>342043 NO. 1 VERTICAL GYRO Component ATA:34</b>										
PN:4001808-901	MOS/MSC	03-Aug-12	O/C							
SN:78127574	HRS	8833.1			TSO 0					
WC#: 34.350	AFL	8694								
PROC. REF: AMM 34-22-00, AMM 34-23-00										
<b>342044 NO. 2 RATE GYRO Component ATA:34</b>										
PN:7007453-903	MOS/MSC	17-Jan-79	O/C							
SN:96024036	HRS	0			TSN 0					
WC#: 34.340	AFL	0			TSN 0					
PROC. REF: AMM 34-22-00, AMM 34-23-00										
<b>342045 NO. 1 ADI INDICATOR Component ATA:34</b>										
PN:4020547-901	MOS/MSC	08-Jun-01	O/C							
SN:5120139	HRS	7390			TSO 2					
WC#: 34.360	AFL									
PROC. REF: AMM GENERIC 1										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
342048	<b>LEFT AIR DATA COMPUTER</b>									Component ATA:34
PN:962860-00-01	MOS/MSC		26-Apr-22	O/C						
SN:016	HRS		10080.8							
WC#: 34.010	AFL		9526							
PROC. REF: AMM 34-14-01										
342048	<b>RIGHT AIR DATA COMPUTER</b>									Component ATA:34
PN:962861-01-01	MOS/MSC		26-Apr-22	O/C						
SN:070	HRS		10080.8							
WC#: 34.010	AFL		9526							
PROC. REF: AMM 34-14-01										
342049	<b>NO. 1 DIRECTIONAL GYRO</b>									Component ATA:34
PN:4020577-3	MOS/MSC		28-Feb-80	O/C	TSN 0					
SN:82012614	HRS		656		TSN 0					
WC#: 34.330	AFL				TSN 0					
PROC. REF: AMM 34-26-01										
342049	<b>NO. 2 DIRECTIONAL GYRO</b>									Component ATA:34
PN:4020577-3	MOS/MSC		25-Jul-80	O/C	TSN 0					
SN:78070750	HRS		884		TSN 0					
WC#: 34.330	AFL				TSN 0					
PROC. REF: AMM 34-26-01										
342050	<b>NO. 1 FLUX VALVE TRANSMITTER</b>									Component ATA:34
PN:2594484	MOS/MSC		17-Jan-79	O/C						
SN:090335	HRS		0		TSN 0					
WC#: 34.110	AFL		0		TSN 0					
PROC. REF: AMM 34-26-01, AMM 34-26-02										
342050	<b>NO. 2 FLUX VALVE TRANSMITTER</b>									Component ATA:34
PN:2594484	MOS/MSC		17-Jan-79	O/C						
SN:090344	HRS		0		TSN 0					
WC#: 34.110	AFL		0		TSN 0					
PROC. REF: AMM 34-26-01, AMM 34-26-02										
342052	<b>REMOTE COMPENSATOR</b>									Component ATA:34
PN:2593379-1	MOS/MSC		17-Jan-79	O/C						
SN:043147	HRS		0		TSN 0					
WC#: 34.650	AFL		0		TSN 0					
PROC. REF: AMM 34-26-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>342053 NO. 1 EHSI INDICATOR Component ATA:34</b>										
PN:4020553-901	MOS/MSC	04-Mar-05	O/C							
SN:5080128	HRS	8294			TSO 0					
WC#: 34.370	AFL									
PROC. REF: AMM GENERIC 1										
<b>342053 NO. 2 HSI INDICATOR Component ATA:34</b>										
PN:2592920-901	MOS/MSC	12-May-12	O/C		TSO 0					
SN:80124169	HRS	8791.9			TSO 0					
WC#: 34.370	AFL	8662			TSO 0					
PROC. REF: AMM GENERIC 1										
<b>342064 STANDBY GYRO POWER SUPPLY Component ATA:34</b>										
PN:501-1228-02/PS-835B	MOS/MSC	11-Dec-23	O/C		TSO 0					
SN:4137	HRS	10208.4			TSO 0					
WC#: 34.100	AFL	9611								
PROC. REF: AMM GENERIC 1										
<b>344002 WEATHER RADAR INDICATOR Component ATA:34</b>										
PN:MI585202	MOS/MSC	12-May-12	O/C							
SN:3090	HRS	8791.9								
WC#: 34.130	AFL	8662								
PROC. REF: AMM 34-41-01										
<b>344004 TRANSMITTER RADAR RECEIVER Component ATA:34</b>										
PN:MI585200	MOS/MSC	01-Aug-83	O/C							
SN:2049	HRS	2742			TSO 0					
WC#: 34.875	AFL									
PROC. REF: AMM GENERIC 1										
<b>344005 ANTENNA PEDESTAL RADAR Component ATA:34</b>										
PN:MI585202	MOS/MSC	12-May-12	O/C							
SN:3090	HRS	8791.9								
WC#: 34.025	AFL	8662								
PROC. REF: AMM GENERIC 1										
<b>344008 ELT TRANSMITTER Component ATA:34</b>										
PN:3000-10	MOS/MSC	11-Dec-23	O/C		TSO 0					
SN:344271	HRS	10208.4								
WC#: 34.895	AFL	9611								
PROC. REF: AMM 34-46-05										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 34 - NAVIGATION</b>											
<b>344009</b>		<b>ELT ANTENNA</b>								<b>Component</b>	<b>ATA:34</b>
PN:QM918-3	MOS/MSC	03-Mar-04	O/C								
SN:N/A	HRS	8123		TSN 0							
WC#: 34.885	AFL										
PROC. REF: AMM 34-46-05											
<b>344010</b>		<b>ELT BATTERY</b>								<b>Component</b>	<b>ATA:34</b>
PN:BP-1030	MOS	12-Jan-22	36	TSN 0	31-Jan-25		206 d				
SN:UNKNOWN	HRS	10063.3									
WC#: 34.905	AFL	9521									
PROC. REF: AMM GENERIC 1											
<b>344021</b>		<b>NO. 1 RMI INDICATOR</b>								<b>Component</b>	<b>ATA:34</b>
PN:622-0555-008	MOS/MSC	25-Oct-97	O/C								
SN:7955	HRS	6019		TSO 6019							
WC#: 34.160	AFL										
PROC. REF: AMM GENERIC 1											
<b>344021</b>		<b>NO. 2 RMI INDICATOR</b>								<b>Component</b>	<b>ATA:34</b>
PN:622-0555-008	MOS/MSC	17-Jan-79	O/C								
SN:7968	HRS	0		TSN 0							
WC#: 34.160	AFL	0		TSN 0							
PROC. REF: AMM GENERIC 1											
<b>344022</b>		<b>RADIO ALTIMETER TRANSCEIVER</b>								<b>Component</b>	<b>ATA:34</b>
PN:4004437-901	MOS/MSC	28-Mar-95	O/C								
SN:77081875	HRS	5539		TSO 0							
WC#: 34.300	AFL										
PROC. REF: AMM GENERIC 1											
<b>344023</b>		<b>AFT RADIO ALTIMETER ANTENNA</b>								<b>Component</b>	<b>ATA:34</b>
PN:4010504	MOS/MSC	17-Jan-79	O/C								
SN:040574	HRS	0		TSN 0							
WC#: 34.230	AFL	0		TSN 0							
PROC. REF: AMM 34-12-02, AMM 34-12-05											
<b>344023</b>		<b>FORWARD RADIO ALTIMETER ANTENNA</b>								<b>Component</b>	<b>ATA:34</b>
PN:4010504	MOS/MSC	17-Jan-79	O/C								
SN:030392	HRS	0		TSN 0							
WC#: 34.230	AFL	0		TSN 0							
PROC. REF: AMM 34-12-02, AMM 34-12-05											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
344050	SKYWATCH ANTENNA									Component ATA:34
PN:805-10890-001	MOS/MSC	06-Sep-00	O/C							
SN:08002023	HRS	7208		TSN 0						
WC#: 34.035	AFL									
PROC. REF: AMM GENERIC 1										
345004	AFT BOTTOM ATC TRANSPONDER ANTENNA									Component ATA:34
PN:DMNI50-2	MOS/MSC	17-Jan-79	O/C							
SN:10320	HRS	0		TSN 0						
WC#: 34.460	AFL	0		TSN 0						
PROC. REF: AMM 34-53-06										
345004	FORWARD BOTTOM ATC TRANSPONDER ANTENNA									Component ATA:34
PN:DMNI50-2	MOS/MSC	17-Jan-79	O/C							
SN:10196	HRS	0		TSN 0						
WC#: 34.460	AFL	0		TSN 0						
PROC. REF: AMM 34-53-06										
345007	NO. 1 DME ANTENNA									Component ATA:34
PN:DMNI50-2	MOS/MSC	17-Jan-79	O/C							
SN:10560	HRS	0		TSN 0						
WC#: 34.470	AFL	0		TSN 0						
PROC. REF: AMM 34-53-01, AMM 34-53-04, AMM 34-53-05										
345007	NO. 2 DME ANTENNA									Component ATA:34
PN:DMNI50-2	MOS/MSC	17-Jan-79	O/C							
SN:10118	HRS	0		TSN 0						
WC#: 34.470	AFL	0		TSN 0						
PROC. REF: AMM 34-53-01, AMM 34-53-04, AMM 34-53-05										
345008	LEFT NAV RPTR INDICATOR									Component ATA:34
PN:520850	MOS/MSC	17-Jan-79	O/C							
SN:604	HRS	0		TSN 0						
WC#: 34.095	AFL	0		TSN 0						
PROC. REF: AMM 34-22-00										
345010	VOR/LOC ANTENNA									Component ATA:34
PN:DMN4-17-1B	MOS/MSC	17-Jan-79	O/C							
SN:5998	HRS	0		TSN 0						
WC#: 34.480	AFL	0		TSN 0						
PROC. REF: AMM 34-52-07										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>345011 NO. 2 ADF RECEIVER MODULE Component ATA:34</b>										
PN:622-2362-001	MOS/MSC		30-Jan-86	O/C						
SN:2457	HRS		4029		TSO 0					
WC#: 34.560	AFL									
PROC. REF: AMM GENERIC 1										
<b>345012 NO. 2 ADF CONTROL Component ATA:34</b>										
PN:156	MOS/MSC		02-Feb-79	O/C						
SN:1328	HRS		10		TSN 0					
WC#: 34.590	AFL									
PROC. REF: AMM 34-51-02										
<b>345014 NO. 2 ADF LOOP ANTENNA Component ATA:34</b>										
PN:622-2363-001	MOS/MSC		11-Nov-94	O/C						
SN:35331	HRS		5485		TSN 0					
WC#: 34.450	AFL									
PROC. REF: AMM 34-51-02										
<b>345017 MARKER BEACON ANTENNA Component ATA:34</b>										
PN:16D00400-2	MOS/MSC		22-Mar-85	O/C						
SN:UNKNOWN	HRS		3818		TSO 0					
WC#: 34.420	AFL									
PROC. REF: AMM 34-31-00, AMM 34-32-00										
<b>345018 GLIDESLOPE ANTENNA Component ATA:34</b>										
PN:RGS1048	MOS/MSC		17-Jan-79	O/C						
SN:5298	HRS		0		TSN 0					
WC#: 34.420	AFL		0		TSN 0					
PROC. REF: AMM 34-31-00, AMM 34-32-00										
<b>345032 NO. 1 NAVIGATION RECEIVER Component ATA:34</b>										
PN:622-0876-001	MOS/MSC		14-Oct-93	O/C						
SN:9873	HRS		5221		TSO 5221					
WC#: 34.570	AFL									
PROC. REF: AMM 34-52-01										
<b>345032 NO. 2 NAVIGATION RECEIVER Component ATA:34</b>										
PN:622-0876-001	MOS/MSC		14-Oct-93	O/C						
SN:9766	HRS		5221		TSO 5221					
WC#: 34.570	AFL									
PROC. REF: AMM 34-52-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 34 - NAVIGATION</b>											
<b>345034</b>		<b>LEFT TRANSPONDER</b>								<b>Component</b>	<b>ATA:34</b>
PN:011-00779-30	MOS/MSC		13-Sep-12	O/C	TSN 0						
SN:89123548	HRS		8847.7		TSN 0						
WC#: 34.510	AFL		8704		TSN 0						
PROC. REF: AMM 34-54-02											
<b>345034</b>		<b>RIGHT TRANSPONDER</b>								<b>Component</b>	<b>ATA:34</b>
PN:011-00779-30	MOS/MSC		13-Sep-12	O/C	TSN 0						
SN:89123555	HRS		8847.7		TSN 0						
WC#: 34.510	AFL		8704		TSN 0						
PROC. REF: AMM 34-54-02											
<b>345035</b>		<b>NO. 1 DME INDICATOR</b>								<b>Component</b>	<b>ATA:34</b>
PN:622-2175-201	MOS/MSC		12-May-12	O/C							
SN:296	HRS		8791.9		TSN 8791.9						
WC#: 34.150	AFL		8662		TSN 8662						
PROC. REF: AMM 34-53-01, AMM 34-53-05											
<b>345035</b>		<b>NO. 2 DME INDICATOR</b>								<b>Component</b>	<b>ATA:34</b>
PN:622-2175-201	MOS/MSC		17-Jan-79	O/C							
SN:297	HRS		0		TSN 0						
WC#: 34.150	AFL		0		TSN 0						
PROC. REF: AMM 34-53-01, AMM 34-53-05											
<b>345036</b>		<b>NO. 1 DME INTERROGATOR</b>								<b>Component</b>	<b>ATA:34</b>
PN:622-1233-001	MOS/MSC		09-Mar-89	O/C							
SN:10030	HRS		4642		TSO 0						
WC#: 34.765	AFL										
PROC. REF: AMM GENERIC 1											
<b>345036</b>		<b>NO. 2 DME INTERROGATOR</b>								<b>Component</b>	<b>ATA:34</b>
PN:622-1233-001	MOS/MSC		09-Mar-89	O/C							
SN:6605	HRS		4642		TSO 0						
WC#: 34.765	AFL										
PROC. REF: AMM GENERIC 1											
<b>345118</b>		<b>GPS/GPWS ANTENNA</b>								<b>Component</b>	<b>ATA:34</b>
PN:013-00235-00	MOS/MSC		13-Sep-12	O/C	TSN 0						
SN:86715	HRS		8847.7		TSN 0						
WC#: 34.790	AFL		8704		TSN 0						
PROC. REF: AMM 34-45-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>345132 LEFT GPS RECEIVER/ SENSOR Component ATA:34</b>										
PN:011-00254-00	MOS/MSC		13-Sep-12	O/C	TSN 0					
SN:126010064	HRS		8847.7		TSN 0					
WC#: 34.140	AFL		8704		TSN 0					
PROC. REF: AMM GENERIC 1										
<b>345134 LEFT SHADIN FUEL AIR DATA COMPUTER Component ATA:34</b>										
PN:912802-3-G	MOS/MSC		13-Sep-12	O/C	TSN 0					
SN:1118	HRS		8847.7		TSN 0					
WC#: 34.990	AFL		8704		TSN 0					
PROC. REF: AMM GENERIC 1										
<b>345149 GPS INTERFACE ANNUN CONTROL Component ATA:34</b>										
PN:MD41-328	MOS/MSC		12-May-12	O/C						
SN:2331	HRS		8791.9							
WC#: 34.105	AFL		8662							
PROC. REF: AMM GENERIC 1										
<b>346000 UHF/LORAN C ANTENNA Component ATA:34</b>										
PN:1091	MOS/MSC		06-Mar-97	O/C						
SN:UNKNOWN	HRS		5823		TSN 0					
WC#: 34.815	AFL									
PROC. REF: AMM 34-52-06										
<b>346007 SKYWATCH TRAFFIC ADVISORY Component ATA:34</b>										
PN:805-10800-001	MOS/MSC		06-Sep-00	O/C						
SN:08001864	HRS		7208		TSN 0					
WC#: 34.115	AFL									
PROC. REF: AMM GENERIC 1										
<b>34FO-02 INDICATOR ANGLE OF ATTACK FACTORY OPTION Component ATA:34</b>										
PN:11	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM 34-13-00										
<b>34FO-06E 11000 LB ZERO FUEL WT W/SURFACE DE-ICE FACTORY OPTION Component ATA:34</b>										
PN:185E	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM GENERIC 1										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
<b>34FO-07D 2ND TRANSPONDER-COLLINS TDR-90 FACTORY OPTION Component ATA:34</b>										
PN:623D	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 34-53-02										
<b>34FO-08 ALT REPORT DUAL W/ID C ENCODING ALTIMETER FACTORY OPTION Component ATA:34</b>										
PN:625	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 1										
<b>34FO-10J RADAR COLOR RCA PRIMUS 400 EXCH FACTORY OPTION Component ATA:34</b>										
PN:629J	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 34-43-01										
<b>34FO-12H ADF 1 COLLINS ADF 60 W/PRESELECT CONTROL FACTORY OPTION Component ATA:34</b>										
PN:658H	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 1										
<b>34FO-14 AA215 RAD ALTIMETER W/SEPARATE INDICATOR FACTORY OPTION Component ATA:34</b>										
PN:672	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 1										
<b>34FO-15B FLIGHT DIRECTOR LH-5" SINGLE CUE SPERRY FACTORY OPTION Component ATA:34</b>										
PN:679B	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 34-22-00										
<b>34FO-16J 2ND DME COLLIN DME40 FACTORY OPTION Component ATA:34</b>										
PN:681J	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM GENERIC 6										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 34 - NAVIGATION										
A341007				PERFORM RVSM RVSM SKIN WAVINESS INSPECTION (AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20					Service	ATA:34
	MOS	03-May-24	24		31-May-26		691 d			
	HRS	10268.1								
WC#: 34.865	AFL	9647								
				PROC. REF: AMM 34-11-07						PKG:24
A342001 <sup>S</sup>				INSPECT MAGNETIC COMPASS AND COMPASS CARD: INSPECTION PHASE 5					Service	ATA:34
	MOS	13-Feb-23	12							
	HRS	10152.3								
WC#: 34.870	AFL	9569								
				PROC. REF: AMM 34-21-01						PKG:7,78
B341001				CALIBRATION TEST LEFT AIRSPEED INDICATOR : INSPECTION PHASE 20					Service	ATA:34
PN:C661063-0102	MOS	03-May-24	24		31-May-26		691 d	14 CFR		
SN:555A	HRS	10268.1								
WC#: 34.950	AFL	9647								
				PROC. REF: AMM 34-11-00						PKG:24
B341001				CALIBRATION TEST RIGHT AIRSPEED INDICATOR : INSPECTION PHASE 20					Service	ATA:34
PN:C661063-0102	MOS	03-May-24	24		31-May-26		691 d	14 CFR		
SN:29	HRS	10268.1								
WC#: 34.950	AFL	9647								
				PROC. REF: AMM 34-11-00						PKG:24
B341002 <sup>S</sup>				OPERATIONAL TEST ANGLE-OF-ATTACK SYSTEM (TELEDYNE): INSPECTION PHASE 5					Service	ATA:34
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 34.880	AFL	9569								
				PROC. REF: AMM 34-13-00						PKG:7,82
B341003				CALIBRATION TEST COPILOT ALTIMETER FAR 91.411: INSPECTION PHASE 20					Service	ATA:34
PN:4016341-905	MOS	03-May-24	24		31-May-26		691 d			
SN:012	HRS	10268.1								
WC#: 05.020	AFL	9647								
				PROC. REF: AMM 34-11-06						PKG:24
B341003				CALIBRATION TEST LEFT AIR DATA COMPUTER FAR 91.411: INSPECTION PHASE 20					Service	ATA:34
PN:962860-00-01	MOS	03-May-24	24		31-May-26		691 d			
SN:016	HRS	10268.1								
WC#: 34.945	AFL	9647								
				PROC. REF: AMM 34-11-06						PKG:24

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 34 - NAVIGATION										
B341003 CALIBRATION TEST PILOT ALTIMETER FAR 91.411: INSPECTION PHASE 20 Service ATA:34										
PN:4016341-905	MOS	03-May-24	24		31-May-26		691 d			
SN:011	HRS	10268.1								
WC#: 05.020	AFL	9647								
PROC. REF: AMM 34-11-06										PKG:24
B341003 CALIBRATION TEST RIGHT AIR DATA COMPUTER FAR 91.411: INSPECTION PHASE 20 Service ATA:34										
PN:962861-01-01	MOS	03-May-24	24		31-May-26		691 d			
SN:070	HRS	10268.1								
WC#: 34.945	AFL	9647								
PROC. REF: AMM 34-11-06										PKG:24
B341003 CALIBRATION TEST STANDBY ALTIMETER FAR 91.411: INSPECTION PHASE 20 Service ATA:34										
PN:5950	MOS	03-May-24	24		31-May-26		691 d	14 CFR		
SN:SE024	HRS	10268.1								
WC#: 34.940	AFL	9647								
PROC. REF: AMM 34-11-06										PKG:24
B341004 CALIBRATION TEST PILOT ALTIMETER BAROMETRIC ALTIMETER: INSPECTION PHASE 20 Service ATA:34										
PN:4016341-905	MOS	03-May-24	24		31-May-26		691 d			
SN:011	HRS	10268.1								
WC#: 34.890	AFL	9647								
PROC. REF: AMM 34-11-06										PKG:24
B341005 CALIBRATION TEST LEFT STATIC SYSTEM LEAK TEST (FAR 91.411): INSPECTION PHASE 20 Service ATA:34										
	MOS	03-May-24	24		31-May-26		691 d			
	HRS	10268.1								
WC#: 05.020	AFL	9647								
PROC. REF: AMM 34-11-00										PKG:24
B341005 CALIBRATION TEST RIGHT STATIC SYSTEM LEAK TEST (FAR 91.411): INSPECTION PHASE 20 Service ATA:34										
	MOS	03-May-24	24		31-May-26		691 d			
	HRS	10268.1								
WC#: 05.020	AFL	9647								
PROC. REF: AMM 34-11-00										PKG:24
B341006 <sup>S</sup> CHECK ANGLE-OF-ATTACK SYSTEM (SAFE FLIGHT): INSPECTION PHASE 5 Service ATA:34										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 34.900	AFL	9569								
PROC. REF: AMM 34-13-02										PKG:7,78

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 34 - NAVIGATION										
B341008 PERFORM COPILOT ALTIMETER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20 Service ATA:34										
PN:4016341-905	MOS	03-May-24	24		31-May-26		691 d			
SN:012	HRS	10268.1								
WC#: 34.992	AFL	9647								
PROC. REF: AMM 34-11-07										PKG:24
B341008 PERFORM LEFT AIR DATA COMPUTER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20 Service ATA:34										
PN:962860-00-01	MOS	03-May-24	24		31-May-26		691 d			
SN:016	HRS	10268.1								
WC#: 34.992	AFL	9647								
PROC. REF: AMM 34-11-07										PKG:24
B341008 PERFORM PILOT ALTIMETER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20 Service ATA:34										
PN:4016341-905	MOS	03-May-24	24		31-May-26		691 d			
SN:011	HRS	10268.1								
WC#: 34.992	AFL	9647								
PROC. REF: AMM 34-11-07										PKG:24
B341008 PERFORM RIGHT AIR DATA COMPUTER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20 Service ATA:34										
PN:962861-01-01	MOS	03-May-24	24		31-May-26		691 d			
SN:070	HRS	10268.1								
WC#: 34.992	AFL	9647								
PROC. REF: AMM 34-11-07										PKG:24
B341008 PERFORM STANDBY ALTIMETER AIR DATA SYSTEMS CHECK(AIRPLANES CERTIFIED FOR RVSM): INSPECTION PHASE 20 Service ATA:34										
PN:5950	MOS	03-May-24	24		31-May-26		691 d			
SN:SE024	HRS	10268.1								
WC#: 34.992	AFL	9647								
PROC. REF: AMM 34-11-07										PKG:24
B342001 <sup>S</sup> OPERATIONAL CHECK COMPASS SYSTEMS AND ADF BEARING: INSPECTION PHASE 5 Service ATA:34										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 34.910	AFL	9569								
PROC. REF: AMM 34-26-01										PKG:7,82

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 34 - NAVIGATION</b>										
B342004	PERIODIC CHECK STANDBY GYRO POWER SUPPLY PS-835 EMERGENCY POWER SUPPLY: INSPECTION PHASE 35 LEAD ACID STDBY PWR									Service ATA:34
PN:501-1228-02/PS-835B	MOS	11-Dec-23	6 (+1m)		30-Jun-24	31-Jul-24	TOL (+22 d)			
SN:4137	HRS	10208.4								
WC#: 34.915	AFL	9611								
					PROC. REF: AMM 34-21-06					PKG:47
B342006 <sup>S</sup>	OPERATIONAL TEST STANDBY GYRO: INSPECTION PHASE 1									Service ATA:34
	MOS	09-Feb-24								
	HRS	10230.5	150 (+30)							
WC#: 34.925	AFL	9624								
					PROC. REF: AMM 34-21-06					PKG:1,3,12
B342203 <sup>S</sup>	CAPACITY TEST STANDBY GYRO POWER SUPPLY PS-835 EMERGENCY POWER SUPPLY: INSPECTION PHASE 18									Service ATA:34
PN:501-1228-02/PS-835B	MOS	11-Dec-23	12 (+1m)							
SN:4137	HRS	10208.4								
WC#: 34.930	AFL	9611								
					PROC. REF: AMM 34-21-06					PKG:21
B345001	CALIBRATION TEST LEFT TRANSPONDER FAR 91.413: INSPECTION PHASE 21									Service ATA:34
PN:011-00779-30	MOS	03-May-24	24 (+1m)		31-May-26	30-Jun-26	691 d (+30)	14 CFR		
SN:89123548	HRS	10268.1								
WC#: 34.965	AFL	9647								
					PROC. REF: AMM 34-53-00					PKG:26
B345001	CALIBRATION TEST RIGHT TRANSPONDER FAR 91.413: INSPECTION PHASE 21									Service ATA:34
PN:011-00779-30	MOS	03-May-24	24 (+1m)		31-May-26	30-Jun-26	691 d (+30)	14 CFR		
SN:89123555	HRS	10268.1								
WC#: 34.965	AFL	9647								
					PROC. REF: AMM 34-53-00					PKG:26
<b>ATA 35 - OXYGEN</b>										
351001	OXYGEN PRESSURE GAUGE									Component ATA:35
PN:C668512-0101	MOS/MSC	09-May-83	O/C	TSN 0						
SN:UNKNOWN	HRS	2622								
WC#: 35.020	AFL									
					PROC. REF: AMM 35-11-00					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 35 - OXYGEN</b>										
<b>351004 COPILOT OXYGEN MASK/REGULATOR Component ATA:35</b>										
PN:6600214-4	MOS/MSC		12-May-12	O/C	TSO 0					
SN:5585	HRS		8791.9		TSO 0					
WC#: 35.030	AFL		8662							
PROC. REF: AMM 35-11-01										
<b>351004 PILOT OXYGEN MASK/REGULATOR Component ATA:35</b>										
PN:6600214-4	MOS/MSC		12-May-12	O/C	TSO 0					
SN:5254	HRS		8791.9		TSO 0					
WC#: 35.030	AFL		8662							
PROC. REF: AMM 35-11-01										
<b>351006 OXYGEN CYLINDER Component ATA:35</b>										
PN:176176-64	MOS		15-Jan-24	288	TSO 146	30-Nov-35	4161 d	LIFE LIMIT		
SN:M106543/4973	HRS		10222.4							
WC#: 35.010	AFL		9619							
Manufacture Date:: 30-Nov-11 PROC. REF: AMM 35-11-00										
<b>35FO-02B OXYGEN SYSTEM 64 CUBIC FEET FACTORY OPTION Component ATA:35</b>										
PN:66B	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM GENERIC 2										
<b>A351001<sup>S</sup> INSPECT OXYGEN SYSTEM: INSPECTION PHASE 5 Service ATA:35</b>										
	MOS		13-Feb-23	36 (+2m)						
	HRS		10152.3	1200 (+100)						
WC#: 35.075	AFL		9569							
PROC. REF: AMM 35-11-00										
<b>A351007<sup>S</sup> INSPECT PASSENGER OXYGEN MASK: INSPECTION PHASE 18 Service ATA:35</b>										
	MOS		18-Aug-23	12 (+1m)						
	HRS		10170.5							
WC#: 35.080	AFL		9580							
PROC. REF: AMM 35-21-00										
<b>B350004 HYDROSTATIC TEST OXYGEN CYLINDER (DOT 3HT 1850, DOT 3FC 1850 OR CYLINDERS MANUFACTURED UNDER DOT-SP-8162) Service ATA:35</b>										
PN:176176-64	MOS		15-Jan-24	36	31-Jan-27		936 d			
SN:M106543/4973	HRS		10222.4							
WC#: 35.085	AFL		9619							
PROC. REF: AMM 35-11-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





## Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 35 - OXYGEN</b>										
B350006 <sup>S</sup>	FUNCTIONAL TEST OXYGEN SYSTEM FLOW FUSES AND SHUTTLE VALVES (AIRPLANES WITH OXYGEN CYLINDERS INSTALLED IN TAILCONE): INSPECTION PHASE 5								Service	ATA:35
	MOS		13-Feb-23		36 (+2m)					
	HRS		10152.3		1200 (+100)					
WC#: 35.095	AFL		9569							
PROC. REF: AMM 35-11-00										PKG:7,85
B351002 <sup>S</sup>	FUNCTIONAL TEST OXYGEN SYSTEM: INSPECTION PHASE 5								Service	ATA:35
	MOS		13-Feb-23		36 (+2m)					
	HRS		10152.3		1200 (+100)					
WC#: 35.100	AFL		9569							
PROC. REF: AMM 35-11-00										PKG:7,85
B351003 <sup>S</sup>	PERFORM CREW OXYGEN MASK INSPECTION, FLOW CHECK AND MICROPHONE OPERATIONAL CHECK: INSPECTION PHASE 5								Service	ATA:35
	MOS		13-Feb-23		36 (+2m)					
	HRS		10152.3		1200 (+100)					
WC#: 35.105	AFL		9569							
PROC. REF: AMM 35-11-01										PKG:7,84
<b>ATA 36 - PNEUMATIC</b>										
361003	BLEED AIR PRESSURE REGULATOR								Component	ATA:36
PN:38E85-5C	MOS/MSC		08-Oct-86		O/C					
SN:877V	HRS		4167			TSO 0				
WC#: 36.050	AFL									
PROC. REF: AMM GENERIC 2										
361005	GYRO PRESSURE GAUGE								Component	ATA:36
PN:C668515-0101	MOS/MSC		09-May-83		O/C					
SN:UNKNOWN	HRS		2622			TSN 0				
WC#: 36.060	AFL									
PROC. REF: AMM GENERIC 2										
361006	BOTTOM INSTRUMENT PRESSURE (STG 1) REGULATOR								Component	ATA:36
PN:3H64-2	MOS/MSC		17-Jan-79		O/C					
SN:UNKNOWN	HRS		0			TSN 0				
WC#: 36.010	AFL		0			TSN 0				
PROC. REF: AMM GENERIC 2										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 36 - PNEUMATIC										
<b>361006 TOP INSTRUMENT PRESSURE (STG 2) REGULATOR Component ATA:36</b>										
PN:3H64-2	MOS/MSC		17-Jan-79	O/C						
SN:UNKNOWN	HRS		0		TSN 0					
WC#: 36.050	AFL		0		TSN 0					
PROC. REF: AMM GENERIC 2										
<b>361008 LEFT ENGINE CHECK BLEED AIR VALVE Component ATA:36</b>										
PN:1H95-3	MOS/MSC		17-Jan-79	O/C						
SN:UNKNOWN	HRS		0		TSN 0					
WC#: 36.075	AFL		0		TSN 0					
PROC. REF: AMM GENERIC 2										
<b>361008 RIGHT ENGINE CHECK BLEED AIR VALVE Component ATA:36</b>										
PN:1H95-3	MOS/MSC		17-Jan-79	O/C						
SN:UNKNOWN	HRS		0		TSN 0					
WC#: 36.075	AFL		0		TSN 0					
PROC. REF: AMM GENERIC 2										
<b>361009 LEFT B/A TEMPERATURE CONTROL Component ATA:36</b>										
PN:172135	MOS/MSC		17-Jan-79	O/C						
SN:146	HRS		0		TSN 0					
WC#: 36.070	AFL		0		TSN 0					
PROC. REF: AMM 36-12-02										
<b>361009 RIGHT B/A TEMPERATURE CONTROL Component ATA:36</b>										
PN:172135	MOS/MSC		17-Jan-79	O/C						
SN:070	HRS		0		TSN 0					
WC#: 36.070	AFL		0		TSN 0					
PROC. REF: AMM 36-12-02										
<b>D361001<sup>S</sup> REPLACE BLEED AIR PERI-SEALS CONNECTORS: INSPECTION PHASE 4 Service ATA:36</b>										
	MOS		09-Feb-24	24 (+2m)						
	HRS		10230.5	300 (+30)						
WC#: 36.080	AFL		9624							
PROC. REF: AMM 36-12-03										
<b>D361003<sup>S</sup> REPLACE INSTRUMENT AIR WATER SEPARATOR FILTER ELEMENT: INSPECTION PHASE 5 Service ATA:36</b>										
	MOS		13-Feb-23	36 (+2m)						
	HRS		10152.3	1200 (+100)						
WC#: 36.085	AFL		9569							
PROC. REF: AMM 36-11-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 36 - PNEUMATIC</b>										
<b>D361005<sup>S</sup> SERVICE AIR PERI-SEAL REPLACEMENT Service ATA:36</b>										
	MOS		13-Feb-23		36 (+2m)					
	HRS		10152.3		1200 (+100)					
WC#: 36.100	AFL		9569							
						PROC. REF: AMM 36-10-01				
<b>ATA 37 - VACUUM</b>										
<b>D371001<sup>S</sup> CLEAN VACUUM REGULATOR (PRESSURE LINE): INSPECTION PHASE 5 Service ATA:37</b>										
	MOS		13-Feb-23		36 (+2m)					
	HRS		10152.3		1200 (+100)					
WC#: 37.010	AFL		9569							
						PROC. REF: AMM 37-11-00				
<b>ATA 38 - WATER/WASTE</b>										
<b>B383001<sup>S</sup> OPERATIONAL CHECK REFRESHMENT CENTER DRAIN LINE: INSPECTION PHASE 5 Service ATA:38</b>										
	MOS		13-Feb-23		36 (+2m)					
	HRS		10152.3		1200 (+100)					
WC#: 38.010	AFL		9569							
						PROC. REF: AMM 38-30-00				
<b>ATA 51 - STD PRACTICES AND STRUCT-GENRL</b>										
<b>A510001<sup>S</sup> INSPECT EXTERIOR MOISTURE DRAIN HOLES: INSPECTION PHASE 1 Service ATA:51</b>										
	MOS		09-Feb-24		24 (+2m)					
	HRS		10230.5		300 (+30)					
WC#: 51.005	AFL		9624							
						PROC. REF: AMM 51-10-00				
<b>ATA 52 - DOORS</b>										
<b>521001 CABIN DOOR SEAL Component ATA:52</b>										
PN:S15501-1	MOS/MSC		01-Sep-93		O/C					
SN:UNKNOWN	HRS		5209			TSN 0				
WC#: 52.050	AFL									
						PROC. REF: AMM 52-10-01				
<b>526001 CABIN DOOR STEP Component ATA:52</b>										
PN:6519009-2	MOS/MSC		17-Jan-79		O/C					
SN:082	HRS		0			TSN 0				
WC#: 52.050	AFL		0			TSN 0				
						PROC. REF: AMM 52-60-01				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 52 - DOORS											
A521001 <sup>S</sup>			INSPECT STANDARD CABIN DOOR INFLATABLE SEAL, WEATHER SEAL: INSPECTION PHASE 1						Service	ATA:52	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 52.005	AFL	9624									
					PROC. REF: AMM 52-10-01					PKG:1	
A521003 <sup>S</sup>			INSPECT STANDARD CABIN DOOR: INSPECTION PHASE 5						Service	ATA:52	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 52.015	AFL	9569									
					PROC. REF: AMM 52-10-02					PKG:7,78	
A521004 <sup>S</sup>			INSPECT STANDARD CABIN DOOR LOCKING PINS: INSPECTION PHASE 37						Service	ATA:52	
	MOS	18-Dec-20									
	HRS	9943.4	5000 (+10)								
WC#: 52.010	AFL	9448									
					PROC. REF: AMM 52-10-02					PKG:48	
A521005 <sup>S</sup>			INSPECT CABIN DOOR LOCKING COMPONENTS BEARING PLATES: INSPECTION PHASE 16						Service	ATA:52	
	MOS/MSC	01-Nov-19	-								
	HRS	9833.8									
WC#: 52.020	AFL	9373									
					PROC. REF: AMM 52-10-02					PKG:19	
A521006 <sup>S</sup>			INSPECT OPTIONAL CARGO CABIN DOOR: INSPECTION PHASE 1						Service	ATA:52	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 52.025	AFL	9624									
					PROC. REF: AMM 52-10-04					PKG:1	
A522001 <sup>S</sup>			INSPECT EMERGENCY EXIT DOOR: INSPECTION PHASE 5						Service	ATA:52	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 52.030	AFL	9569									
					PROC. REF: AMM 52-20-01					PKG:7,78	
A523001 <sup>S</sup>			INSPECT NOSE BAGGAGE DOOR AND LATCHES: INSPECTION PHASE 5						Service	ATA:52	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 52.040	AFL	9569									
					PROC. REF: AMM 52-30-01					PKG:7,77	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 52 - DOORS</b>										
<b>A523002<sup>S</sup> INSPECT TAILCONE DOORS: INSPECTION PHASE 5 Service ATA:52</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 52.035	AFL	9569								
					PROC. REF: AMM 52-30-01					PKG:7
<b>A526001<sup>S</sup> INSPECT STANDARD CABIN DOOR STEP: INSPECTION PHASE 1 Service ATA:52</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 52.045	AFL	9624								
					PROC. REF: AMM 52-60-01					PKG:1
<b>B527001<sup>S</sup> INSPECT/OPERATIONAL CHECK DOOR WARNING SYSTEM: INSPECTION PHASE 1 Service ATA:52</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 52.055	AFL	9624								
					PROC. REF: AMM 52-70-01					PKG:1
<b>C521002<sup>S</sup> LUBRICATE CABIN DOOR HINGE: INSPECTION PHASE 5 Service ATA:52</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 52.060	AFL	9569								
					PROC. REF: AMM 52-10-01					PKG:7,78
<b>ATA 53 - FUSELAGE</b>										
<b>531001 NOSE LANDING GEAR ACTUATOR FITTING Component ATA:53</b>										
PN:5511169-1	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 53.160	AFL	5383	9700	TSN 3908	11175		1528			
					PROC. REF: AMM GENERIC 2					
<b>531002 LEFT NOSE LANDING GEAR TRUNNION SUPPORT Component ATA:53</b>										
PN:5513056-5	MOS	04-Feb-98								
SN:UNKNOWN	HRS	6060								
WC#: 53.010	AFL	5515	15100	TSN 0	20615		10968			
					PROC. REF: AMM GENERIC 2					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
531002	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT								Component	ATA:53
PN:5513056-6	MOS	04-Feb-98								
SN:UNKNOWN	HRS	6060								
WC#: 53.010	AFL	5515	15100	TSN 0	20615		10968			
PROC. REF: AMM GENERIC 2										
A530001 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF NOSE LANDING GEAR WHEEL WELL: PHASE 61								Service	ATA:53
	MOS	03-May-24	6 (+1m)							
	HRS	10268.1								
	AFL	9647								
PROC. REF: AMM 53-00-00										
A530002 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF NOSE LANDING GEAR WHEEL WELL: PHASE 18								Service	ATA:53
	MOS	18-Aug-23	12 (+1m)							
	HRS	10170.5								
	AFL	9580								
PROC. REF: AMM 53-00-00										
A531001 <sup>S</sup>	INSPECT NOSE AREA GENERAL STRUCTURE: INSPECTION PHASE 5								Service	ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.015	AFL	9569								
PROC. REF: AMM 53-10-00										
A531002 <sup>S</sup>	INSPECT UNDERFLOOR: INSPECTION PHASE 5								Service	ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.020	AFL	9569								
PROC. REF: AMM 53-20-03										
A531003 <sup>S</sup>	INSPECT TAILCONE: INSPECTION PHASE 5								Service	ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.025	AFL	9569								
PROC. REF: AMM 53-20-04										
A531004 <sup>S</sup>	INSPECT FRONT AND REAR SPAR CARRY-THRU: INSPECTION PHASE 5								Service	ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.030	AFL	9569								
PROC. REF: AMM 53-20-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
A531006 <sup>S</sup>			INSPECT EMERGENCY EXIT DOOR FRAME: INSPECTION PHASE 5						Service	ATA:53	
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 53.040	AFL	9569									
					PROC. REF: AMM 53-20-00					PKG:7,80	
A531007 <sup>S</sup>			INSPECT WINDSHIELD, COCKPIT SIDE WINDOW AND CABIN WINDOW FRAMES: INSPECTION PHASE 37						Service	ATA:53	
	MOS	18-Dec-20									
	HRS	9943.4	5000 (+10)								
WC#: 53.045	AFL	9448									
					PROC. REF: AMM 53-30-00					PKG:48	
A531008 <sup>S</sup>			INSPECT FUSELAGE INTERIOR CABIN STRUCTURE: INSPECTION PHASE 1						Service	ATA:53	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 53.050	AFL	9624									
					PROC. REF: AMM 53-20-00					PKG:1	
A531009 <sup>S</sup>			INSPECT CABIN BULKHEADS AND STRINGERS: INSPECTION PHASE 17						Service	ATA:53	
	MOS	01-Nov-19									
	HRS	9833.8	10000 (+10)								
WC#: 53.055	AFL	9373									
					PROC. REF: AMM 53-10-00					PKG:20	
A531011 <sup>S</sup>			INSPECT FRONT CARRY-THRU TO WING SPAR LUGS: INSPECTION PHASE 60 WING SPAR LUG						Service	ATA:53	
	MOS	12-Mar-21									
	HRS	9838.5	1200 (+100)								
WC#: 53.065	AFL	9381									
					PROC. REF: AMM 53-10-00					PKG:503	
A531012 <sup>S</sup>			INSPECT CABIN DOOR THRESHOLD: INSPECTION PHASE 1						Service	ATA:53	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 53.070	AFL	9624									
					PROC. REF: AMM 53-20-00					PKG:1	
A531013 <sup>S</sup>			INSPECT FORWARD PRESSURE BULKHEAD AFT SIDE: INSPECTION PHASE 14						Service	ATA:53	
	MOS	01-Nov-19									
	HRS	9833.8	3000 (+10)								
WC#: 53.075	AFL	9373									
					PROC. REF: AMM 53-10-00					PKG:17	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 53 - FUSELAGE										
A531014 <sup>S</sup>	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE: INSPECTION PHASE 14									Service ATA:53
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+10)							
WC#: 53.080	AFL	9373								
	PROC. REF: AMM 53-10-00									PKG:17
A531016 <sup>S</sup>	INSPECT OPTIONAL CARGO DOOR AND DOOR FRAME(ROTARY LATCH DOOR) : INSPECTION PHASE 27									Service ATA:53
	MOS/MSC	17-Jan-79	N/A	TAC 0						
	HRS	0		TAC 0						
WC#: 53.100	AFL	0		TAC 0						
	PROC. REF: AMM 53-20-00									PKG:31
A531017 <sup>S</sup>	INSPECT MAIN SPAR CARRY-THRU ASSEMBLY: INSPECTION PHASE 14									Service ATA:53
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+10)							
WC#: 53.090	AFL	9373								
	PROC. REF: AMM 53-20-00									PKG:17
A531019 <sup>S</sup>	INSPECT WING ATTACH BOLT AND LUG: INSPECTION PHASE 5									Service ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.095	AFL	9569								
	PROC. REF: AMM 53-30-00									PKG:7,86
A531024 <sup>S</sup>	INSPECTION CABIN DOOR FUSELAGE FRAME (AIRPLANES -0002 THRU-0626): INSPECTION PHASE 37									Service ATA:53
	MOS	18-Dec-20								
	HRS	9943.4	5000 (+10)							
WC#: 53.105	AFL	9448								
	PROC. REF: AMM 53-20-00									PKG:48
A532001 <sup>S</sup>	INSPECT CONTROL PEDESTAL AREA: INSPECTION PHASE 5									Service ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.115	AFL	9569								
	PROC. REF: AMM 53-20-00									PKG:7,79
A532002 <sup>S</sup>	INSPECT NOSE GEAR WHEEL WELL: INSPECTION PHASE 5									Service ATA:53
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 53.120	AFL	9569								
	PROC. REF: AMM 53-30-00									PKG:7,80

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 53 - FUSELAGE											
A532003 <sup>S</sup>			INSPECT AFT CABIN UNDERFLOOR: INSPECTION PHASE 18							Service	ATA:53
	MOS		18-Aug-23		12 (+1m)						
	HRS		10170.5								
WC#: 53.125	AFL		9580								
										PROC. REF: AMM 53-20-00	
										PKG:21	
A533001 <sup>S</sup>			INSPECT FUSELAGE EXTERIOR SKIN: INSPECTION PHASE 5							Service	ATA:53
	MOS		13-Feb-23		36 (+2m)						
	HRS		10152.3		1200 (+100)						
WC#: 53.130	AFL		9569								
										PROC. REF: AMM 53-30-00	
										PKG:7,78	
A533010 <sup>S</sup>			PERFORM FUSELAGE EDDY CURRENT SKIN JOINT INSPECTION: INSPECTION PHASE 49							Service	ATA:53
	MOS		12-Jan-22		36 (+2m)						
	HRS		10063.3		1200 (+100)						
WC#: 53.135	AFL		9521								
										PROC. REF: AMM 53-30-00	
										PKG:60	
A535001 <sup>S</sup>			INSPECT NOSE CAP (RADOME): INSPECTION PHASE 5							Service	ATA:53
	MOS		13-Feb-23		36 (+2m)						
	HRS		10152.3		1200 (+100)						
WC#: 53.140	AFL		9569								
										PROC. REF: AMM 53-50-01	
										PKG:7,77	
A535002 <sup>S</sup>			INSPECT STINGER: INSPECTION PHASE 5							Service	ATA:53
	MOS		13-Feb-23		36 (+2m)						
	HRS		10152.3		1200 (+100)						
WC#: 53.145	AFL		9569								
										PROC. REF: AMM 53-50-02	
										PKG:7,84	
B535001 <sup>S</sup>			CHECK RADOME: INSPECTION PHASE 1							Service	ATA:53
	MOS		09-Feb-24		24 (+2m)						
	HRS		10230.5		300 (+30)						
WC#: 53.150	AFL		9624								
										PROC. REF: AMM 53-50-01	
										PKG:1	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 54 - NACELLES/PYLONS											
A541001 <sup>S</sup>			INSPECT ENGINE NACELLE, PYLON, AND FIREWALL: INSPECTION PHASE 5							Service	ATA:54
	MOS	13-Feb-23	36 (+2m)								
	HRS	10152.3	1200 (+100)								
WC#: 54.005	AFL	9569									
					PROC. REF: AMM 54-10-01					PKG:7,84	
A541002 <sup>S</sup>			INSPECT ENGINE SUPPORT STRUCTURES: INSPECTION PHASE 16							Service	ATA:54
	MOS/MSC	01-Nov-19	-								
	HRS	9833.8									
WC#: 54.010	AFL	9373									
					PROC. REF: AMM 54-40-01					PKG:19	
ATA 55 - STABILIZERS											
A551001 <sup>S</sup>			EXTERNAL INSPECTION HORIZONTAL STABILIZER: INSPECTION PHASE 2							Service	ATA:55
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 55.005	AFL	9624									
					PROC. REF: AMM 55-10-01					PKG:2	
A551002 <sup>S</sup>			INSPECT HORIZONTAL AND VERTICAL STABILIZER AFT EDGE: INSPECTION PHASE 2							Service	ATA:55
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 55.010	AFL	9624									
					PROC. REF: AMM 55-10-01					PKG:2	
A551003 <sup>S</sup>			INSPECT HORIZONTAL STABILIZER FORWARD SPAR, FORWARD AUXILIARY SPAR, AFT AUXILIARY SPAR AND AFT SPAR CENTERLINE: INSPECTION PHASE 15							Service	ATA:55
	MOS/MSC	01-Nov-19	-								
	HRS	9833.8									
WC#: 55.020	AFL	9373									
					PROC. REF: AMM 55-10-01					PKG:18	
A551006 <sup>S</sup>			INSPECT HORIZONTAL STABILIZER FORWARD AND AFT SPAR: INSPECTION PHASE 37							Service	ATA:55
	MOS	18-Dec-20									
	HRS	9943.4	5000 (+10)								
WC#: 55.030	AFL	9448									
					PROC. REF: AMM 55-10-01					PKG:48	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 55 - STABILIZERS										
A551007 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF HORIZONTAL STABILIZER AFT SPAR AREA: PHASE 61									Service ATA:55
	MOS	03-May-24	6 (+1m)							
	HRS	10268.1								
	AFL	9647								
					PROC. REF: AMM 55-10-01					PKG:501
A551008 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF HORIZONTAL STABILIZER AFT SPAR AREA: PHASE 18									Service ATA:55
	MOS	18-Aug-23	12 (+1m)							
	HRS	10170.5								
	AFL	9580								
					PROC. REF: AMM 55-10-01					PKG:21
A553001 <sup>S</sup>	EXTERNAL INSPECTION VERTICAL STABILIZER: INSPECTION PHASE 2									Service ATA:55
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 55.035	AFL	9624								
					PROC. REF: AMM 55-30-01					PKG:2
A553002 <sup>S</sup>	INSPECT VERTICAL STABILIZER AFT SPAR: INSPECTION PHASE 19									Service ATA:55
	MOS	01-Nov-19								
	HRS	9833.8	2500 (+10)							
WC#: 55.040	AFL	9373								
					PROC. REF: AMM 55-30-01					PKG:22
A553003 <sup>S</sup>	INSPECT VERTICAL STABILIZER FORWARD SPAR CAP STRAP: INSPECTION PHASE 19									Service ATA:55
	MOS	01-Nov-19								
	HRS	9833.8	2500 (+10)							
WC#: 55.045	AFL	9373								
					PROC. REF: AMM 55-30-01					PKG:22
A553005 <sup>S</sup>	INSPECT HORIZONTAL STABILIZER ATTACH FITTING: INSPECTION PHASE 17									Service ATA:55
	MOS	01-Nov-19								
	HRS	9833.8	10000 (+10)							
WC#: 55.055	AFL	9373								
					PROC. REF: AMM 55-10-01					PKG:20
A553006 <sup>S</sup>	VERTICAL STABILIZER - INTERNAL INSPECTION TASK 55-30-01-212									Service ATA:55
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 55.060	AFL	9569								
					PROC. REF: AMM 55-30-01, AMM 55-30-01					PKG:7,84

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 55 - STABILIZERS</b>										
A553007 <sup>S</sup>	INSPECT VERTICAL STABILIZER AFT SPAR FLANGE: INSPECTION PHASE 19									Service ATA:55
	MOS	01-Nov-19								
	HRS	9833.8	2500 (+10)							
WC#: 55.075	AFL	9373								
PROC. REF: AMM 55-30-01										PKG:22
A553008 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF VERTICAL STABILIZER AFT SPAR ASSEMBLY: PHASE 61									Service ATA:55
	MOS	03-May-24	6 (+1m)							
	HRS	10268.1								
	AFL	9647								
PROC. REF: AMM 55-30-01										PKG:501
A553009 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF VERTICAL STABILIZER AFT SPAR AREA: PHASE 18									Service ATA:55
	MOS	18-Aug-23	12 (+1m)							
	HRS	10170.5								
	AFL	9580								
PROC. REF: AMM 55-30-01										PKG:21
A555001 <sup>S</sup>	INTERNAL INSPECTION HORIZONTAL STABILIZER: INSPECTION PHASE 5									Service ATA:55
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 55.065	AFL	9569								
PROC. REF: AMM 55-10-01										PKG:7,84
<b>ATA 56 - WINDOWS</b>										
561001	LEFT MAIN WINDSHIELD ASSY, (LH)									Component ATA:56
PN: PAS9912064-9	MOS/MSC	10-Oct-14	O/C		TSN 1					
SN: 20160	HRS	9297.6			TSN 0					
WC#: 56.050	AFL	9007			TSN 0					
PROC. REF: AMM 56-10-01										
561002	RIGHT MAIN WINDSHIELD ASSY, (LH)									Component ATA:56
PN: PAS9912064-10	MOS/MSC	06-Mar-14	O/C		TSN 0					
SN: 19343	HRS	9196.6			TSN 0					
WC#: 56.050	AFL	8930								
PROC. REF: AMM GENERIC 2										
561003	FOUL WEATHER WINDOW									Component ATA:56
PN: 5511275-17	MOS/MSC	30-Mar-00	O/C							
SN: 2486	HRS	7069			TSN 0					
WC#: 56.030	AFL									
PROC. REF: AMM 56-10-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 56 - WINDOWS</b>										
<b>561005 LEFT INBOARD WINDOW Component ATA:56</b>										
PN:5511285-5	MOS/MSC	05-Oct-94	O/C							
SN:779	HRS	5444		TSO 0						
WC#: 56.040	AFL									
PROC. REF: AMM GENERIC 2										
<b>561005 LEFT OUTBOARD WINDOW Component ATA:56</b>										
PN:5511285-3	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 56.040	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 2										
<b>561005 RIGHT INBOARD WINDOW Component ATA:56</b>										
PN:5511285-6	MOS/MSC	01-Sep-94	O/C							
SN:UNKNOWN	HRS	5431		TSO 0						
WC#: 56.020	AFL									
PROC. REF: AMM GENERIC 2										
<b>561005 RIGHT OUTBOARD WINDOW Component ATA:56</b>										
PN:PAS5511285-48	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	8788		TSN 0						
WC#: 56.020	AFL									
PROC. REF: AMM GENERIC 2										
<b>562001 LEFT NO. 1 CABIN MAIN DOOR WINDOW Component ATA:56</b>										
PN:5591005-6	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 56.060	AFL	0		TSN 0						
PROC. REF: AMM 56-20-01										
<b>562001 LEFT NO. 2 CABIN WINDOW Component ATA:56</b>										
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 56.080	AFL	0		TSN 0						
PROC. REF: AMM 56-20-01										
<b>562001 LEFT NO. 3 CABIN WINDOW Component ATA:56</b>										
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 56.090	AFL	0		TSN 0						
PROC. REF: AMM 56-20-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 56 - WINDOWS</b>										
562001	LEFT NO. 4 CABIN WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.100	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										
562001	LEFT NO. 5 CABIN WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.110	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										
562001	LEFT NO. 6 CABIN WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.115	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										
562001	RIGHT NO. 1 CABIN EMERGENCY DOOR WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.060	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										
562001	RIGHT NO. 2 CABIN WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.080	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										
562001	RIGHT NO. 3 CABIN WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.090	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										
562001	RIGHT NO. 4 CABIN WINDOW									Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0			TSN 0					
WC#: 56.100	AFL	0			TSN 0					
PROC. REF: AMM 56-20-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 56 - WINDOWS</b>										
<b>562001 RIGHT NO. 5 CABIN WINDOW</b>										Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 56.110	AFL	0		TSN 0						
PROC. REF: AMM 56-20-01										
<b>562001 RIGHT NO. 6 CABIN WINDOW</b>										Component ATA:56
PN:5591005-5	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 56.115	AFL	0		TSN 0						
PROC. REF: AMM 56-20-01										
<b>A561001<sup>S</sup> INSPECT AIRPLANE WINDOWS: INSPECTION PHASE 1</b>										Service ATA:56
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 56.120	AFL	9624								
PROC. REF: AMM 56-10-00										
<b>A561002<sup>S</sup> INSPECT WINDSHIELD AND FLIGHT COMPARTMENT SIDE WINDOWS: INSPECTION PHASE 49</b>										Service ATA:56
	MOS	12-Jan-22	36 (+2m)							
	HRS	10063.3	1200 (+100)							
WC#: 56.125	AFL	9521								
PROC. REF: AMM 56-10-00										
<b>A561003<sup>S</sup> INSPECTION COCKPIT SIDE WINDOWS: INSPECTION PHASE 53</b>										Service ATA:56
	MOS/MSC	12-Jan-22	N/A							
	HRS	10063.3								
WC#: 56.130	AFL	9521								
PROC. REF: AMM 56-10-00										
<b>A561004<sup>S</sup> INSPECT COPILOT'S SIDE WINDOW: INSPECTION PHASE 57</b>										Service ATA:56
	MOS/MSC	23-Sep-22	A/R							
	HRS	10126.4	150 (+10)							
WC#: 56.135	AFL	9546								
PROC. REF: AMM 56-10-00										
<b>ATA 57 - WINGS</b>										
<b>572001 LEFT FORWARD TRUNNION FITTING ASSEMBLY</b>										Component ATA:57
PN:5522700-1	MOS	07-Mar-97								
SN:UNKNOWN	HRS	5826								
WC#: 57.100	AFL	5383	17000	TSN 12300	10083		436			
PROC. REF: AMM GENERIC 2										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 57 - WINGS											
572002		RIGHT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57	
PN:5522700-2	MOS	07-Mar-97									
SN:UNKNOWN	HRS	5826									
WC#: 57.100	AFL	5383	17000	TSN 12300	10083		436				
PROC. REF: AMM GENERIC 2											
574001		LEFT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57	
PN:5522710-1	MOS	07-Mar-97									
SN:UNKNOWN	HRS	5826									
WC#: 57.090	AFL	5383	12300	TSN 1153	16530		6883				
PROC. REF: AMM GENERIC 2											
574002		RIGHT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57	
PN:5522710-2	MOS	07-Mar-97									
SN:UNKNOWN	HRS	5826									
WC#: 57.090	AFL	5383	12300	TSN 1153	16530		6883				
PROC. REF: AMM GENERIC 2											
574003		LEFT SIDE BRACE SUPPORT FITTING							Component	ATA:57	
PN:5522720-7	MOS	07-Mar-97									
SN:UNKNOWN	HRS	5826									
WC#: 32.380	AFL	5383	19700	TSN 12300	12783		3136				
PROC. REF: AMM GENERIC 2											
574004		RIGHT SIDE BRACE SUPPORT FITTING							Component	ATA:57	
PN:5522720-8	MOS	07-Mar-97									
SN:UNKNOWN	HRS	5826									
WC#: 32.380	AFL	5383	19700	TSN 12300	12783		3136				
PROC. REF: AMM GENERIC 2											
A570001 <sup>S</sup>		GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF MAIN LANDING GEAR WHEEL WELL: PHASE 61							Service	ATA:57	
	MOS	03-May-24	6 (+1m)								
	HRS	10268.1									
	AFL	9647									
PROC. REF: AMM 57-00-00											
PKG:501											
A570002 <sup>S</sup>		GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF MAIN LANDING GEAR WHEEL WELL: PHASE 18							Service	ATA:57	
	MOS	18-Aug-23	12 (+1m)								
	HRS	10170.5									
	AFL	9580									
PROC. REF: AMM 57-00-00											
PKG:21											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
A570003 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF AFT WING SPAR AREA: PHASE 61									Service ATA:57
	MOS	03-May-24	6 (+1m)							
	HRS	10268.1								
	AFL	9647								
	PROC. REF: AMM 57-00-00									PKG:501
A570004 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECTION) OF AFT WING SPAR AREA: PHASE 18									Service ATA:57
	MOS	18-Aug-23	12 (+1m)							
	HRS	10170.5								
	AFL	9580								
	PROC. REF: AMM 57-00-00									PKG:21
A571001 <sup>S</sup>	INSPECT WING MAIN SPAR CAP HORIZONTAL FLANGE: INSPECTION PHASE 14									Service ATA:57
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+10)							
WC#: 57.005	AFL	9373								
	PROC. REF: AMM 57-00-00									PKG:17
A571003 <sup>S</sup>	INSPECT WING AFT SPAR: INSPECTION PHASE 14									Service ATA:57
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+10)							
WC#: 57.010	AFL	9373								
	PROC. REF: AMM 57-00-00									PKG:17
A572004 <sup>S</sup>	INSPECT MAIN LANDING GEAR RIB TO LOWER WING MAIN SPAR: INSPECTION PHASE 14									Service ATA:57
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+10)							
WC#: 57.020	AFL	9373								
	PROC. REF: AMM 57-00-00									PKG:17
A573001 <sup>S</sup>	INSPECT WINGS: INSPECTION PHASE 5									Service ATA:57
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 57.025	AFL	9569								
	PROC. REF: AMM 57-00-00									PKG:7,86
A573003 <sup>S</sup>	INSPECT JACK PAD: INSPECTION PHASE 14									Service ATA:57
	MOS	01-Nov-19								
	HRS	9833.8	3000 (+10)							
WC#: 57.030	AFL	9373								
	PROC. REF: AMM 57-00-00									PKG:17

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 57 - WINGS										
A575001 <sup>S</sup>	INSPECT FLAPS: INSPECTION PHASE 2									Service ATA:57
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 57.035	AFL	9624								
PROC. REF: AMM 57-00-00										PKG:2
ATA 71 - POWER PLANT										
710000	NO. 1 ENGINE - TURBINE WASH									Service ATA:71
	MOS/MSC		A/R							
	HRS	0		TAC 0						
	ENC	0		TAC 0						
PROC. REF: EMM 71-00-00										
710000	NO. 2 ENGINE - TURBINE WASH									Service ATA:71
	MOS/MSC		A/R							
	HRS	0		TAC 0						
	ENC	0		TAC 0						
PROC. REF: EMM 71-00-00										
710010	NO. 1 ENGINE - OVERHAUL									Service ATA:71
	MOS	07-Jul-08								
	HRS	6778	3500 (+350)	TAC 0	(10278) 12288	10628	2019.6 (+350)			
	ENC			TAC 0						
	(AFL)									
PROC. REF: EMM 72-00-00										
710010	NO. 2 ENGINE - OVERHAUL									Service ATA:71
	MOS	07-Jul-08								
	HRS	6937	3500 (+350)	TAC 0	(10437) 12288	10787	2019 (+350)			
	ENC			TAC 0						
	(AFL)									
PROC. REF: EMM 72-00-00										
710020	NO. 1 ENGINE - HOT SECTION INSPECTION									Service ATA:71
	MOS	07-Jul-08								
	HRS	6778	1750 (+175)	TAC 0	(8528) 10537.7	8703	269.6 (+175)			
	ENC									
PROC. REF: EMM 72-00-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 71 - POWER PLANT											
710020			NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	07-Jul-08									
	HRS	6937	1750 (+175)	TAC 0	(8687) 10537.1	8862	269 (+175)				
	ENC										
			PROC. REF: EMM 72-00-00								
710030			NO. 1 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R								
	HRS			TAC 0							
	ENC			TAC 0							
			PROC. REF: EMM 72-00-00								
710030			NO. 2 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R								
	HRS			TAC 0							
	ENC			TAC 0							
			PROC. REF: EMM 72-00-00								
712001			NO. 1 ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA23	MOS	07-Jul-08						OVERHAUL			
SN:UNKNOWN	HRS	8788	3500	TSO 0	12288		2019.9				
WC#: 71.080	AFL										
			PROC. REF: AMM 71-21-00								
712001			NO. 2 ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA23	MOS	07-Jul-08						OVERHAUL			
SN:UNKNOWN	HRS	8788	3500	TSO 0	12288		2019.9				
WC#: 71.080	AFL										
			PROC. REF: AMM 71-21-00								
712002			NO. 1 ENGINE LOWER FORWARD ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA31	MOS	07-Jul-08						OVERHAUL			
SN:UNKNOWN	HRS	8788	3500	TSO 0	12288		2019.9				
WC#: 71.090	AFL										
			PROC. REF: AMM 71-21-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 71 - POWER PLANT</b>											
712002		NO. 1 ENGINE UPPER FORWARD ISOLATOR MOUNT							Component	ATA:71	
PN:LM420SA30	MOS	07-Jul-08						OVERHAUL			
SN:UNKNOWN	HRS	8788	3500	TSO 0	12288		2019.9				
WC#: 71.100	AFL										
PROC. REF: AMM 71-21-00											
712002		NO. 2 ENGINE UPPER FORWARD ISOLATOR MOUNT							Component	ATA:71	
PN:LM420SA30	MOS	07-Jul-08						OVERHAUL			
SN:UNKNOWN	HRS	8788	3500	TSO 0	12288		2019.9				
WC#: 71.100	AFL										
PROC. REF: AMM 71-21-00											
712002		NO.2 ENGINE LOWER FORWARD ISOLATOR MOUNT							Component	ATA:71	
PN:LM420SA31	MOS	07-Jul-08						OVERHAUL			
SN:UNKNOWN	HRS	8788	3500	TSO 0	12288		2019.9				
WC#: 71.090	AFL										
PROC. REF: AMM 71-21-00											
71EN1		NO. 1 ENGINE							Component	ATA:71	
PN:JT15D-4	MOS/MSC	07-Jul-08	E/C								
SN:PCE-70212	HRS	8788		TSO 0							
WC#: 71.EN1	AFL										
PROC. REF: AMM 71-01-00											
71EN2		NO. 2 ENGINE							Component	ATA:71	
PN:JT15D-4	MOS/MSC	07-Jul-08	E/C								
SN:PCE-70415	HRS	8788		TSO 0							
WC#: 71.EN2	AFL										
PROC. REF: AMM 71-01-00											
A711000 <sup>S</sup>		INSPECT ENGINE: INSPECTION PHASE 4							Service	ATA:71	
	MOS	09-Feb-24	24 (+2m)								
	HRS	10230.5	300 (+30)								
WC#: 71.070	AFL	9624									
PROC. REF: AMM 71-01-00										PKG:4	
<b>ATA 72 - ENGINE</b>											
720010		NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72	
	MOS/MSC		A/R								
	HRS	0		TAC 0							
	ENC	0		TAC 0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 72 - ENGINE										
PROC. REF: EMM 72-00-00										
720010	NO. 2 ENGINE - OIL ANALYSIS									Service ATA:72
	MOS/MSC		A/R							
	HRS	0			TAC 0					
	ENC	0			TAC 0					
PROC. REF: EMM 72-00-00										
722001	NO. 1 ENGINE - OIL PUMP									Component ATA:72
PN:3030571	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	6778								
	ENC									
PROC. REF: EMM 72-60-02										
722001	NO. 2 ENGINE - OIL PUMP									Component ATA:72
PN:3031451	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	6937								
	ENC									
PROC. REF: EMM 72-60-02										
723001	NO. 1 ENGINE - FAN									Component ATA:72
PN:3018020	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	6778			TSO 0					
	ENC									
PROC. REF: GENERIC NO REF										
723001	NO. 2 ENGINE - FAN									Component ATA:72
PN:3018020	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	6937			TSO 0					
	ENC									
PROC. REF: GENERIC NO REF										
723010	NO. 1 ENGINE - CENTRIFUGAL IMPELLER									Component ATA:72
PN:3055475-01	MOS	25-Nov-19			TSN 0			LIFE LIMIT		
SN:A001T7F2	HRS	6937.8			TSN 0					
	ENC	6642			TSN 0	(12642) 14659 (M)	5012			
	ACCCYC	0	6000		TSN 0					
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
ATA 72 - ENGINE											
723010		NO. 2 ENGINE - CENTRIFUGAL IMPELLER								Component	ATA:72
PN:3055475-01	MOS	11-May-08		TSN 0				LIFE LIMIT			
SN:A00272B2	HRS	6937.8		TSN 0							
	ENC	6642		TSN 0	(12642) 14663 (M)		5016				
	ACCCYC	0	6000	TSN 0							
PROC. REF: GENERIC NO REF											
723020		NO. 1 ENGINE - LOW PRESSURE BOOST COMPRESSOR HUB								Component	ATA:72
PN:3021112	MOS	07-Jul-08						LIFE LIMIT			
SN:9A978	HRS	6778									
	ENC	6638		TSN 7630	(13008) 15029 (M)		5378				
	ACCCYC	0	14000	TSN 7630							
PROC. REF: EMM 72-30-03											
723020		NO. 2 ENGINE - LOW PRESSURE BOOST COMPRESSOR HUB								Component	ATA:72
PN:3021112	MOS	07-Jul-08						LIFE LIMIT			
SN:9C096	HRS	6937									
	ENC	6642		TSN 6642	(14000) 16021 (M)		6374				
	ACCCYC	0	14000	TSN 6642							
PROC. REF: EMM 72-30-03											
723030		NO. 1 ENGINE - LOW PRESSURE COMPRESSOR HUB								Component	ATA:72
PN:3018018	MOS	07-Jul-08						LIFE LIMIT			
SN:7A981	HRS	6778									
	ENC	6638		TSN 7630	(16573) 18594 (M)		8943				
	ACCCYC	0	27500	TSN 7630			17886				
PROC. REF: EMM 72-30-03											
723030		NO. 2 ENGINE - LOW PRESSURE COMPRESSOR HUB								Component	ATA:72
PN:3018018	MOS	07-Jul-08						LIFE LIMIT			
SN:7C944	HRS	6937									
	ENC	6642		TSN 6642	(17071) 19092 (M)		9445				
	ACCCYC	0	27500	TSN 6642			18890				
PROC. REF: EMM 72-30-03											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725010 NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK Component ATA:72</b>										
PN:3023411	MOS		07-Jul-08					LIFE LIMIT		
SN:6A276	HRS		6778							
	ENC	6638		TSN 7630	(13008) 15029 (M)		5378			
	ACCCYC	0	14000	TSN 7630						
PROC. REF: EMM 72-50-02										
<b>725010 NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK Component ATA:72</b>										
PN:3023411	MOS		07-Jul-08					LIFE LIMIT		
SN:7D313	HRS		6937							
	ENC	6642		TSN 6642	(14000) 16021 (M)		6374			
	ACCCYC	0	14000	TSN 6642						
PROC. REF: EMM 72-50-02										
<b>725020 NO. 1 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK Component ATA:72</b>										
PN:3022212	MOS		07-Jul-08					LIFE LIMIT		
SN:7A568	HRS		6778							
	ENC	6638		TSN 7630	(13008) 15029 (M)		5378			
	ACCCYC	0	14000	TSN 7630						
PROC. REF: GENERIC NO REF										
<b>725020 NO. 2 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK Component ATA:72</b>										
PN:3022212	MOS		07-Jul-08					LIFE LIMIT		
SN:8C746	HRS		6937							
	ENC	6642		TSN 6642	(14000) 16021 (M)		6374			
	ACCCYC	0	14000	TSN 6642						
PROC. REF: GENERIC NO REF										
<b>725030 NO. 1 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK Component ATA:72</b>										
PN:3021213	MOS		07-Jul-08					LIFE LIMIT		
SN:8A057	HRS		6778							
	ENC	6638		TSN 7630	(13008) 15029 (M)		5378			
	ACCCYC	0	14000	TSN 7630						
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 72 - ENGINE</b>										
<b>725030 NO. 2 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK Component ATA:72</b>										
PN:3021213	MOS	07-Jul-08						LIFE LIMIT		
SN:8C008	HRS	6937								
	ENC	6642		TSN 6982	(13660) 15677 (M)		6034			
	ACCCYC	0	14000	TSN 6982						
PROC. REF: GENERIC NO REF										
<b>725071 NO. 1 ENGINE - COMBUSTION LINER Component ATA:72</b>										
PN:3022474	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	6778		TSO 0						
	ENC									
PROC. REF: EMM 72-40-01										
<b>725071 NO. 2 ENGINE - COMBUSTION LINER Component ATA:72</b>										
PN:3029994	MOS/MSC	07-Jul-08	O/C							
SN:NSN	HRS	6937		TSO 0						
	ENC									
PROC. REF: EMM 72-40-01										
<b>725101 NO. 1 ENGINE - REPLACE HIGH TURBINE BLADES Component ATA:72</b>										
	MOS	07-Jul-08						LIFE LIMIT		
	HRS	6778	3500	TAC 0	(10278) 12288		2019.6			
	ENC									
PROC. REF: GENERIC NO REF										
<b>725101 NO. 2 ENGINE - REPLACE HIGH TURBINE BLADES Component ATA:72</b>										
	MOS	07-Jul-08						LIFE LIMIT		
	HRS	6937	3500	TAC 0	(10437) 12288		2019			
	ENC									
PROC. REF: GENERIC NO REF										
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
<b>731004 LEFT LOW FUEL PRESS SWITCH Component ATA:73</b>										
PN:1103P0448	MOS/MSC	25-Jun-04	O/C							
SN:6429	HRS	8196		TSN 0						
WC#: 73.030	AFL									
PROC. REF: AMM 73-31-03										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
731004	<b>RIGHT LOW FUEL PRESS SWITCH</b>									Component ATA:73
PN:1103P92	MOS/MSC	17-Jan-79	O/C							
SN:UNKNOWN	HRS	0		TSN 0						
WC#: 73.030	AFL	0		TSN 0						
PROC. REF: AMM 73-31-03										
731010	<b>NO. 1 ENGINE - FUEL PUMP</b>									Component ATA:73
PN:025493-402-05	MOS/MSC	07-Jul-08	O/C		TSN 0					
SN:1841	HRS	6778		TSN 0						
ENC										
PROC. REF: EMM 73-10-02										
731010	<b>NO. 2 ENGINE - FUEL PUMP</b>									Component ATA:73
PN:025493-402-05	MOS/MSC	07-Jul-08	O/C							
SN:1821	HRS	6937		TSO 0						
ENC										
PROC. REF: EMM 73-10-02										
731020	<b>NO. 1 ENGINE - FUEL-OIL COOLER</b>									Component ATA:73
PN:UA530768-4	MOS/MSC	07-Jul-08	O/C							
SN:1350	HRS	6778		TSO 0						
ENC										
PROC. REF: EMM 73-10-01										
731020	<b>NO. 2 ENGINE - FUEL-OIL COOLER</b>									Component ATA:73
PN:UA530768-4	MOS/MSC	07-Jul-08	O/C							
SN:1549	HRS	6937		TSO 0						
ENC										
PROC. REF: EMM 73-10-01										
731025	<b>NO. 1 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER</b>									Service ATA:73
PN:UA530768-4	MOS/MSC		A/R							
SN:1350	HRS	0		TAC 0	(10278) 12287.7 (M)		2019.6			
ENC										
PROC. REF: EMM 73-10-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
731025	NO. 2 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER									Service ATA:73
PN:UA530768-4	MOS/MSC		A/R							
SN:1549	HRS	0		TAC 0	(10437) 12287.1 (M)		2019			
	ENC	0		TAC 0						
PROC. REF: EMM 73-10-01										
731035	NO. 1 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE									Service ATA:73
	MOS									
	HRS	0	1800	TAC 0	(10278) 12287.7 (M)		2019.6			
	ENC	0		TAC 0						
PROC. REF: EMM 73-10-08										
731035	NO. 2 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE									Service ATA:73
	MOS									
	HRS	0	1800	TAC 0	(10437) 12287.1 (M)		2019			
	ENC	0		TAC 0						
PROC. REF: EMM 73-10-08										
731040	NO. 1 ENGINE - FLOW DIVIDER VALVE									Component ATA:73
PN:25607-2	MOS/MSC	07-Jul-08	O/C							
SN:1371	HRS	6778		TSO 0						
	ENC									
PROC. REF: EMM 73-10-04										
731040	NO. 2 ENGINE - FLOW DIVIDER VALVE									Component ATA:73
PN:25607-2	MOS/MSC	07-Jul-08	O/C	TSN 0						
SN:2049	HRS	6937		TSN 0						
	ENC									
PROC. REF: EMM 73-10-04										
731050	NO. 1 ENGINE - SCHEDULE MODULATOR									Component ATA:73
PN:3244758-1	MOS/MSC	07-Jul-08	O/C							
SN:UNKNOWN	HRS	6778		TSO 0						
WC#: 73.050	ENC									
PROC. REF: GENERIC NO REF										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
731050	NO. 2 ENGINE - SCHEDULE MODULATOR									Component ATA:73
PN:3244758-1	MOS/MSC	07-Jul-08	O/C							
SN:A57540	HRS	6937		TSO 0						
WC#: 73.050	ENC									
PROC. REF: GENERIC NO REF										
731090	NO. 1 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE									Service ATA:73
PN:25607-2	MOS									
SN:1371	HRS	0	1800	TAC 0	(10278) 12287.7 (M)		2019.6			
	ENC	0		TAC 0						
PROC. REF: GENERIC NO REF										
731090	NO. 2 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE									Service ATA:73
PN:25607-2	MOS									
SN:2049	HRS	0	1800	TAC 0	(10437) 12287.1 (M)		2019			
	ENC	0		TAC 0						
PROC. REF: GENERIC NO REF										
732002	ENGINE SYNC CONTROL UNIT									Component ATA:73
PN:213723	MOS/MSC	26-Aug-79	O/C							
SN:83411J	HRS	351		TSN 0						
WC#: 73.010	AFL									
PROC. REF: AMM GENERIC 2										
732003	ENG SYNC ACTUATOR									Component ATA:73
PN:5485-066	MOS/MSC	27-Jun-82	O/C							
SN:44997C	HRS	2123		TSO 227						
WC#: 73.010	AFL									
PROC. REF: AMM GENERIC 2										
732010	NO. 1 ENGINE - FUEL CONTROL UNIT									Component ATA:73
PN:3244759-4	MOS/MSC	07-Jul-08	O/C	TSN 0						
SN:A58859N	HRS	6778		TSN 0						
	ENC									
PROC. REF: EMM 73-20-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>										
732010	NO. 2 ENGINE - FUEL CONTROL UNIT									Component ATA:73
PN:3244759-45B-8	MOS/MSC		07-Jul-08	O/C	TSN 0					
SN:A92194N	HRS		6937		TSN 0					
	ENC									
PROC. REF: EMM 73-20-01										
733002	FUEL FLOW INDICATOR									Component ATA:73
PN:VSDL-OC208C	MOS/MSC		30-Jan-86	O/C						
SN:254C	HRS		4029		TSO 2194					
WC#: 73.020	AFL									
PROC. REF: AMM 73-31-01										
733003	NO. 1 ENGINE FUEL FLOWMETER									Component ATA:73
PN:3268014-0101	MOS/MSC		17-Jan-79	O/C						
SN:803048	HRS		0							
WC#: 73.100	AFL		0							
PROC. REF: AMM 73-31-02										
733003	NO. 2 ENGINE FUEL FLOWMETER									Component ATA:73
PN:3268014-0101	MOS/MSC		23-Sep-85	O/C						
SN:807084	HRS		3980							
WC#: 73.100	AFL									
PROC. REF: AMM 73-31-02										
73FO-01C	ENGINE SYNCHRONIZING INSTRUMENT W/TH REV FACTORY OPTION									Component ATA:73
PN:76C	MOS/MSC		17-Jan-79	-						
SN:FO	HRS		0							
	AFL		0							
PROC. REF: AMM GENERIC 2										
<b>ATA 74 - IGNITION</b>										
741010	NO. 1 ENGINE - LOWER IGNITION EXCITER									Component ATA:74
PN:10-381550-2	MOS/MSC		07-Jul-08	O/C	TSN 0					
SN:9513R007C	HRS		6778		TSN 0					
	ENC									
PROC. REF: EMM 74-10-01										
741010	NO. 2 ENGINE - LOWER IGNITION EXCITER									Component ATA:74
PN:10-381550-2	MOS/MSC		07-Jul-08	O/C	TSN 0					
SN:NN93217937	HRS		6937		TSN 0					
	ENC									
PROC. REF: EMM 74-10-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 74 - IGNITION</b>										
<b>741030 NO. 1 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER Service ATA:74</b>										
PN:10-381550-2	MOS	01-Apr-24	24 (+2m)		30-Apr-26	30-Jun-26	660 d (+61)			
SN:9513R007C	HRS	8250.7	300 (+30)		(8550.7) 10560.4	8580.7	292.3 (+30)			
	ENC	7627								
PROC. REF: GENERIC NO REF										
<b>741030 NO. 2 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER Service ATA:74</b>										
PN:10-381550-2	MOS	01-Apr-24	24 (+2m)		30-Apr-26	30-Jun-26	660 d (+61)			
SN:NN93217937	HRS	8410.3	300 (+30)		(8710.3) 10560.4	8740.3	292.3 (+30)			
	ENC	7623								
PROC. REF: GENERIC NO REF										
<b>742010 NO. 1 ENGINE - OUTBOARD IGNITER PLUG Component ATA:74</b>										
PN:FHE-246-4	MOS/MSC	10-Oct-14	O/C							
SN:NSN	HRS	7287.9		TSO 509.9						
	ENC	6990								
PROC. REF: EMM 74-20-02										
<b>742010 NO. 2 ENGINE - OUTBOARD IGNITER PLUG Component ATA:74</b>										
PN:FHE-246-4	MOS/MSC	10-Oct-14	O/C							
SN:NSN	HRS	7447.5								
	ENC	6986								
PROC. REF: EMM 74-20-02										
<b>742020 NO. 1 ENGINE - INBOARD IGNITER PLUG Component ATA:74</b>										
PN:FHE-246-4	MOS/MSC	10-Oct-14	O/C							
SN:NSN	HRS	7287.9		TSO 509.9						
	ENC	6990								
PROC. REF: EMM 74-20-02										
<b>742020 NO. 2 ENGINE - INBOARD IGNITER PLUG Component ATA:74</b>										
PN:FHE-246-4	MOS/MSC	10-Oct-14	O/C							
SN:NSN	HRS	7447.5								
	ENC	6986								
PROC. REF: EMM 74-20-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty	
<b>ATA 74 - IGNITION</b>											
742030			<b>NO. 1 ENGINE - SHORT IGNITER LEAD</b>							Component	ATA:74
PN:10-395428-2	MOS/MSC		07-Jul-08	O/C							
SN:NSN	HRS		6778		TSO 0						
	ENC										
PROC. REF: EMM 74-20-01											
742030			<b>NO. 2 ENGINE - SHORT IGNITER LEAD</b>							Component	ATA:74
PN:10-395428-2	MOS/MSC		07-Jul-08	O/C							
SN:NSN	HRS		6937		TSO 0						
	ENC										
PROC. REF: EMM 74-20-01											
742040			<b>NO. 1 ENGINE - LONG IGNITER LEAD</b>							Component	ATA:74
PN:10-395428-1	MOS/MSC		07-Jul-08	O/C							
SN:NSN	HRS		6778		TSO 0						
	ENC										
PROC. REF: EMM 74-20-01											
742040			<b>NO. 2 ENGINE - LONG IGNITER LEAD</b>							Component	ATA:74
PN:10-395428-1	MOS/MSC		07-Jul-08	O/C							
SN:NSN	HRS		6937		TSO 0						
	ENC										
PROC. REF: EMM 74-20-01											
B742001 <sup>S</sup>			<b>INSPECT ENGINE IGNITERS: INSPECTION PHASE 2</b>							Service	ATA:74
	MOS		09-Feb-24								
	HRS		10230.5		150 (+30)						
WC#: 74.010	AFL		9624								
PROC. REF: AMM 74-31-00										PKG:2,4,12	
<b>ATA 75 - AIR</b>											
750010			<b>NO. 1 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE</b>							Component	ATA:75
PN:KW15632	MOS/MSC		05-Sep-13	O/C							
SN:3882	HRS		7108.5		TSO 0						
	ENC		6866								
PROC. REF: EMM 75-00-02											
750010			<b>NO. 2 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE</b>							Component	ATA:75
PN:KW15632	MOS/MSC		07-Jul-08	O/C							
SN:1625	HRS		6937		TSO 0						
	ENC										
PROC. REF: EMM 75-00-02											

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 76 - ENGINE CONTROLS</b>										
761005 DEPLOY INTERLOCK SOLENOID ASSEMBLY										Component ATA:76
PN:U-183238-001	MOS/MSC	09-May-83	O/C							
SN:UNKNOWN	HRS	2622								
WC#: 76.090	AFL	2520		TSN 0						
PROC. REF: AMM GENERIC 2										
B761001 <sup>S</sup> FUNCTIONAL TEST ENGINE SYNCHRONIZER SYSTEM: INSPECTION PHASE 5										Service ATA:76
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 76.110	AFL	9569								
PROC. REF: AMM 76-12-00										
B761002 <sup>S</sup> CHECK THRUST REVERSER LOAD LIMITER PRE-LOAD: INSPECTION PHASE 5										Service ATA:76
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 76.115	AFL	9569								
PROC. REF: AMM 78-31-00										
<b>ATA 77 - ENGINE INDICATING</b>										
770010 NO. 1 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER										Service ATA:77
	MOS	01-Apr-24	24 (+2m)		01-Apr-26	01-Jun-26	631 d (+61)			
	HRS	8250.7	300 (+30)		(8550.7) 10560.4	8580.7	292.3 (+30)			
	ENC	7627								
PROC. REF: GENERIC NO REF										
770010 NO. 2 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER										Service ATA:77
	MOS	01-Apr-24	24 (+2m)		01-Apr-26	01-Jun-26	631 d (+61)			
	HRS	8410.3	300 (+30)		(8710.3) 10560.4	8740.3	292.3 (+30)			
	ENC	7623								
PROC. REF: GENERIC NO REF										
771001 LEFT BOTTOM N2 (TURB) TACH GENERATOR										Component ATA:77
PN:22A623	MOS/MSC	17-Jan-79	O/C							
SN:6789	HRS	0		TSN 0						
WC#: 77.040	AFL	0		TSN 0						
PROC. REF: AMM 77-11-02, AMM 77-12-02										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
---------	------	-----	----------	----------	------------------------	-----------	-----------	-------------	-----	----------

### ATA 77 - ENGINE INDICATING

771001 LEFT TOP N1 (FAN) TACH GENERATOR Component ATA:77										
PN:22A623	MOS/MSC		29-Aug-01		O/C					
SN:H7823	HRS		7412		TSO 0					
WC#: 77.030	AFL									
PROC. REF: AMM 77-11-02, AMM 77-12-02										

771001 RIGHT BOTTOM N2 (TURB) TACH GENERATOR Component ATA:77										
PN:22A623	MOS/MSC		23-Sep-85		O/C					
SN:6271	HRS		3980		TSO 0					
WC#: 77.040	AFL									
PROC. REF: AMM 77-11-02, AMM 77-12-02										

771001 RIGHT TOP N1 (FAN) TACH GENERATOR Component ATA:77										
PN:22A623	MOS/MSC		23-Sep-85		O/C					
SN:8929	HRS		3980							
WC#: 77.030	AFL									
PROC. REF: AMM 77-11-02, AMM 77-12-02										

771002 N2 (TURBINE) INDICATOR Component ATA:77										
PN:DG-OC110A	MOS/MSC		17-Jan-79		O/C					
SN:65	HRS		0		TSN 0					
WC#: 77.050	AFL		0		TSN 0					
PROC. REF: AMM 77-12-01										

771003 N1 (FAN) INDICATOR Component ATA:77										
PN:VSDL-OC410N	MOS/MSC		25-Jun-04		O/C					
SN:125	HRS		8196		TSO 0					
WC#: 77.050	AFL									
PROC. REF: AMM 77-11-01										

772001 ITT INDICATOR Component ATA:77										
PN:VSDL-OC419E	MOS/MSC		25-Jul-82		O/C					
SN:40K	HRS		2168		TSO 278					
WC#: 77.060	AFL									
PROC. REF: AMM 77-21-01										

### ATA 78 - EXHAUST

781001 NO. 1 ENGINE EXHAUST NOZZLE CONE Component ATA:78										
PN:6555030-210-M5	MOS/MSC		11-May-94		O/C					
SN:UNKNOWN	HRS		5358		TSO 0					
WC#: 78.040	AFL									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
---------	------	-----	----------	----------	------------------------	-----------	-----------	-------------	-----	----------

ATA 78 - EXHAUST

PROC. REF: AMM GENERIC 2

781001	NO. 2 ENGINE EXHAUST NOZZLE CONE									Component ATA:78
PN:6555030-212-M3	MOS/MSC		30-Mar-94	O/C						
SN:UNKNOWN	HRS		5338		TSO 0					
WC#: 78.040	AFL									

PROC. REF: AMM GENERIC 2

783001	LEFT HAND THRUST REVERSER ASSEMBLY									Component ATA:78
PN:202-0000-1	MOS/MSC		17-Jan-79	O/C						
SN:0157	HRS		0		TSN 0					
WC#: 78.020	AFL		0		TSN 0					

PROC. REF: AMM 78-31-00

783001	RIGHT HAND THRUST REVERSER ASSEMBLY									Component ATA:78
PN:202-0000-3	MOS/MSC		17-Jan-79	O/C						
SN:0157	HRS		0		TSN 0					
WC#: 78.020	AFL		0		TSN 0					

PROC. REF: AMM 78-31-00

783002	LEFT ENGINE THRUST REVERSER CONTROL VALVE									Component ATA:78
PN:AV14K1200	MOS/MSC		17-Jan-79	O/C						
SN:J90122	HRS		0		TSN 0					
WC#: 78.120	AFL		0		TSN 0					

PROC. REF: AMM 78-31-01

783002	RIGHT ENGINE THRUST REVERSER CONTROL VALVE									Component ATA:78
PN:AV14K1200	MOS/MSC		22-Mar-85	O/C						
SN:K67588	HRS		3818							
WC#: 78.120	AFL		3586		TSO 0					

PROC. REF: AMM 78-31-01

783003	LEFT ENGINE THRUST REVERSER ISOLATION VALVE									Component ATA:78
PN:13027-4	MOS/MSC		17-Jan-79	O/C						
SN:327	HRS		0		TSN 0					
WC#: 78.130	AFL		0		TSN 0					

PROC. REF: AMM 78-31-01

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 78 - EXHAUST										
<b>783003 RIGHT ENGINE THRUST REVERSER ISOLATION VALVE Component ATA:78</b>										
PN:13027-4	MOS/MSC	17-Jan-79	O/C							
SN:338	HRS	0		TSN 0						
WC#: 78.130	AFL	0		TSN 0						
PROC. REF: AMM 78-31-01										
<b>783005 LEFT ENGINE THRUST REVERSER UPPER DOOR Component ATA:78</b>										
PN:202-0001-1	MOS/MSC	17-Jan-79	O/C							
SN:0160	HRS	0		TSN 0						
WC#: 78.080	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 2										
<b>783005 RIGHT ENGINE THRUST REVERSER UPPER DOOR Component ATA:78</b>										
PN:202-0001-2	MOS/MSC	17-Jan-79	O/C							
SN:0157	HRS	0		TSN 0						
WC#: 78.080	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 2										
<b>783006 LEFT ENGINE THRUST REVERSER LOWER DOOR Component ATA:78</b>										
PN:202-0002-1	MOS/MSC	17-Jan-79	O/C							
SN:0157	HRS	0		TSN 0						
WC#: 78.070	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 2										
<b>783006 RIGHT ENGINE THRUST REVERSER LOWER DOOR Component ATA:78</b>										
PN:202-0002-2	MOS/MSC	17-Jan-79	O/C							
SN:0158	HRS	0		TSN 0						
WC#: 78.070	AFL	0		TSN 0						
PROC. REF: AMM GENERIC 2										
<b>783007 LEFT INBOARD THRUST REVERSER MECHANISM ASSEMBLY Component ATA:78</b>										
PN:202-0004-1	MOS/MSC	17-Jan-79	O/C							
SN:0319	HRS	0		TSN 0						
WC#: 78.100	AFL	0		TSN 0						
PROC. REF: AMM 78-31-00										
<b>783007 RIGHT INBOARD THRUST REVERSER MECHANISM ASSEMBLY Component ATA:78</b>										
PN:202-0004-1	MOS/MSC	17-Jan-79	O/C							
SN:0318	HRS	0		TSN 0						
WC#: 78.100	AFL	0		TSN 0						
PROC. REF: AMM 78-31-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 78 - EXHAUST</b>										
<b>783008 LEFT OUTBOARD THRUST REVERSER MECHANISM ASSEMBLY Component ATA:78</b>										
PN:202-0004-3	MOS/MSC		17-Jan-79	O/C						
SN:0273	HRS		0		TSN 0					
WC#: 78.110	AFL		0		TSN 0					
PROC. REF: AMM 78-31-00										
<b>783008 RIGHT OUTBOARD THRUST REVERSER MECHANISM ASSEMBLY Component ATA:78</b>										
PN:202-0004-5	MOS/MSC		17-Jan-79	O/C						
SN:0274	HRS		0		TSN 0					
WC#: 78.110	AFL		0		TSN 0					
PROC. REF: AMM 78-31-00										
<b>783009 LEFT ENGINE THRUST REVERSER FAN DUCT ASSEMBLY Component ATA:78</b>										
PN:202-0012-1	MOS/MSC		17-Jan-79	O/C						
SN:0317	HRS		0		TSN 0					
WC#: 78.090	AFL		0		TSN 0					
PROC. REF: AMM GENERIC 2										
<b>783009 RIGHT ENGINE THRUST REVERSER FAN DUCT ASSEMBLY Component ATA:78</b>										
PN:202-0012-1	MOS/MSC		17-Jan-79	O/C						
SN:0316	HRS		0		TSN 0					
WC#: 78.090	AFL		0		TSN 0					
PROC. REF: AMM GENERIC 2										
<b>783010 LEFT INBOARD THRUST REVERSER ACTUATOR Component ATA:78</b>										
PN:7U7555	MOS/MSC		17-Jan-79	O/C						
SN:0642	HRS		0		TSN 0					
WC#: 78.050	AFL		0		TSN 0					
PROC. REF: AMM 78-31-01										
<b>783010 LEFT OUTBOARD THRUST REVERSER ACTUATOR Component ATA:78</b>										
PN:7U7555	MOS/MSC		17-Jan-79	O/C						
SN:0643	HRS		0		TSN 0					
WC#: 78.060	AFL		0		TSN 0					
PROC. REF: AMM 78-31-01										
<b>783010 RIGHT INBOARD THRUST REVERSER ACTUATOR Component ATA:78</b>										
PN:7U7555	MOS/MSC		17-Jan-79	O/C						
SN:0645	HRS		0		TSN 0					
WC#: 78.050	AFL		0		TSN 0					
PROC. REF: AMM 78-31-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 78 - EXHAUST										
783010 RIGHT OUTBOARD THRUST REVERSER ACTUATOR										Component ATA:78
PN:7U7555	MOS/MSC	17-Jan-79	O/C							
SN:0644	HRS	0		TSN 0						
WC#: 78.060	AFL	0		TSN 0						
PROC. REF: AMM 78-31-01										
78FO-01 THRUST REVERSERS FACTORY OPTION										Component ATA:78
PN:193	MOS/MSC	17-Jan-79	-							
SN:FO	HRS	0								
	AFL	0								
PROC. REF: AMM 78-31-00										
A783002 <sup>S</sup> INSPECT THRUST REVERSERS: INSPECTION PHASE 4										Service ATA:78
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 78.135	AFL	9624								
PROC. REF: AMM 78-31-00										
A783003 <sup>S</sup> INSPECT THRUST REVERSER ELECTRICAL JUNCTION BOX: INSPECTION PHASE 5										Service ATA:78
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 78.140	AFL	9569								
PROC. REF: AMM 78-31-00										
B783002 <sup>S</sup> OPERATIONAL TEST THRUST REVERSERS: INSPECTION PHASE 4										Service ATA:78
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 78.145	AFL	9624								
PROC. REF: AMM 78-31-00										
C783001 <sup>S</sup> LUBRICATE THRUST REVERSER ACTUATING MECHANISM: INSPECTION PHASE 2										Service ATA:78
	MOS	09-Feb-24								
	HRS	10230.5	150 (+30)							
WC#: 78.185	AFL	9624								
PROC. REF: AMM 78-31-00										
C783002 <sup>S</sup> LUBRICATE THRUST REVERSER GUIDE RODS (D-5100NS AEROSOL SPRAY LUBRICATION METHOD): INSPECTION PHASE 2										Service ATA:78
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 78.185	AFL	9624								
PROC. REF: AMM 78-31-00										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
ATA 79 - OIL										
792010	NO. 1 ENGINE - CHANGE OIL									Service ATA:79
	MOS/MSC	07-Jul-08	O/C	TAC 0						
	HRS	6778		TAC 0						
	ENC									
	PROC. REF: EMM 72-00-00									
792010	NO. 2 ENGINE - CHANGE OIL									Service ATA:79
	MOS/MSC	07-Jul-08	O/C	TAC 0						
	HRS	6937		TAC 0						
	ENC									
	PROC. REF: EMM 72-00-00									
792020	NO. 1 ENGINE - INSPECT/CLEAN OR REPLACE OIL FILTER ELEMENT									Service ATA:79
	MOS	09-Feb-24								
	HRS	8220.8	200 (+10%)		(8420.8) 10430.5	8440.8	162.4 (+20)			
	ENC	7607								
	PROC. REF: EMM 79-20-01									
792020	NO. 2 ENGINE - INSPECT/CLEAN OR REPLACE OIL FILTER ELEMENT									Service ATA:79
	MOS	09-Feb-24								
	HRS	8380.4	200 (+10%)		(8580.4) 10430.5	8600.4	162.4 (+20)			
	ENC	7603								
	PROC. REF: EMM 79-20-01									
793001	OIL TEMPERATURE INDICATOR									Component ATA:79
PN:VSDL-OC219C	MOS/MSC	08-Feb-84	O/C							
SN:293	HRS	3054		TSO 0						
WC#: 79.040	AFL									
	PROC. REF: AMM 79-31-02									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER									Component ATA:79
PN:102-00083	MOS/MSC	17-Jan-79	O/C							
SN:37509	HRS	0		TSN 0						
WC#: 79.060	AFL	0		TSN 0						
	PROC. REF: AMM 79-31-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty
<b>ATA 79 - OIL</b>										
<b>793002 RIGHT ENGINE OIL TEMPERATURE TRANSMITTER Component ATA:79</b>										
PN:102-00083	MOS/MSC	17-Jan-79	O/C							
SN:36499	HRS	0		TSN 0						
WC#: 79.060	AFL	0		TSN 0						
PROC. REF: AMM 79-31-02										
<b>793003 OIL PRESSURE INDICATOR Component ATA:79</b>										
PN:VSDL-OC204C	MOS/MSC	10-Nov-82	O/C							
SN:62B	HRS	2355		TSO 0						
WC#: 79.040	AFL									
PROC. REF: AMM 79-31-01										
<b>793004 LEFT ENGINE OIL PRESSURE TRANSMITTER Component ATA:79</b>										
PN:123479	MOS/MSC	25-Apr-83	O/C							
SN:35958	HRS	2602								
WC#: 79.050	AFL									
PROC. REF: AMM 79-31-01										
<b>793004 RIGHT ENGINE OIL PRESSURE TRANSMITTER Component ATA:79</b>										
PN:123479	MOS/MSC	17-Oct-13	O/C	TSN 0						
SN:57877-8	HRS	9196.6		TSN 0						
WC#: 79.050	AFL	8930								
PROC. REF: AMM 79-31-01										
<b>793006 LEFT LOW OIL PRESSURE SWITCH Component ATA:79</b>										
PN:1103P89-1	MOS/MSC	16-Feb-01	O/C							
SN:1896	HRS	7300		TSN 0						
WC#: 79.070	AFL									
PROC. REF: AMM 79-31-01										
<b>ATA 80 - STARTING</b>										
<b>B801001<sup>S</sup> PERFORM BRUSH INSPECTION LUCAS AEROSPACE STARTER GENERATOR (P/N 9912038-2,-3,-4,-5 ONLY): INSPECTION PHASE 4 Service ATA:80</b>										
	MOS	09-Feb-24	24 (+2m)							
	HRS	10230.5	300 (+30)							
WC#: 80.010	AFL	9624								
PROC. REF: AMM 80-11-01										
<b>B801002<sup>S</sup> OPERATIONAL TEST STARTER DISENGAGE: INSPECTION PHASE 5 Service ATA:80</b>										
	MOS	13-Feb-23	36 (+2m)							
	HRS	10152.3	1200 (+100)							
WC#: 80.020	AFL	9569								
PROC. REF: AMM 80-11-01										

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: 550 - CITATION II Serial: 550-0048 RegNo: C-FYRQ HRS: 10268.1 AFL: 9647 As Of: 03-May-2024

09-Jul-2024 04:00 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	MOC	Warranty		
ATA 83 - ACCESSORY GEAR-BOXES												
832001			NO. 1 ENGINE - MAIN GEARBOX ASSEMBLY								Component	ATA:83
PN:3023480A	MOS/MSC	07-Jul-08	O/C									
SN:NSN	HRS	6778										
	ENC											
PROC. REF: EMM 72-60-01												
832001			NO. 2 ENGINE - MAIN GEARBOX ASSEMBLY								Component	ATA:83
PN:3023480A	MOS/MSC	07-Jul-08	O/C									
SN:NSN	HRS	6937										
	ENC											
PROC. REF: EMM 72-60-01												

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task